


C.B.



AND



RADIO



C.B. AND RADIO



| | |
|--------------------------------|-------|
| CB's inc UHF | 20 |
| Microphones..... | 21 |
| CB Ext Speakers..... | 21 |
| CB Base and Leads..... | 22 |
| Microphone Brackets | 22 |
| CB Mount Brackets..... | 22-23 |
| CB Aerials and Hardware | 25 |
| Radio Aerials..... | 25 |
| Voltage Reducers..... | 25 |
| Car Radios and CD Players..... | 26 |
| Car Radio Speakers..... | 26 |
| CB Scanner..... | 27 |
| Scanner Aerials..... | 27 |





ELECTROPHONE TX822

Slimline 27MHz CB transceiver
Instant channel 8 recall.
Last channel memory.
Full electronic channel change.
Separate volume and Squelch control
Compact size. 130w x 33h x 140d mm

ELETX822 Electrophone CB TX822

ELECTROPHONE TX835

Top end 27MHz 40CH CB transceiver
Rugged front mount speaker
Instant channel 8 recall. Signal level indicators.
Variable RF gain. Power/Modulation indicator.
Dimmer function.

ELETX835 Electrophone CB TX835



ELECTROPHONE TX3200

High quality 477MHz UHF transceiver
Compact stylish appearance.
40 channel programmable scanning.
User selectable duplex channels.
Memory backup battery.
Australian designed and manufactured.

ELETX3200 Electrophone UHF TX3200



ELECTROPHONE TX3400

40 channel 477MHz UHF remote head
Suited for mounting with limited space.
Integrated Multi-tone Selcall.
User selectable Duplex function.
Control head 140 x 52 x 35 (mm)

ELETX3400 Electrophone UHF TX3400



ELECTROPHONE TX4400

High quality 477MHz UHF transceiver
Front mounted speaker.
5 digit Selcall with quiet mode, ANI & Alpha
labelling for Selcall, 10 Selcall memories, user
selectable open and group scan, variable
squelch, 20 programmable receive channels.

ELETX4400 Electrophone UHF TX4400



UNIDEN PRO520XL

40 channel CB with 7 watt output.
Instant channel 9 access. Compact size.
Front mounted microphone.
Signal strength LED meter.
Automatic noise limiter.

ACCPRO520XL Uniden CB PRO520XL



UNIDEN UH090 UHF & CB

Combination UHF and CB all in one set.
Compact 40 channel UHF and CB.
Scan and seek modes.
Scans and monitors both 27MHz and 27MHz at
the same time.
Hands free kit also available.

ACCUH090 Uniden UHF/CB UH090



UNIDEN UH089 UHF

Compact 40 channel 477MHz UHF
Suited for mounting with limited space.
Scan and seek modes

ACCUH089 Uniden UHF UH089



MICROPHONE

Hand piece and coil to suit GME Electrophone CB 27MHz.

| | | |
|------------------|--------|------------|
| ELEMC201 | TX55 | 4 pin |
| ELEMC204 | TX525 | 4 pin |
| ELEMC206 | TX1000 | 4 pin |
| ELEMC208 | TX822 | 4 pin |
| ELEMC215B | TX830 | 5 pin CH8 |
| ELEMC405 | TX2000 | Phone plug |
| ELEMC405 | TX835 | Phone plug |

MICROPHONE

Hand piece and coil to suit GME Electrophone UHF 477MHz.

| | | |
|-----------------|--------|------------|
| ELEMC214 | TX472S | 6 Pin |
| ELEMC403 | TX3000 | Phone Plug |
| ELEMC407 | TX3200 | Phone Plug |
| ELEMC408 | TX3400 | Phone Plug |
| ELEMC406 | TX4000 | 6 Pin |
| ELEMC401 | TX4200 | Phone Plug |

MICROPHONE

Hand piece and coil to suit Uniden.

| | | |
|-----------------|---------------------|-------|
| ELEMC205 | Uniden | 4 Pin |
| ACCMK393 | Uniden PRO510/520XL | 4 Pin |
| ACCMK420 | Uniden UH077 | 4 Pin |
| ACCMK485 | Uniden UH088 | 4 Pin |
| ACCMK485 | Uniden UH100/099 | 4 Pin |




EXTENSION SPEAKER

Extension speaker, elliptical 4 Ohm, Max. 5 watt. Dimensions 65 x 110mm.

ELESPK04 Extension Speaker.

Extension speaker, round 8 Ohm, Max. 3 watt. Dimensions 70 x 70mm.

ELESPK07 Extension Speaker.




EXTENSION SPEAKER

Extension speaker, square 8 Ohm. Dimensions 80 x 80mm.

ELESPK08 Extension Speaker.

Extension speaker, square 4 Ohm. Dimensions 80 x 80mm.

ELESPK09 Extension Speaker.




EXTENSION SPEAKER

Extension speaker, square 8 Ohm, with noise filter switch. Dimensions 100 x 100mm.

ELESPK10 Extension Speaker.

Extension speaker, cone 8 Ohm, Max 4 watt. Dimensions 65 x 65mm.

ELESPK45B Extension Speaker.



EXTENSION SPEAKER

Extension speaker, 4 Ohm, Max 3 watt. Dimension 65 x 65mm.

ACCSP14 Extension Speaker.

Extension speaker, 8 Ohm, Max 5 watt. Dimensions 65 x 110mm.

ACCSP15 Extension Speaker.



EXTENSION SPEAKER

Extension speaker, 8 Ohm, with noise filter switch. Max 7.5 watt. Dimensions 100 x 100mm.

ACCSP16 Extension Speaker.

Extension speaker, 8 Ohm, Max. 3 watt. Dimensions 70 x 80mm.

ACCSP19 Extension Speaker.



EXTENSION SPEAKER

Uniden extension speaker, 8 Ohm, 5 watt. Dimensions 75 x 75mm.

ACCMS100 Extension Speaker.



BASE AND LEAD

Universal antenna base and 4.5m coax lead with plug, suitable for both UHF and CB units.

ELEABL001 Base and Coax Lead.



BASE

Universal antenna base for both UHF and CB units.

ELEAB001 Base Only.



PLUG

Universal end plug for coax which fits into the back of UHF and CB units.

ELEPL2592S Universal Plug.



MICROPHONE EXTENSION

Microphone handpiece extension lead. This is ideal for where the unit is fitted into the roof console and the handpiece is fitted to the dash. Suits TX835, TX3200, TX3400 and TX4200.

ELELEM6P Microphone Extension Lead.



MICROPHONE BRACKET

Mounting brackets for handpieces.


ELEMB202 Mic. Bracket Stainless Steel.
ELEMB205 Mic. Bracket Plastic.



COAXIAL CABLE

Coaxial cable for UHF and CB units. 50 Ohm. 5mm diameter.

ELERG58CU Cable 100m Roll.
ELERG58CU1 Cable per metre.



UHF MOUNT BRACKET

Din mount adaptor to suit Electrophone TX3200 and TX3400 UHF units. Ideal when fitting units into roof consoles.

ELEMBD01 Din Mount Adaptor



GUTTER MOUNT

Heavy duty stainless steel gutter mount, suits most standard gutters. Comes with Alen key for installation.

ELEMB03 Gutter Mount



MIRROR MOUNT

Universal mirror mount, this is the most popular of all aerial mounts.


ELEMB401SS Mirror Mount Stainless Steel.
ACCMM1 Mirror Mount Zinc Plated.



BONNET MOUNT

Aerial mounts for bonneted light commercials and cars. 1.5mm stainless steel.

ELEMB407SS Bonnet Mount



BULLBAR MOUNT

Universal bull bar aerial mount manufactured from 3mm stainless steel.


ELEMB408SS Bullbar Mount



CB AERIAL

Black rubber flexible short 27MHz CB aerial pre-tuned.


ELEAE2001 CB Aerial 34cm



CB AERIAL

Standard black fiberglass pre-tuned 27MHz CB aerials. These aerials are the most popular used.


ELEAE2006 CB Aerial 60cm
ELEAE2014 CB Aerial 1m
ELEAE2018 CB Aerial 1.5m



CB AERIAL BULK

Bulk pack of 10 units.


ELEAE2006DP CB Aerial 60cm
ELEAE2014DP CB Aerial 1m
ELEAE2018DP CB Aerial 1.5m



CB AERIAL

Base loaded stainless steel 27MHz CB aerial pre-tuned.

ELEAE2007 CB Aerial Silver 1.2m
ELEAE2008 CB Aerial Black 1.2m



CB AERIAL

Red Label high performance fiberglass pre-tuned CB 27MHz aerials with top loading coil and heavy duty PVC sheath.


ELEAE240 CB Aerial 60cm
ELEAE242 CB Aerial 90cm
ELEAE243 CB Aerial 1.2m
ELEAE245 CB Aerial 1.5m



CB AERIAL

Fiberglass skip whip helical aerial CB 27MHz with heavy duty spring and 4m of lead.


ELEAE230 CB Aerial 1.8m



CB FLUSH MOUNT

Ideal for consoles and dash panels. Suit front mount speaker CB's.

ELEMK200B CB Flush Mount



UHF AERIAL

Black fibreglass 477MHz UHF aerial.

- ELEAE4003** UHF Aerial 57cm
- ELEAE4006** UHF Aerial 1.2m
- ELEAE4005** UHF Aerial with lead, 4DB, 37cm



UHF AERIAL

Stainless steel 477MHz UHF aerial 4.5dB gain.

- ELEAE4007** UHF Aerial Silver 60cm
- ELEAE4008** UHF Aerial Black 60cm



UHF AERIAL

Fold down stainless steel UHF aerial with heavy duty base completed with four metre lead plug assy. Completed with two aerial extensions (6dB and 9dB).

- ELEAE409L** UHF Aerial Combo



UHF AERIAL

Elevated feed base and 60cm stainless steel UHF aerial with 4.5m coaxial cable and plug.

- ELEAE4012K1** UHF Aerial Silver
- ELEAE4017K1** UHF Aerial Black



UHF AERIAL

Elevated feed base and 60cm stainless steel UHF aerial with 4.5m coaxial cable and plug together with heavy duty **spring**.

- ELEAE4012K2** UHF Aerial Silver
- ELEAE4017K2** UHF Aerial Black



REPLACEMENT PARTS

Replacement parts for the above ELEAE409L aerial.

- ELECA409** 6dB Top Aerial Section
- ELECA4091** 9dB Top Aerial Section
- ELECA4092** Base Section
- ELECA4093** Lead Assembly



UHF AERIAL

White 6.5dB 1.6m UHF bullbar aerial. Includes heavy duty spring and coax cable kit.


- ACCCOL6MSK** UHF Aerial




AERIAL SPRING

Heavy duty spring for CB and UHF aerials.

- ELECA201** Aerial Spring 5/16" Light Duty
- ELECA202** Aerial Spring 5/16" Heavy Duty
- ELECA412** Aerial Spring 1/2" suit AE4012



Lower gain antennas are more suited for hilly terrain where reception does not depend on the angle of the antenna.






RADIO AERIAL

Radio AM/FM aerial similar to CB style complete with base and coax cable and plug

- ACCSW1** Radio Aerial and Lead 1.0m
- ACCSW2** Radio Aerial and Lead 1.5m



RADIO AERIAL

Radio AM/FM aerial only, will fit on to standard CB base.

- ACCSW1A** Radio Aerial 1.0m
- ACCSW2A** Radio Aerial 1.5m



RADIO AERIAL

Universal pillar mount style radio AM/FM aerials. Chrome finish.

- ACCAP1** Radio Aerial Straight Base
- ACCAP2** Radio Aerial Offset Base



RADIO AERIAL

Universal spring swivel base aerials suit AM/FM radios.

- ACCAF260** Radio Aerial 4 section 2metre
- ACCAT4** Radio Aerial and Booster Coil
- ACCAT3** Radio Aerial



AM/FM AERIAL SIDE MOUNT

Heavy duty side mount truck aerials

- ACCASM19** Radio Aerial 1.9m
- ACC4SM2700** Radio Aerial 2.7m



AERIAL LEADS

Radio extension leads.

- ACCAE05** Extension Lead 0.5m
- ACCAE1** Extension Lead 1m
- ACCAE3** Extension Lead 3m



VOLTAGE REDUCERS

Standard series 24V to 13.5V DC converters with input protection. Amperage rating is continuous.

- ACCDC3A** Reducer 3 Amp
- ACCDC7A** Reducer 7 Amp



VOLTAGE REDUCERS

Standard series 24V to 13.5V DC converters with input protection. Amperage rating is continuous.

- GSLVR3** Reducer 10 Amp
- GSLVR4** Reducer 14 Amp



SPEAKER CABLE

Speaker cable grey with white tracer.

- NAR5822-7SP** Cable 2mm x 7m
- NAR5822-50SP** Cable 2mm x 50m



AXIS RADIO CASSETTE

Auto stop radio cassette. Manual tuning.
Tone balance control
Rotary volume/tone/balance and on/off control.
7.5W x 2 ch output power.
178mm x 45mm x 115mm

ACCAG101 Axis Radio Cassette



AXIS RADIO CASSETTE

Auto-stop cassette player.
Manual analog tuning.
Rotary volume and balance control.
7.5W x 2 ch output power.
178mm x 50mm x 156mm

ACCAX1101 Axis Radio Cassette

AXIS RADIO CASSETTE

Auto-reverse cassette player.
Manual analog tuning with LCD display.
Rotary volume and balance control.
7.5W x 2 ch output power.
178mm x 50mm x 156mm

ACCAX1501 Axis Radio Cassette



AXIS RADIO CASSETTE

Auto-stop cassette player. 30 station presets.
Electronic volume/balance/bass/treble and fader controls. CD input line. Digital clock.
12.5W x 4 ch output power.
178mm x 50mm x 156mm

ACCAX3501 Axis Radio Cassette



AXIS RADIO CASSETTE

Auto-reverse cassette player. 30 station presets.
Electronic volume/balance/bass/treble and fader controls. Digital clock.
25W x 4 ch high output power.
178mm x 50mm x 156mm.

ACCAX3651C Axis Radio Cassette

AXIS CD PLAYER AND RADIO

Single CD player with track and random repeat.
30 FM/AM presets.
Electronic volume/balance/ bass/treble controls.
Digital clock.
15W x 4 ch output power.
178mm x 50mm x 156mm.

ACCAX9001 Axis CD Player and Radio



AXIS CD PLAYER AND RADIO

Single CD player with track and random repeat.
30 FM/AM presets.
Electronic volume/balance/ bass/treble controls.
Digital clock. Blue LCD
25W x 4 ch high output power.
178mm x 50mm x 156mm.

ACCAX9002 Axis CD Player and Radio



AXIS CD PLAYER AND RADIO

Single CD player with track and random repeat.
30 FM/AM presets.
Electronic volume/balance/ bass/treble controls.
Digital clock. Wide LCD face.
25W x 4 ch high output power.
178mm x 50mm x 156mm.

ACCAX9003 Axis CD Player and Radio

AXIS CD DISC CHANGER

Ten disc CD changer. Anti-shock vibration free mechanism. Three beam laser pick up.
Horizontal or vertical mounting.
290mm x 180mm x 90mm.


ACCCDX1001 Axis CD Changer



RADIO SPEAKERS

Two flush mount 90 watt speakers. 100mm (4inch) Two way coaxial. Mounting depth 42mm.

ACCAX420 Speakers 100mm Pair



RADIO SPEAKERS

Two flush mount 90 watt speakers. 130mm (5inch) Two way coaxial. Mounting depth 44mm.

ACCAX520 Speakers 130mm Pair



RADIO SPEAKERS

Two flush mount 100 watt speakers. 165mm (6 1/2inch) Two way coaxial. Mounting depth 60mm.


ACCAX620 Speakers 165mm Pair



RADIO SPEAKERS

Two flush mount 120 watt speakers. 160 x 230mm. Three way coaxial. Mounting depth 85mm.

ACCAX6930 Speakers 160 x 230mm Pair



FLAG POLE

As seen on 4WD around mining sites.

ACCMFI Flag Pole 2.5m



BASE AND LEAD

Universal antenna base and 4.5m coax lead with plug, suitable for both UHF, CB and Scanner units.

ELEABL001 Base and Coax Lead.



UNIDEN SCANNER

Uniden scanner, 500 channel, 10 bands, including aircraft and 800MHz, 10 priority channels.

ACCUBC780XLT Uniden Scanners



SCANNER AERIAL

Aerial for multi band scanning unit. RX70-520MHz.

ACCSCA Scanner Aerial 70cm



SCANNER AERIAL

Aerial for multi band scanning unit. RX26 to 1300MHz

ACCSCATX Scanner Aerial 1.2m