
Covering the T199/4A, the Myarc 9640 and compatibles

# MICAOpendium

Volume 5 Number 8

September 1988

\$2.00



Myarc's GEME does windows (see Comments)

# INSIDE

- More MICRO-WORD
- Review of the Hard & Floppy Disk Controller
- Getting technical with the Yamaha 9938 chip
- Steven Shaw on Turbo Pasc 99

# TI-99/4A Home Computer The System. The Software.

ADVENTURES

PHO 5078

PHD 5079

Better to start with. Better to stay with. Better to grow with. Software

LOW PRICES PERIPHERALS SOFTWARE....OUR PRICES . . .

> Tex-Comp P.O. Box 33084, Granada Hills, CA 91344



CASSETTE PROGRAMS

ORDER BY **PHONE** 

Charge-It On Your Visa or MasterCard

(818)366-6631

24 HOURS a day-

Send for 1988 Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

#### **HOME ENTERTAINMENT**

MODULES

MODULES	ADVENTURES	CASSETTE PROGRAMS
PHM 3023 Hunt the Wumpus4.	The serie wateredic modern a thrace water all sky	PHT 6006 Programming Aids 14.95
PHM 3030 Amazing4.	PHM 30417 Adventure Module & Pirate Adv.(tape)6.95	PHT 6007 Teach Yourself 99/4A Basic4.95
PHM 3052 Tombstone City4.		PHT 6019 Teach Yourself Extended Basic4.95
PHM 3053 TI !nvaders4.	5 specify disk or tape with order	PHT 6067 Beginning Basic Tutor4.95
PHM 3054 Car Wars4.	S Adventure land4.95	EDUCATION
PHM 3057 Munch Man4.	5 Mission Impossible	EDUCATION
PHM 3056 Alpiner4.		MODULES
PHM 3112 Parsec		PHM 3002 Early Learning Fun4.95
PHM 3031 The Attack4.		PHM 3003 Beginning Grammar4.95
PMM 3032 Blasto4.		1 2000 2000 200 200 200 200 200 200 200
PHM 3194 Jawbreaker II		PHM 3010 Music Maker9.95
PHM 3110 Chisholm Trail		PHM 3021 Weight Control & Nutrition
PHM 3034 Hustle6.	G1036 10#11	PHM 3109 TI LOGO II (32K reg.) 12.95
PHM 3037 Hangman6.	savage is and late the date legical in the late late late late late late late lat	PHM 3015 Early Reading (speech syn. reg)9.95
PHM 3025 Mind Challengers	dorden voyage	
PHM 3036 Zero Zap	mangine tronneare novement e	PHM 3046 Reading On
PHM 3038 Connect Four8.	Section field house indicationed on prost on the contract	
PHM 30420 Tunnels of Doom (with disk)9.		The state of the s
PHM 3042T Tunnels of Doom (with tape)9.	THE COUNTY NOTE NOT AGTENCED CO	PHM 3048 Reading Rally9.95
	of the more than	PHM 3082 Reading Flight9.95
	Solicerer of clayworque castle	PHM 3027 Addition & Subtraction 19.95
PHM 3220 Micro Surgeon		PHM 3028 Addition & Subtraction II 9.95
PHM 3219 Super Demon Attack9		
PHM 3224 Hoonsweeper9		PHM 3049 Division I
PHM 3222		
PHM 3233 Burgertime9		PHM 305! Numeration 119.95
PHM 3131 Moonmile9	doverture on module with graphics	PHM 3060 Scholastic Spelling 4 (speech)9.95
PHH 3146 Munchmobilell	95 MBX Programs (MBX Unit Required)	PHM 3061 Scholastic Spelling 5 (speech)9,95
PHM 3197 Sivmoids	99 PHM 3154 Terry Turtle's Adventure2.95	PHM 3062 Scholastic Spelling 6 (speech)9.95
PHM 3226 Buck Rogers		
PHM 3227 Congo Bongo		PHM 3092 Milliken Multiplication9.95
		PHM 3093 Milliken Division9.95
	MODULES	PHM 3094 Milliken Integers9.95
	PHM 3999 Super Extended Basic	PHM 3098 Milliken Number Readiness4.95
	PHM 3026 Extended Basic	PHM 3099 Milliken Laws of Arithmetic4.95
DISKETTE PROGRAMS NEW LOW PRICES!	PHM 3058 Editor Assembler9.95	FHM 3100 Milliken Equations4.95
	PHM 3058 Mini Mamaga (with Maite II) 10.05	PHM 3101 Milliken Measurement of Formulas4.95
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	To many state of the state of t
PHO 5010 Mystery Melody4	5 DISKETTE PROGRAMS	,
PHO 5015Oldies But Goodies 14.	PHD 5007 Teach Yourself 99/4A Basic4.95	PHM 3115 Alien Addition6.95
PHO 5017 Oldies But Goodles II4	DUD FAIR Tarek Valler 16 Fishered Control	PHR 3119 Meteor Multiplication6.95
****SPECIAL Oldies But Goodies i & II	DHD SODA Programming Aids I	PHM 3118 Minus Mission6.95
PMD 5025 Sat. Night Bingo (Ex-Basic & Speech)4.	5 PHD SOOS Programming tide !! 4 95	PHM 31/7 Face Maker9.95
PHD 5037 Draw Poker (Ex-Basic)4.	PHO 5012 Programming Aids III4.95	
CASSETTE PROGRAMS	DMD 5077 Dengenmains bids 1 (3 1)1 0 05	
PHT 6002 II-Trek (TE-II req. for speech)4.	5 PHO 5067 Reginning Basic Tutor 4 95	
PHT 6010 Mystery Melody4.	5 DHO 5016 Tout to Connect (Ev Bosto Connect) 4 06	
PHT 6015 Oldies But Goodies 1	5 DWD 5000 Ti Fameh & manual /[d/daman and ) 10 00	
PHI 6017 Oldies But Goodies II	ר בער און פרטע און די נונע און פרטע און פרטע און פרטע און אינער און אינער און אינער און אינער און אינער און אי	

PHT 6017 Oldies But Goodies 11.......4.95

PHT 6026 Sat. Night Bingo (Ex-Basic & Speech)....4.95

PHT 6037 Draw Poker (Ex-Basic)............4.95

Ti Forth Demo Disk (Ed/Assem).....4.95

PHO 5030

PHD 5031

PHD 5042

Speak & Spell II (Ex Basic req.).....9.95

Speak & Math (TE-!! req.).... 4.95

Spell Writer (TE-II req.).... 4.95



TEX COMP

PRESENTS:

DRASTIC PRICE REDUCTIONS ON TEXAS INSTRUMENTS

COMPUTER SOFTWARE



# **PROTECT YOUR INVESTMENT** WITH A BACK-UP T199/4A

At only \$79.95 the Texas Instruments 99/4A home computer is still the wisest choice for any individual or family just starting out in computing. But for those of you who already own a 99/4A and have purchased hundreds or even thousands of dollars in peripherals and software, buying a back-up computer for under eighty dollars is the smartest and least expensive way to protect the investment



in your system.

Are you using your 99/4A in the office and wish you had another to use at home? Is your family squabbling over who gets the computer first? You can put your back-up computer to use at once to solve these problems, and rest assured that your primary system is protected too

Time is running out. The Texas Instruments home computer will not be available for sale much longer. Buy your backup TI-99/4A now and protect your home computer system investment for the years to come


\*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address, HI, AK, Canada and APO slightly higher.

#### PHD 5026 PHO 5039 PHD 5041 Bridge Bidding [11......4.95 PHD 5020 Music Maker Demo (use with module).....4.95

CASSETTE PROGRAMS see disk versions for req. i.e. TE-II PHT 6009 Music Skills Trainer......4.95 PHT 6011 PHT 601A Market Simulation......4.95 PHT 6031 Speak & Math......4.95 PHT 6042 Spell Writer.....4.95 PHT 6026 Bridge Bidding I..............4.95 PHT 6839 Bridge Bidding [1...............4.95 PHT 6041 

#### TI-COUNT SMALL BUSINESS SOFTWARE

General Ledger Accounts Receivable **New Lower** Accounts Payable **Price** Inventory Payroll Mail System SPECIAL 1988 OFFER ALL SIX PROGRAMS PLUS AUTO COUNT AUTO EXPENSE RECORD PROGRAM A \$250.00 SAVINGS !!!!!!



#### MANAGEMENT AND SMALL BUSINESS

Music Maker Demo (use with module).....4.95

#ODULES	
PHM 3006	Home Financial Decisions 4.95
PH# 3007	Household Budget Management4.95
PHM 3022	Personal Real Estate4.95
PH# 3016	Tax/Investment Rec. Keeping (disk req.1.4.95
PHM 3035	Terminal Emulator II9.95
PH# 3044	Personal Report Generator (PRK reg)10.95
PHM 3113	Multiplan
PHM 3112	TI Writer
PHM 3013	Personal Record Keeping
DISKETTE P	ROGRAMS NEW LOW PRICE!
PHO 5001	Mailing List (upgraded version)4.95
PHD 5003	Personal financial Aids4.95
PHD 5021	Checkbook Manager4.95
PHO 5022	Finance Manager
PHD 5024	inventory Management4.95
PHD 5027	Invoice Management
PHD 5029	Cash Management4.95
PHD 5038	Lease/Purchase Decisions4.95
PHO 5075	Tl/Multiplan upgrade disk 4.95
CASSETTE P	ROGRAMS
PHT 6003	Personal Financial Aids4.95
PHT 6038	Lease/Purchase Decisions4.95
	1000

1988 Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

#### **MATH AND ENGINEERING NEW LOW PRICE!** DISKETTE PROGRAMS

PHD 5006	Math Routine Library4.95
PHD 5008	Electrical Engineering Library4.95
PHD 5013	Graphing Package4.95
PHD 5016	Structural Engineering Library4.95
PHD 5044	AC Circuit Analysis4.95
CASSETTE	PROGRAMS
PHT 6006	Math Routine Library4.95
PHT 6008	Electrical Engineering Library4.95
PHF 6013	Graphing Package4.95
PHT 6016	Structural Engineering Library4.95
PHT 6044	AC Circuit Analysis4.95
****5PECI	ALALL 5 OF THE ABOVE ON DISK OR TAPE17.95

#### SPECIALS

Original TI Joysticks \$7.95 (pair)

Replacement Console Power Supply (external transformer) \$9.95

Replacement 99/4A Keyboards (plug in connection) \$7.95 Cassette Cable

\$5.95 Console Dust Covers \$7.95

Send order and make checks payable to

#### TEX+COMP

PO Box 33804, Granada Hills, CA 91344







VISA and MASTERCARD HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

NOTE: Payment in full must accompany all orders. Credit card. Company check or Money nediate shipment. Personal Checks require up to 4 weeks to clear California orders add 61/2% sales tax

TERMIS: All prices FO B. Los Angeles. For fastest service use cashiers check or money order Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities

# Contents

# MICAOpendium

MICROpendium is published 12 times annually for \$20 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728. Application to Mail at Second-Class Postage Rates is Pending at Round Rock, Texas. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

No information published in the pages of MICROpendium may be used without permission of the publisher. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval.

While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher.

Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment.

Display advertising deadlines and rates are available upon request.

All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included.

Foreign subscriptions are \$25.25 (Canada and Mexico); \$23.50, surface mail to other countries; \$37 airmail to other countries.

All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office.

Mailing address: P.O. Box 1343, Round

Rock TX 78680

Telephone: (512) 255-1512

Source: TI4596

CompuServe: 75156,3270

Delphi TI NET: MICROPENDIUM

GEnie: J.Koloen

John	Koloen.		 						ŀ	'n	ublishe	r
Laura	Burns.							٠			. Edito	r

Regena on BASIC Reflections in a grid
Turbo Pasc 99  New, powerfull language is similar to standard Pascal, yet friendly for BASIC users
Demystifying assembly John Birdwell on input from readers on his MICRO-WORD word processor
Video chips Tony Lewis continues his series with a discussion of the Yamaha 9938 used by Myarc and DIJIT
Tips for new hard disk users  Things to check out before using the Myarc Hard and Floppy Disk Controller Card
Geneve 9640  Mike Dodd on MDOS 1.10
Reviews  Myarc Hard and Floppy Disk Contoller
Newsbytes Upcoming fairs, the Tigercub is still hanging in there, and more bulletin board news
User Notes

A one-line catalog program, a couple of CALL LOADs, tip for RAM-

disk users and a sample AUTOEXEC file for the Geneve. Page 44

Here are some tips to help you when entering programs from MICROpendium:

1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the October 1987 edition.

Programming conventions

Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

# Best Buys From TENEX No Gimmicks, No Hidden Charges, No Nonsense, Just Low Prices and Great Service!

\$224.95

\$189.95

\$279.95

SCALL

SCALL

SCALL

.\$169.95

. \$199.95

..SCALL

SCALL

SCALL

\$CALL

SCALL

.\$15.95

\$14.95 ..\$5.95

**Printers** 

Computers

TENEX Turbo (Loaded) ......\$595.00 Monitors

Joysticks/Controllers NEW! Wico Ergostick .....\$19.95

Okidata 180 Printer

Okidata 120 Printer

Star NX-1000

Star NX-15 ..

Selkosha SP-180

Geneve 9640 ....

Amiga 500... Amiga 2000.

Epyx 500XJ

TI Adapter ...

SuncomTac 5.

Seikosha SP 1200-Al

13" Color Composite Magnavox CM8762, Color...\$269.95

Selkosha SP 1600-Al...

Okidata Microline 183..

Star NX-1000 Rainbow



#### Dust Cover & Everything Book

Discover the savings and easy shopping available from TENEX Computer Express PLUS receive a FREE dust cover for your TII Cover is anti-static, 8gauge vinyl sewn to our exacting standards with reinforced seams. Custom tallored with exclusive rear corner slit accommodating cables and speech synthesizer. Show your computer you care. Get to know our great products, extensive selection and fast service with a FREE copy of our Everything Book for TI. (\$2.95 Shipping Charge)

10017 TI Console Cover & Catalog

#### micro lal From The 39¢ Diskette

Are you paying too much for diskettes? Try our first quality, prime, 5-1/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; including diskettes in sleeves, labels, and write-

Fach diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include

hub reinforcement rings and write-protect notch.
All diskettes are double-density and work in either single or double-density drives.

SS, DD Diskettes, Box of 50 32391 DS, DD Diskettes, Box of 50

\$19.50 - 39¢ ea.!

\$24.50 - 49¢ ea.!



- 100 disk (5-1/4") capacity
- · Lock and keys for extra security and easy carrying.

  Includes 8 index dividers with labels for organi-
- azation of filing and retieval. Made of durable anti-static, high impact plastic.
- Attractive smoke color lld. Sug. Retail \$19.95

66826

NOW ONLY \$995

#### Hardware

#### CorComp RS-232. \$89.95 CorComp 32K .. \$119.95 CorComp 9900 Disk Cont. ... \$149.95 CorComp 512K ..... \$253.00 Myarc RS-232 .. .\$99.95 Myarc 512K w/XB \$49.95 Rave Speech Card ....

MUUDBBUI IDB	
Rave 105 Keyboard	.,\$199.95
Universal Printer Stand+	\$14.95
Data Transfer Switch	\$24.95
RF Modulator (99/4A)	\$19.95
Power Transformer (99/4A) .	\$19.95
1/2 Ht. 360K Floppy Drive	\$99.95
Parallel Printer Cable 5 ft	\$24.95
Parallel Printer Cable 10 ft	\$34.95
Composite Monitor Cable	\$7.95
TI Cart. Expander	\$19.95
•	

NX-1000 Black	\$5.9
Okidata 120/180/183	\$7.9
Axiom GP-550	\$10.9
Gemini 10X.SG-10/15	\$2.9
NX - 1000 Rainbow	9.9

#### TI 99/4A Software

Free! 48 Page "Everything" Book With Any Order!

\$8995

## Get TI-Count Accounting For Less

Pike Creek Accounting Package

This is the only accounting system to be endorsed for the TI 99/4A by Texas Instruments. It includes all the features of systems costing up to thousands of dollars for only a fraction of the price. You get all these: General Ledger - monitors up to 650 accounts, Accounts Receivable - keeps up to 200 customer accounts, Accounts Payable features the ability to hold 200 vendor ledger accounts, Inventory stores up to 700 items in 4 departments, Payroll - provides you with payroll checks and stubs of your choice. Mail System -change, move, or merge files. Get all 6 systems plus a bonus, the Auto - Count Tax

75833 Pike Creek Accounting Package

# Give The 'Foot" The Boot

You'll find our Peripheral Extension Cable to be a lifesaver. One end of this 30" cable plugs snugly into the expansion port on the right side of the 99/4A console; the other connects to the 44 contact slot of the PE Box cable, or any other stand-alone peripheral (such as the speech synthesizer, memory expansion, etc.). Customize your system set-up today!

22633 Peripheral Extension Cable

\*THE BEST PRICES\* \*THE BEST SERVICE\*

WHY SHOP ANYWHERE ELSE?

#### Gives You More Control

PIO PRINTER INTERFACE PLUS. You'll be able to computer any parallel input printer directly to your computer. Just plug and labe the side of your console and the other into the \$4995 one end into the side of your console and the other into the printer. 120 day warranty. From CorComp. Sug. Retail \$59.95 42250 Parallel Printer Interface \$49.95

Only

From Your Friends At



We gladly accept mail orders uth Bend, IN 46660

Questions? Call 219/259-7051



Shipping Charges

Order Amount	Charge
less than \$19.99	\$3.75
\$20.00-\$39.99	4.75
\$40.00-\$74.99	5.75
\$75.00-\$149.99	6.75
\$150.00-\$299.99	7.75
\$300.00 & up	8.75

No Extra Fee For Charges!

ORDER TOLL FREE *1-800-348-2778* 

WE VERIFY CHARGE CARD ADDRESSES


APO, FPO, AK, HI, CN, VI, GU, and foreign orders are subject to additional shipping charges. NOTE: Due to publishing lead-times, product prices and specifications are subject to change without notice.

# Comments

# Myarc Q&A starts; HFDC is fine

This month marks the start of a question and answer series about Myarc products. Readers with questions are invited to submit them in writing to MICROpendium. We'll do our best to get them answered in print.

Speaking of Myarc, this month we're reviewing the Hard & Floppy Disk Controller. Also, for new HFDC users, there's a tip sheet to help you use the card. It's the only product that will allow you to have 20 megabytes of disk storage online with data transfer rates that approach the speed of a



RAMdisk (depending on the hard drive it is used with).

Above is a photo of a screen from Myarc's windowing program for the Geneve, GEME. A second photo is on the cover. This photo shows several defined windows — the user determines their size and shape — as well as a partially visible pop-up action menu at the lower left. Notice that the version number is 0.30. Obviously, this software isn't ready for distribution yet, but the photo should give you an idea of what to expect. The program will allow Geneve users to run several programs at the same time, moving from one to another via windows.

As for a timetable on delivery of final versions of MDOS, GPL, Pascal and Advanced BASIC, keep your eyes on late October. There are several versions of MDOS available on bulletin boards now, including MDOS 1.06 and higher. These, along with MDM5 V1.23 and GPL 1.03, were made

available for users of the HFDC. I've seen versions numbered V1.08 and V1.09 posted for downloading, too. Myarc has V1.10 finished but that is not the final product, as had been originally anticipated. It is very close to the final version, however. Incidentally, Myarc is going to show the finished Advanced BASIC at the Seattle TI fair this month.

#### **NEW WORD PROCESSOR**

Triton's most recent catalog features a new word processor called "Press." The program was written by Charles Earl,

of TELCO fame, and is being marketed by Asgard Software. This feature-laden program looks like a real winner. It has everything from a built-in spelling checker with a 120,000-word dictionary to user-defined macros and pull-down menus. It sells for only \$59.95 and is expected to be ready for delivery by Nov. 1. We expect to have a review of it as soon as the program is officially released. This is the new word processor I have hinted about in this space the past few months. It appears to be the most significant in word processing for the 4A since Companion came out four five years ago.

#### AN MBX CONNECTION


Barry Boone, who recently released a completely rewritten version of his Archiver program — now V3.02 — is working on a program that will allow MBX owners to actually write programs to run on the system. I don't have a lot of details to relate, but my understanding is that users will be able to write

Extended BASIC programs for the device. However, this isn't going to be distributed as a fairware product, like Archiver.

#### COMING UP

In October, we'll be running an article about the four major telecommunications networks as they relate to the TI. Also, we'll have a tutorial on FUNLWEB designed to get users up and running on the latest versions of the Australian operating environment for the TI. And, if we've got enough space, an article about using Texament's TI-Base database program. This month we weren't able to fit Charles Kirkwood's c99 column in, but we'll pick it up again next month.

# THE MYARC Hard & Floppy Disk Controller with Streamer Tape Backup Support



- Hard drive transfer rate of 5Mbit per second, for speed comparable to an external RAM disk card
- Interfaces with standard, off the shelf, hard, floppy and streamer tape drives
- Built-in real time clock, for time and date stamping of files
- Supports up to four 5 ¼" and/or 3 ½" floppy drives, mix or match
- All disk formats, SS/SD (90K), DS/DD (320/360K) and DS/QD (640/720K) supported
- MYARC Disk Manager V, the most intuitive and user friendly manager available
- One year limited warranty, 12 months parts, 6 months labor, is standard, an optional two, three or four year extended warranty is available

# Feedback

# Line number length won't affect memory

Regena (August 1988) states that she has occasionally used lower line numbers (e.g. NUM 1,1) to save memory. TI BASIC and TI Extended BASIC use two bytes to save the line number, regardless of its printed length. Thus, line number 1 takes as much memory as line number 10000. It makes no difference.

Tony Lewis' article on the 9918A VDP chip contains an error. He states that "the VDP keeps track of the sprites, not the 9900" and thus, "If you have a LOAD switch for your console, you may have seen the sprites still moving, even though the rest of the scren was frozen by pressing the switch." The VDP chip does keep track of all aspects of sprites, except motion. Automatic motion of sprites is controlled by an interrupt routine in the console ROM chip. Thus, if the computer were truly locked up, the sprites would immediately cease motion. This is also true for the 9938 VDP chip.

Mike Dodd Oliver Springs, Tennessee

# Super X-BASIC with Navarone Widget

John Guion, who sells the Super X-BASIC upgrade, also includes very detailed documentation on how to upgrade Super X-BASIC to work with the widget.

This information was worth the cost of the upgrade.

Dan Eicher Indianapolis, Indiana

#### 'Hostile takeover'

I'm confident anyone who is a member of a TI user group realizes how vital they are in providing us 99ers with support, news and insight. We are particularly fortunate here in the San Fernando Valley because we have a great collection of talented members. Our meeting attendance is impressive and support outstanding.

One member was especially recognized at our last meeting. Steve Mehr presented him with a specially duplicated and framed cover of the July 1988 issue of MICROpendium. Roger Merritt survived the southern California freeway system from Orange County to present him with a special certificate which referred to his "short, hostile take-over of MICROpendium." And every member in attendance applauded his efforts.

I refer, of course, to Ray Kazmer. His programming talents are impressive and his support of our club is never ending. We all feel truly fortunate to have Ray as a member of the SVF 99ers and take this opportunity to tell him so publically. Thanks, Ray!

Jim Edwards President, SFV User Group La Crescenta, California

#### Satisfied customer

I do not believe I have received a single issue of MICROpendium from which I have not learned or derived something of value to the operation of my TI99/4A system.

The most recent major item is without any doubt John Guion's Super Extended BASIC module modification mentioned in Newsbytes (June 1988).

I wrote for the brochure July 14, received it on July 27, sent my order on the same day and had the components at 11:45 a.m. on Aug. 11. Please note that this is by U.S. and Canada Post from California to North Bay, Ontario, 200 miles north of Toronto!

The instructions were so clear, the job so easy, that it was done and working before lunch, and this included an extra mod (\$1 extra) which allows the full, regular use of the Navarone Widget with the Triton Super Extended BASIC module.

Not only does this work as advertised, but when using the widget, I no longer lose everything in my CorComp Memory Plus when I hit the reset button!

As an aside, I have for some time been working on an up-to-eight-module widget-type module expander I read about in the "New 99ers" newsletter from New Westminster, British Columbia. I have not had it working yet, but if I ever do, it will provide 11 module-based programs!

As I wrote to Mr. Guion, his mod has also made things easier when powering up after pulling the plug to avoid our currently frequent thunderstorms, as I use the E/A feature to load and run the copying pro-

gram on my "RAM-load" disk itself. I have to reload as there is no power backup on the CorComp RAMdisk.

John Guion has here one very satisfied customer!

Patrick S. Graham North Bay, Ontario, Canada

#### Not really new

Croaker game (June 1988): Is there really the need of publishing another game from the long list of Froggers, Q-Berts and Pac-mans? Oh, I don't want to say that this program isn't good at all! But I see no reason why I should type in such programs from any magazine, because if I would look in my disk-index I would find at least eight or 10 programs of this kind.

I would like to see really new programs. And if there aren't any new programs take this place for publishing news about the 99er.

Michael Rittweger Kiel, West Germany

#### About the index

About the index for MICROpendium (began running April 1988—Ed.); I wrote it because I needed it, and only later realized that the rest of us do too. The magazine has been like a fascinating textbook, and with the contents dependent on my not very good memory. Since I am very interested in becoming TI99/4A knowledgeable, I have spent much time searching through issue after back issue for this and that bit of information. Knew it was there, but where?

The index is admittedly not too consistent. I began by abbreviating to the bone, in my innocence attempting to get it all into memory at once. When THAT didn't work, I slowly achieved a more relaxed attitude, finally abbreviating where necessary to stay inside a 40 character line. This is my first attempt at such a thing, so the early years are not well cross-indexed. Year '87 is better, and '88 will be better yet. There will be mistakes. When you spot one, and if you have the disk, which should be eventually available, it's not too hard to change the responsible data statement.

Elton Schooling Sacramento, California

## Artist SUPPORT!

#### **Artist Borders**

Now, for the first time, easily add borders to your TI-Artist or Font Writer II pictures! Artist Borders Volumes #1 and #2 each contain 40 sophisticated, fancy, classic and just fun borders that you can use to dress up a drawing, create a flyer or certificate, or add to practically anything that can benefit from a border. This collection is also entirely unique - there are no other border collections available for TI-Artist from any other manufacturer. Highly detailed, you'll use all borders over and over. Requires TI-Artist. By Robert Coffey and Paul Scheidemantle.

New Release! - Each volume only \$7.95!

#### **Artist Fonts**

Other art collections are like a grab-bag - some jewels but lots of things you neither need nor want. Asgard Software takes the guesswork out of buying pre-made art for use with TI-Artist or Font Writer II - we've spent a lot of time organizing our works so that you only have to buy what you need and want - not what someone else decides is what you need or want. This collection is a 5 volume series of fonts for use with any program that accepts typefaces in TI-Artist format. The Artist Fonts collection provides a wide variety of new fonts that can be used to enhance your documents or pictures. The vast majority of the fonts in this series are complete fonts with upper and lower case characters, numbers and special symbols: The volumes are as follows:

- Volume #1: A collection of large fonts useful for titling. Also contains novelty fonts for interesting headlines and to add character to your work. By Ken Gilliland.
- Volume #2-5: Four outstanding collections of smaller typefaces for use in desktop publishing, or just to get the most text on a line possible in your pictures. Each font is highly detailed and complete. Fonts are available in a variety of smaller sizes. The largest collection of smaller fonts available. New Release! By Paul Scheidemantle.

A tremendous value! - Each volume \$7.95, all five for \$34.95!

Asgard Software P.O. Box 10306 Rockville, MD 20850 (301)559-2429

#### **Artist Instances**

This outstanding series of works is the most extensive clipart library for TI-Artist ever! Each volume in this comprehensive collection consists of large, detailed and well documented pictures stored in TI-Artist "instance" format. All can be readily used in your desktop publishing documents, as a basis for other pictures, and in flyers, calendars, certificates, or anything else that can benefit from a beautiful, large picture. These pictures were carefully chosen from thousands of others so that you can print them out on a page with the maximum resolution and darkness possible without them disappearing. Arranged thematically - only purchase the pictures you want in the category you want.

- Volume #1 Animals 1 Domestic and wild animals
- Volume #2 Animals 2 Familiar and rare animals
- Volume #3 Holidays 1 Help you celebrate those special days of the year
- Volume #4 Home A large collection of smaller pictures of personal objects, household items, etc.
- Volume #5 People 1 Famous and not so famous folks
- Volume #6 Computer A large collection of computer images
- Volume #7 People 2 Fantasy figures run amok here
- Volume #8 Animals 3 More incredible animals
- Volume #9 Holidays 2 More images for festive days New Release.

A Great Value! - Each volume \$7.95, any 3 for \$19.95!

#### Artist Enlarger

A "must-have" utility for anyone with TI-Artist or programs that use TI-Artist artwork. It seems the picture or font you want to use is never quite the right size - too thin, too tall, too fat, or just too large or too small. Now, with this utility you can quickly and easily enlarge, reduce, stretch or squeeze any font or picture as many times and in whatever order you like. Stretch a font wider and then enlarge it - reduce a picture and then make it taller. Take the guesswork out of page creation! Requires TI Extended BASIC, 32K and a disk system. By Howard Uman.

A valuable utility! - Only \$9.95

#### **BASIC**

# Reflections in a grid

By REGENA

Here is a program that combines some of the features of some of my earlier programs. A grid is shown on the screen. You may use the arrow keys to move the cursor around, then press the ENTER key when you want to place a square in the design. Press the space bar to change the color of the cursor.

When you press ENTER, the square appears where the cursor is and is "reflected" onto seven other squares in the grid. The design is symmetric around the horizontal and vertical center lines and also around the diagonals. All the drawing takes place only in the upper right quadrant of the screen.

Many needlework and quilting designs use this symmetry, so you may design handwork using this program. Draw on the screen in the colors you want, then press "H" for a hardcopy of the pattern. The colors are translated into alphabetic characters, and a key for the colors is also printed. You may then use the printed pattern for quilting, needlepoint, cross stitch, lace net or even printing on graph paper.

To print the design on your printer, you will probably need to adjust the OPEN statement of Line 930. I have used "RS232.BA=600" for my TI printer, but you can change this to your own printer configuration that you ordinarily use.

If you want to change the background color on the grid on the screen, change the screen color number in Line 320. I used cyan, but you may prefer white, or another color.


Lines 100-160 print the brief instructions. Line 170 redefines character 45 for the grid square. Lines 180-220 define the squares of different colors, two solid squares in each color set. Lines 230-250 keep the title screen until a key is pressed to start.

Line 260 clears the screen, then Lines 270-310 define more characters for color squares. Line 320 sets the background color of the screen. Lines 330-350 draw the grid on the screen. Lines 360-390 initialize variables used in moving the cursor around the screen. CLR is the color and starts with black, G2 is the new square of color. ROW and COL are the row and column where the cursor is located, and it starts in the center of the screen.

Line 400 determines what character G is in a position. Line 410 makes a beeping tone when a move is made. Lines 420-440 define Gl, which is a character number used to "blink" the cursor. Line 450 detects a key pressed. Lines 460-470 blink the cursor when a key is not pressed.

Line 480 branches to Line 930 if the key "H" is pressed for a printed hardcopy. Line 490 branches to Line 800 if the ENTER key is pressed to place a square of color. Line 500 branches to Line 720 if the space bar is pressed to change colors. Lines 510-700 move the cursor dependin on the arrow key pressed. All other keys pressed are ignored. The IF COL ... and IF ROW ... statements make sure the cursor stays in the upper right quadrant of the grid.

Lines 710-780 change the color. Lines 720-740 increment the color number CLR. After color number 16, the color number starts over at 2. Lines 750-770 determine what the character number will be corresponding to the color number. Notice that character numbers are the first two numbers in each color set of



8. For example, 88 is medium green, 89 is light green, 96 is dark blue, 97 is light blue, 104 is dark red, 105 is cyan, etc.

Lines 790-910 place the color square where the cursor is, then "reflect" the square to the other positions. Line 800 places the first square of color under the cursor. Lines 810-830 place the colors in the other three quadrants. If you want the reflections to take place only horizontally and vertically (and not diagonally), you can add a Line 835 GOTO 400.

Line 840 determines if the square is exactly on one of the diagonals, in which case only the three reflections need to be placed. Lines 850-860 calculate factors used in placing the other four reflected squares in Lines 870-900.

Lines 920-1270 contain the printing routine. Line 930 is the OPEN statement that defines your printer configuration. Remember to change it for your own printer! Lines 950-1080 loop through the rows and columns. Line 970 determines the character GG in the position. Lines 980-1000 print a period if the square is the background color. (By the way, you better change Line 1020 if you change the background color in Line 320.) Line 1040 determines the color number depending on the character GG found in the position. Line 1050 prints the appropriate alphabetic character depending on the color number.

Lines 1090-1240 print a color key. Line 1250 advances the paper to the top of the next page. Line 1260 closes #1 for the printer. Line 1270 branches back to the main program so you can continue designing. Line 1280 ends the program.

If you prefer to save typing effort, you may have a copy of this program by sending \$3 and a blank cassette or diskette plus a stamped, self-addressed mailer to REGENA, P.O. Box 1502, Cedar City, UT 84720.


(See Page 11)

#### **REGENA ON BASIC—**

100 REM REFLECTIONS 1024 11Ø CALL CLEAR !2Ø9 120 PRINT TAB(8); "REFLECTION S" !202 130 PRINT: : "USE THE ARROW KEYS TO MOVE. " !Ø37 140 PRINT: "PRESS < ENTER> TO SET COLOR." !116 15Ø PRINT: "USE < SPACE> TO C HANGE COLOR." !125 16Ø PRINT: "USE 'H' FOR HARD COPY. ": :!158 17Ø CALL CHAR(45, "FF81818181 8181FF")!Ø63 18Ø FOR S=2 TO 7 !Ø73 19Ø CALL CHAR (8\*S+8Ø, "FFFFFF **FFFFFFFFF**") !232 200 CALL CHAR(8\*S+81,"")!121 21Ø CALL COLOR(S+7,S\*2+1,S\*2 +2)!125 22Ø NEXT S !233 230 PRINT "PRESS ANY KEY TO START. " ! 183 24Ø CALL KEY (Ø, K, S) : 187 25Ø IF S<1 THEN 24Ø !249

26Ø CALL CLEAR !2Ø9 FFFFFF")!024 28Ø CALL CHAR(89,"")!169 29Ø CALL COLOR(8,3,4)!182 300 CALL CHAR(81, "FFFFFFFFF FFFFFF")!Ø17 31Ø CALL CHAR(8Ø,"")!16Ø 32Ø CALL SCREEN(8)!153 33Ø FOR ROW=1 TO 24 !Ø29 34Ø CALL HCHAR (ROW, 5, 45, 24)! 175 35Ø NEXT ROW !142 36Ø CLR=2 !154 37Ø G2=81 !1Ø6 38Ø ROW=12 !227 39Ø COL=17 !2Ø6 400 CALL GCHAR (ROW, COL, G)! 19 41Ø CALL SOUND (1ØØ, 165, 2)!13 42@ G1=G !125 43Ø IF G2<>G THEN 45Ø !255 44Ø G1=45 !1Ø5 45Ø CALL KEY(Ø,K,S)!187

460 CALL HCHAR (ROW, COL, G1)!2 47Ø CALL HCHAR (ROW, COL, G2)!2 42 48Ø IF K=72 THEN 93Ø !222 49Ø IF K=13 THEN 8ØØ !Ø87 500 IF K=32 THEN 720 !007 510 IF K<>69 THEN 560 !050 520 IF ROW=1 THEN 410 !072 53Ø CALL HCHAR (ROW, CCL, G)!19 54Ø ROW=ROW-1 !1Ø6 55Ø GOTO 4ØØ !224 560 IF K<>83 THEN 610 1096 570 IF COL=17 THEN 410 !102 58Ø CALL HCHAR (ROW, COL, G)! 19 590 COI\_COI\_1 !054 6000 GOTO 4000 !224 61Ø IF K<>68 THEN 66Ø !149 620 IF COL=28 THEN 410 !104 63Ø CALL HCHAR (ROW, COL, G)!19 640 (XX)=CXXL+1 !053 (See Page 12)



# Free Catalog Public Domain and Fairware Disks

The Boston Computer Society TI-99/4A User Group maintains one of the most extensive libraries of high quality public domain and fairware software disks. Our collection includes over 100 disks for the TI-99/4A and MYARC 9640 spanning the entire range of applications including: Games, Assembly Language, c99, Disk Utilities, Graphics, Music, UCSD Pascal, Forth, Telecommunications, and more! Until now, this collection has been available only to BCS members and at selected TI Faires. Now this acclaimed collection is being made available to the entire TI community.

Just send a self address stamped envelope to the address below and we'll send you our complete 20 page catalog. The catalog includes a description of every disk indexed by category to make finding the programs you're looking for easy! Best of all, our disks are only \$3 each, or 4 for \$10. That's half of what others charge.

If you're serious about getting the most out of your TI-99/4A or MYARC 9640, you're sure to find many new and useful disks in this collection.

The Boston Computer Society
TI-99/4A User Group
One Center Plaza
Boston, MA 02108

#### **REGENA ON BASIC-**

REGERA ON BASIC—
(Continued from Page 11)
65Ø GOTO 4ØØ !224
660 IF K<>88 THRN 450 !196
670 IF ROW=12 THEN 410 !123
68Ø CALL HCHAR (ROW, COL, G)!19
2
690 ROW=ROW+1 !105
7000 GOTO 4000 !224
710 REM CHANGE COLOR 1031
72Ø CLR=CLR+1 !Ø59
73Ø IF CLR< 17 THEN 75Ø ! 191
74Ø CLR=2 !154
75Ø SET=INT((CLR-1)/2)!175
76Ø F=(CLR/2=INT(CLR/2))+1 !
100.
77Ø G2=8*SET+81-F !227
780 GOTO 410 !234 790 REM PLACE SQUARE !048
800 CALL HCHAR (ROW, (XXL, GZ) !2
42
810 CALL HCHAR (ROW, 33-COL, G2
)!228
820 CALL HCHAR (25-ROW, COL, G2
)!229
830 CALL HCHAR (25-ROW, 33-COL
,G2)!215
840 IF COL-ROW= (12-ROW) *2+5
THEN 4000 !181
85Ø FF1=12-ROW !Ø98
86Ø FF2=COL-17 !Ø78
87Ø CALL HCHAR(12-FF2,17+FF1
,G2)!121
880 CALL HCHAR (13+FF2, 17+FF1
,G2)!121
89Ø CALL HCHAR (12-FF2, 16-FF1
,G2)!121
900 CALL HCHAR (13+FF2, 16-FF1
,G2)!121
910 GOTO 400 !224 920 REM PRINTING !101
93Ø OPEN #1: "PIO" !253
94Ø CALL HCHAR (ROW, COL, G)!19
2
950 FOR RR=1 TO 24 !201
96Ø FOR CC=5 TO 28 1179
970 CALL GCHAR (RR, CC, GG) ! 290
980 TF CGC>45 THEN 1010 1050
980 IF GG<>45 THEN 1010 1050 990 PRINT #1:", "; 1019
1000 GOTO 1060 !119
1010 IF GG<>80 THEN 1040 108
Ø
1020 PRINT #1: "G "; !044
1230 GOTO 1260 !119
1040 GG2=INT ((GG-80)/4)+(INT
$((GG-8\emptyset)/4)=(GG-8\emptyset)/4)!242$
1050 PRINT #1: CHR\$ (65+GC2);"

112Ø PRINT #1: "C

113Ø PRINT #1: "D

114Ø PRINT #1: "E

115Ø PRINT #1: "F

116Ø PRINT #1: "G

117Ø PRINT #1: "H

EN" !202

!Ø42

E" ! 13Ø

!222

3

17Ø 1 18Ø 1 19Ø 1 10Ø 1	NEXT CC !0728 PRINT #1 !14' NEXT RR !0758				-	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 19 W'' 26 Of	10 10 10 10	56 !2 !2	R R R R	IN Ø IN 62	T T	#######################################	1	: '	·Ј		D <sub>i</sub>	AF	S K H	Y	REI EL YEI REI	[,
E F G H I J K L M N O	LIGHT BLUE DARK RED CYAN MEDIUM RED LIGHT RED DARK YELLOW LIGHT YELLOW DARK GREEN MAGENTA GRAY WHITE	- - - - - - - - - - - -	. A		. A	 		A			A	A			A		 	A		. A			
A B C D	BLACK MEDIUM GREEN LIGHT GREEN DARK BLUE		 A	•	A	 		A				A					 	A		A			
		•							Α					À		Ċ	Ċ			Ċ		:	

122Ø PRINT #1: "M

123Ø PRINT #1: "N

124Ø PRINT #1: "O

126Ø CLOSE #1 !151

127Ø GOTO 4ØØ !224

128Ø END ! 139

125Ø PRINT #1: CHR\$(12)!184

! 196

72

MAGENTA"

GRAY" !24

WHITE" !Ø

#### Asgard's Batch-It saves keystrokes

LIGHT CRE

DARK BLUE

LIGHT BLU

DARK RED"

CYAN" !23

MEDIUM RE

Asgard Software has released Batch-It, a batch language for the TI99/4A and Myarc 9640 by Charles Earl and Tom Bentley.

Batch-It allows users to write commands that are executed by other programs with the press of a single key, similar to BAT commands on PCs and the Geneve. This capability is particularly useful for repetitive operations, such as copying files. Used with a programming language such as c99, Batch-It can be used to run the c99 compiler, compile the c99 program you are working on, assemble it in the assembler, link it to other routines, load it and run it in one batch operation.

Asgard says Batch-It will work with any program in any language, including TI-Writer, PR-Base, Telco and drawing programs. The program requires a TI99/4A with memory expansion, one disk drive, and Mini-Memory, Superspace or Supercart, or the 9640.

Suggested retail is \$19.95. For further information or to order, contact Asgard Software, P.O. Box 10306, Rockville, MD 20850.

# A RAVERSO


# INTRODUCES.....



SPEECH SYNTHESIZER ADAPTER CARD

NEWI

Finally, A low cost method to move your TI-Speech synthesizer from the side of the console to the Peripheral Expansion Box (PEB).



Takes only minutes to remove the housing from your speech synthesizer and install into the P.E. Box.

CE LOOK!

NEW

# SPECIAL FEATURES

Compatible with the 99/4A and 9640 GENEVE computers.

Software Compatible with TI-Speech Synthesizer.

High Quality Construction

90 Day Warranty


LOW COST .. \$49.95 + \$2.50 for Shipping & Handling

Units are in stock and ready for immediate delivery.





ADD 5% FOR HANDLING AND SHIPPING. CT. RESIDENTS ADD 7.5% SALES TAX.



Make someone happy for the holidays..

Put a "Voice" back in your computer!!



TEX+COMP



# FREEWARE

Public Domain and Shareware Programs Are Available from our Library, and Priced at

95 \$4<sup>95</sup>

TO USE YOUR TI-99/4A COMPUTER

#### ORDERS SHIPPED OUT SAME OR NEXT DAY

#### GAMES

GREAT 99/4A GAMES VOL 1 (38) A collection of the very best. Professional quality. GREAT 99/4A GAMES VOL 2 (39) Continuation of VOL 1 with more great action & graphice BBST OF BRITAIN VOL 1 (44) A collection of the best U.K. has to offer.

BEST OF BRITAIN VOL 2 (45)
"Legend of Carfax Abby" an
all graphics adventure.
GHOSTMAN (48) The fastest
Pacman type game ever!
DEMON DESTROYER (49) Starte

DBMOW DESTROYER (49) Starts where invaders leaves off. OH NUMNY!! (50) Search the tomb for treasure while being chased by mummys.

BERLIB VALL (51) Excape from B. Berlin and avoid mines. FREDDY (60) Great action and graphics. Excape from an underground covern. Great!! THE NIBE (61) Fast action

THE MINE (d) Fast action and great graphics. Hours of excitment with this one! II RUNBER II (??) An all new upgrade of one of the best CHESS (68) The famous game Zargon. Loade from exbasic.

CHECKEES & BACKCARMON (33) A collection of the best.
SOLITAIRE & SCRABBLE (34)

A classic game collection:
WHEBL OF FORTUME, BLACKJACK a
JOKER POKER (2) Three of
the best we have seen. So
good you will expect Vana
to appear!

STRIP POKER (13) When you win she loses everything!
ASTROBLITZ/MAZOG (63) Two

professional quality action games you are sure to like! MAJOR TOW/SPACE STATION PHETA (64) Two great space gament

(64) Two great space games!
PERFECT PUSH (65) One of the
finest games ever written.
Fantastic action and top
notch graphics. Space game!
SUPER TRIVIA 99 (46) The best

trivia games we have seen. Complete with questions:

R RATED GAME DEMO (20) The classic Space Invaders with "unusual" guns à targets.
For Adults Only!

TI-99 OLOPY' (12) Now you can

TI-99 OLOPY' (12) Now you can play the famous board game right on your 99/4A. Do not page 90!!!

# EDUCATION KIDS LEARNING VOL 1. (27) A

2-disk eide collection of educational programs. Math, geography, reading and more MORSE CODE TRAIMER (31) A professional program to learn and practice code.

ASTROMONY (64) Plots the heavens and teaches you about the solar system.

KIDS LBARNING VOL 2. (71) Still more great learning programs. We only included

#### MUSIC

the very best!

THE SINGING TI-99/4A (1) A
2 mided collection of songs
where the computer actually
sings. By Ken Gilliland.
Requires meech syn.

TI MUSIC/GRAPHICS DEMO (5A)
A great collection of music
A matching graphics

& matching graphics.

EXBASIC MUSIC DEMO (6) A 2mided collection of great
music with graphics. Hours
of enjoyment!

COMPUTER PLAYER PIABO/CHORD ABALYSIS (69) A piano on the screen playe your selfections or write your own with instructions incl. Also a program to learn keyboard chord formation. EXBASIC XMAS MUSIC (32) A

2-disk wide collection of christmes and holiday music. Completely menu selectable!

#### **SPREADSHEETS**

SPREADSHEET DEMO (56) A complete spreadsheet program for learning and many applications. Easy to learn and use!

#### ACCOUNTING AND FINANCE

ACCOUNTS RECEIVABLE (20) A complete AR program with documentation. Won let prize in TI programming contest.

STRICTLY BUSINESS (36) A 2disk side collection of programs for evaluating loans, interest, stocks atc

## DATABASE PROGRAMS

DATA BASE DEMO (21) A fully met up data base program designed for filing and finding magazine articles. Basy to use or modify for other applications. Sample data included!

PR BASE (58) This is a full feature DB freeware program that is rated as one of if not the best. Documentation included!

#### **GRAPHICS**

ABIMATION 99' (52) This is the one by Ray Kazmer that was featured in the July 88 Micropendium. See fantastic animation and also learn how it was done. This one

is destined to be a classic.
ANIMATED XMAS CARD (11) This
is the original animation
by Ray Kazmer that made him
an overnight superstar in
the T1 community. This
classic is also referred
to as "Woodstock" among
II'ers.

PRIMITART DEMO (4) This 2-disk side collection prints well known comic and TV personalities out on your printer.

FIGURE STUDY (14) This is a collection of programs that print Playboy type centerfolds out on your printer.

MONA LISA PRINTOUT (9) This program prints a near photo quality picture of Mona

Lima on your printer. You won't believe the quality!
SPACE SHUTILE DEMO (7) An outstanding music/graphics program that salutes the U.S. space program. Its

almost like watching a film.
STAR/EPSON DEMO (15) A 2-Diek
eide collection of programs
to show you what your
printer can really do. Also
a great graphics tutorial
with examples:

GOTHIC PRINT DISK (10) This program lets you type a massage and then prints it out in Old English style. Looks like hand lettered calligraphy. Great for invitations, announcements

SIDEWAYS PRINTOUT (16) Lets your printer print sideways. Great for epreadsheets and banners. Includes two versions and new Multiplan enhancements.

VIDBO GRAPHS (41) This disk is sold as a backup to owners of the discontiued TI Video Graphs moduls. We can only legally provide it to module owners.

#### **TELECOMMUNICATIONS**

TELCO (57) This program has been rated as one of the best telecommunications programs for the TI-99/4A. A user supported program that contains everything you need to upload and download data with your modem. Supports all baud rates and protocalls.

#### **APPLICATIONS**

WILL WRITER (23) Enter your answers to a group of questions and this program writes out a complete will

writes out a complete will.
MEDICAL ALERT (25) Contains
many menu accessable files
on what to do until the
doctor or paramedics come.

Could easily save a life!
ENGINEERING CALCULATIONS (24)
A 2-disk side collection
dozens of engineering and
technical formulas. Does
calculations, conversions,
and even designs electrical
circuits. Even contains
medical and communications
data and formulas.

LABBL MAKER (29) A pair of programs that let you make quick and easy labels for all purposes. Mail, disks, files etc. Uses standard tractor labels and even makes a graphic picture with the label text.

IMFOCON RAPID LOADER (47) A nust for owners of infocom 99/4A games. Loads games in seconds instead of minutes. Basy to use!

GEFFALOGY (67) Now you can enter and arrange your family tree and print out copies for your relations. Also can be used if you breed animals such as dogs, cats or horses.

GRAPH MAKER (59) A collection of the best programs we have seen that produce graphs and charts from your data. Printer required!

HOUSEHOLD BUDGET PRINTOUT (30 This program lets you printout the data from the I! Household Budget module, an important feature that II forgot. Now get more out of your TI Computer - for less.

e Public Domain and Shareware Programs and Utilities to meet all your Computing Needs.

SPRIADSHEETS

GRAPHICS LITELITIES

ACCOUNTING AND FINANCE

SECURITY/HACKING

DATABASE PROGRAMS

APPLICATIONS

#### **APPLICATIONS**

#### (continued)

HEBREW TYPEWRITER (66) Thim program converts your 99/4A from english to hebrew. A great tool for religious studies. Can be combined with a screen dump program to print out the text from the screen. A great way to learn how to do the sai with other languages. I get you in the mood, we also included a music/ graphics program of 'Fiddler" on this d on this disk!

APTIFICIAL INTELLIGENCE (40) This disk includes the famous computer progam "Fliza" where the computer responds to your problems questions in a manner that is almost human. Save a bundle on what you would pay a shrink for the same services. Also includes one of the better biorhythm programs so you can really take control of your emotional problems at one sitting.

LOTTO SELECTOR (8) This program selects numbers for use in the various state lotto games and even rune a simulated lotto game Unprotected so it is easily modified for additional

ASTROLOGY (22) This program is as good as the coin operated machines. Tell it your birthday and see a great color display on our zodiac sign and see historical data on what took place in history on your birthday. Great for parties or even a charity event. Many famous people rely on this information!



#### TI PROGRAMS FROM AROUND THE WORLD

LAPD COOKBOOK (37) A complete computer collection of great receipes compiled by an LA cop who is also a gourmet chef. Whenever he went to a top eating place he would hit the chef up for a receipe. 2 disk sides completely menu selectable ORIGINAL TI SALES DEMO (5)

This disk given to TI dealers by TI back in 1980, includes demonstration programs with graphics, speech, PRK, TE-I, and even includes the famous game TI-TREK which we reprogrammed to run on the TR-II module instead of the discontinued Speech Editor.

#### UTILITIES

HACKER CRACKER (53) A collection of the top disk copy programs including the best of the track copiers One or more of these programs will copy almost all protected disks. Both TI & CorComp compatible programs are included. 2 disk drives are required on most of these programs SCREEN DUMP (55) This program allows you to printout what you see on the screen while running a disk, cassette or module program. Instructions

or Epson compatible printer. DUMPIT (3) This disk lets you copy a number of TI modules to diek. Editor Assembler module and Vidget (cartridge expander) recommended for best results Some programming knowledge will be helpful!

included. Requires a Star

TI DIAGEOSTICS (19) This program released by TI loads into the TI Mini Memory module and then lets you test your system. Better than diagnostics on a disk wince if your disk system was not working properly, you would not be able to use it. Complete with all Mocumentation on a second disk side

DISK KAWAGER II (62) This is the TI Disk Manager II module on disk. Now if your module goes, you are protected. Sold as a backup to owners of the module. Loads with exbasic. LOADERS & CATALOGERS (28) A

collection of the best catalog and menu/loader programs we have seen. Ready to be put on your

own program disks.
PROGRAMMING AIDS & UTILITIES (35) This disk contains a collection of handy files including a group of title displays and a super cross reference program. Also included is a great disk management utility that you will use over and over!

TI WRITER/MULTIPLAN UPGRADE (19) This disk released by Il addm real lower came to your II writer and more. Also speeds up Multiplan. TI FORTH DENO (17) This disk

released by TI demonstrates the power of the programming language Forth for music and graphics. Requires 32K and Editor Assembler Module

FUNDBLUEB PARK UTILITY (42) This program from down under puts many of the most often used application and utility programs at your fingertips Complete with documentation on two disk sides.

BONUS

FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DEMO DISKS!!



A NOTE ABOUT DEMO DISKS: TEX-COMP's demo disks are a collection of disks containing unique and entertaining features which we believe will help you get more out of your TI-99/4A. Some if not all of them are in the public domain. However, in certain cases, the author requests a contribution if you use and enjoy it. While you are not legally obligated to do so, we at TEX-COMP encourage your assisting these talented programmers if you enjoy their work. That is why we offer these disks at such a low price.


# the most outstanding arcade game ever written

for the TI-99/4A.

Championship Tennis lets you enjoy the excitement, action and thrills of control.

The perspective, which adds ina professional tennis match with complete control.

Thousands of this program have been sold throughout the world for other computers. Now, you can enjoy the ultimate action arcade game on your TI-99/4 A EXTENDED BASIC COMPLETE WITH DOCUMENTATION



A collection of bonus, unreleased TI arcade games are included. They may not be complete or documented, but you'll certainly have a ball with them!

Send order and make checks payable to

#### TEX-COMP

PO Box 33064, Granada Hills, CA 91344







VISA and MASTERCAHU HOLDERS CALL DIRECT

(818) 366-6631 24 Hour Order Line

TERMS: All prices FO B. Los Angeles. For fastest service use cashiers check or money order Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 43%. Add 1% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities

NOTE: Payment in full must accompany all orders-credit card, company check or t. Personal checks require up to 4 weeks to clea money order for immediate shipment. California orders add 6 1/2 % sales tax

# Turbo Pasc 99 similar to standard Pascal, yet friendly for BASIC users

#### By STEPHEN SHAW

Turbo Pasc 99 is marketed by L.L. Conner Enterprise, 1521 Ferry St., Lafayette, IN 47904 (317-742-8146). It retails for \$59.95. It requires a TI99/4A, memory expansion, disk system and Editor/Assembler.

TP99 is a fairly new, powerful language for the TI99/4A. At the time of writing it required the use of the Editor/Assembler module — finished programs would not run from Funnelweb or other loaders.

This article is not a full review — that will follow after I have had more time to familiarize myself with TP99. This article is based on first impressions, which are very favorable.

#### CLOSE TO STANDARD PASCAL

For the first time ever I have been able to put together a program which runs in machine code (apart from some trivial bench tests). I have found TP99 to be extremely friendly in use, and sufficiently close to Standard Pascal to use a Standard Pascal text book to learn everything I need to write a program.

TI released USCD Pascal, which is an extension of Standard Pascal. The TI release was a "true" USCD Pascal, which enabled the ready transfer of p-code between different computers. TP99 has gone in a different direction — it is also an extension of Standard Pascal, but instead of pushing for inter-machine compatability, this package is written to ease the transition from Extended BASIC — with such procedures as KEY for instance, which follows our familiar CALL KEY.

Pascal buffs may find the package lacks power compared to versions of Pascal they are familiar with, but the "average" non-Pascal user will find it quite powerful, especially if the TOOLBOX disk is purchased, to add access to many more procedures we know and love from Extended BASIC, such as sound and sprites.

The routine is fairly simple — first write your Pascal program. BASIC users familiar with keying programs straight into the keyboard may find the discipline of Pascal a little hard at first, but will find their BASIC programming will benefit too,

once they become familiar with the strict top-down writing of Pascal — and writing your program on paper first really does become essential!

#### PRODUCES 9900 SOURCE CODE

TP99 has a very nice editor, which you use to key your programs in, and you then compile the Pascal code, very quickly. Syntax checking at compilation time is first class. If there is a syntax error, you drop back into the Editor with the cursor near the error, and an error code which you must look up. My most frequent error was to miss the semicolons off the ends of lines.

The compiler will produce TI 9900 source code, which you must assemble using the Editor/Assembler or other assembler. Note that the source code will commence with a copy directive, which may need its disk number changing!

Once the source code has been assembled into object code, you may use the Linker to run the program, or to produce a memory image file which you can load with the Editor/Assembler module, without using the Linker.

Use of a RAMdisk helps quite a bit. The process of producing a piece of working code is not too difficult once you drop into the routine.

This is not Borland's Turbo Pascal. It is close to "standard" ISO Pascal, amended to make it more friendly for programmers used to the TI99/4A.

ISO Pascal items NOT supported are: file, in, packed, record, set, type, with, char, ord, pred, round, sqr, succ, trunc, odd, reset, rewrite, dispose, new, pack, unpack.

Items included but not in ISO PASCAL (some replacing items above): Block, Module, Relative, Stream, String, Open, Seek, Append, Close, Asc, Cursor, Key, Screen, minint, pi, graphics, text, putln, cfs, cir, cis, cri, crs, csi, csr, len, int, rnd, seg, tan, randomize.

Variations on ISO pascal are: Strings are within double quotes "string" instead of 'string'. REAL must be specified as 4, 6 or 8 bytes — if you select 8 you have normal XBASIC precision.

STRING type must have a length

specified in [].

My first use of TP99 was to run some benchtests, devised by the U.K. magazine Personal Computer World.

#### TURBO PASCAL BENCHMARKS

The Pascal code will first be given followed by the timing and possibly some notes. (Remember: You do not need a p Code card to run Turbo Pascal.)

```
PROGRAM intmath:
VAR t.
    i,x,y: INTEGER;
   writeln(".....");
   t := 0;
   FOR t := 1 TO 100 DO
   BEGIN
                                  Ş
   x := 0;
    y := 9;
      writeln("start");
     FOR i := 1 TO 1000 DO
        x := x + (y * y - y) DIV y
      RND:
   RND:
writeln("---",x);
```

The timing on this program equates to a benchmark of 0.337 seconds for 1000 loops, which compares well with a benchmark of 0.48 seconds for C99.

REALMATH using numbers of 4 bytes, took 8.20 seconds for 1000 loops, compared to 17.7 seconds for plain, ordinary

(See Page 17)

#### TURBO PASC 99—

This was slow and the equivalent of 1000 loops took 625 seconds, which compares badly to 360 seconds in Extended BASIC. Moral: don't use TP99 if there is a lot of trig

```
PROGRAM textscrn;
VAR i : INTEGER;
BEGIN
text;
writeln("START");
FOR i := 1 TO 1000 DO
writeln("1234567890qwertyuiop",i);
writeln("****",i);
RND
```

This one took 69 seconds for a 1000 loop, comparing badly with c99, which took just 38.7 seconds.

```
PROGRAM store;
VAR i : INTEGER;
   f : STREAM[80];
BEGIN
   writeln("START");
   open(f, "DSK2.TEXT", output);
   FOR i := 1 TO 1000 DO
        putln(f, "1234567890qwertyuiop");
   close(f);
   writeln("******");
END.
```

This took 61.4 seconds, compared to 83 seconds in Myarc XB and 131 seconds in TI XB. Notice how easy disk access can be.

RESULTS

Benchmarks are not the be all and end all of a computer language, although an advertiser can give the impression a language is incredibly fast by telling you what it is fast at, and not telling you what it is slow at. Turbo Pasc 99 seems to be comparable with c99 overall, sometimes better sometimes not.

Personally I found it much easier to use Turbo Pasc 99 — I even made it write to disk! Look how short the STORE program is.

If you are a TI p-code user you may find these codes a little odd. I can assure you they work exactly as printed here. If you have a TI p-code card, why not run comparative tests and let me know the times?

The answers printed out by the math results were: intmath 8000, realmath 8.9E3 (both same as TI BASIC) and triglog -2.2021E2, compared to -2.20497E2 from TI BASIC — this minor inaccuaracy is due to using only 4 bytes for the variable rather than 8, but we could have used 8 if we had wanted such accuracy.

After the ease of writing the bench tests, I plucked up courage to write a program I have wanted for a long time — a flexible machine code LIFE program. It really was fairly easy to write the code, and here for the first time ever I produced a program that did something in machine code.

Allow me to share the code with you — it also illustrates a little more of the syntax that TP99 uses

#### **TURBO PASC 99 PROGRAM**

Very very few readers will own TP99 right now — but for those with disk drives, here is a lengthy sample of a program written in TP99, to enable you to see how it appears, and for those of you with TI Pascal, you can see how the syntax varies. Professional Pascal users may be interested to see how arrays are passed to procedures. onds.

This is the first ever Pascal program written by me, and is based on a TI BASIC program in the book "Dynamic Games for

your TI99/4A" by Scott Vincent. I have wanted a flexible LIFE simulation in machine code, but not found any suitable, so I have taken advantage of Pascal to see what I can do.

In this version, you first set up the LIFE starting position by keying A for life and SPACE for no life, to fill a 12x12 grid. I have not put any cursor control in — it just moves over each line in turn, left to right.

The outer frame has fixed status — it will affect the inner 10x10 grid, but no changes will occur in the frame: if you put life there it will stay there. This enables you to experiment with variations on the normal isolated life universe. To help spot the frame, the cursor is a + in the frame and a? in the 10x10 grid.

You have the option of allowing automatic changes in generations, or keying them. If you select automatic, you may return to the set up section just by pressing a key. If you select keyed progress, to get back to the set up screen involves quickly pressing two different keys, one after the other.

There is one "bug" left in — the counter G is of integer type but there is no test for maxint, so after some 32000 odd generations the program will bomb out.

LIFE patterns may: Die out or reach a stable pattern.

Cycle between patterns — changing between two patterns is the most common, but I have created a 4-pattern cycle.

As a variant of the above, a pattern has been found in which a "bullet" is regularly produced from a cluster, and moves off screen.

It takes about a second for each generation — much faster than is possible in TI BASIC. It would be simple to amend the size of the life universe, but the larger the universe the longer the creation time.

Here is the Pascal code, entire, and as successfully compiled.

#### Life in Turbo Pasc 99

{ PASCAL CODE ========}

PROGRAM life;

VAR k,z: INTEGER;

n,n: ARRAY[12,12] OF INTEGER;

PROCEDURE rules; VAR k, status: INTEGER; BEGIN cls; (See Page 18)

#### TURBO PASC 99—

```
(Continued from Page 17)
                                                                                        write("
                                                                                                    Press a key to restart");
 writeln(" LIFE");
                                                                                        REPEAT
 writeln(" first set up start position");
                                                                                          key(3,y,c)
 writeln(" Put life forms into a");
                                                                                        UNTIL c=1:
 writeln(" 10 x 10 grid ");
 writeln(" by pressing A or space");
                                                                                        { y = 75 TO key prompt }
 writeln(" (The 10x10 grid is in a frame-");
                                                                                        cls:
 writeln(" making a 12x12 grid in total:");
                                                                                        g: =0:
 writeln(" If you place life in the frame");
                                                                                         REPEAT
 writeln(" it will never die, and can ");
                                                                                          g: =g+1;
 writeln(" constantly create new life if");
                                                                                          FOR k:=2 TO 11 DO
 writeln(" the proper life conditions are met)");
                                                                                           BEGIN
 writeln("
              ");
                                                                                            FOR z:=2 TO 11 DO
 writeln(" There is no cursor control.");
                                                                                             BEGIN
 writeln(" Generation starts after 144th");
                                                                                               c:=m(k-1,z-1)+m(k-1,z)+m(k-1,z+1);
 writeln(" key press");
                                                                                              c:=c+m[k,z-1]+m[k,z+1];
 writeln(" When prompted indicate if you")
                                                                                               c:=c+m[k+1,z-1]+m[k+1,z]+m[k+1,z+1];
writeln(" want to prompt each generation");
                                                                                               IF (m[k,z]=0) AND (c=3) THEN
 writeln(" with a Keypress, or let the");
                                                                                                  n[k,z]:=1;
writeln(" program go full tilt.");
                                                                                               IF (m[k,z]=1) AND ((c=2) OR (c=3)) THEN
 writeln(" ");
                                                                                                  n[k,z]:=1;
writeln("
              Press any key to continue");
                                                                                                                                                  Ş
                                                                                               IF (m(k,z)=1) AND ((c>3) OR (c=0)) THEN
 writeln("
              Stephen Shaw Jan 1988");
                                                                                                  n[k,z]:=0;
 REPEAT
   key(3, k, status)
                                                                                              key(3,t,s);
UNTIL status=1;
                                                                                               IF s=1 THEN
END;
                                                                                                 GOTO rerun:
                                                                                             END;
PROCEDURE draw(VAR m,n: ARRAY[12,12] OF INTEGER);
                                                                                          BND;
  VAR row, col: INTEGER;
                                                                                        cursor(24,2);
  BEGIN
                                                                                        write("generation ".g);
  FOR row:=1 TO 12 DO
                                                                                        draw(m,n);
   BRGIN
                                                                                        IF y=75 THEN
     FOR col:=1 TO 12 DO
                                                                                           REPEAT
        REGIN
                                                                                           key (3, k, s)
          m[row,col]:=n[row,col];
                                                                                           UNTIL s=1:
         cursor(row+2,col+5);
                                                                                        UNTIL false;
          IF m[row,col]=1 THEN
                                                                                        rerun:
            write("0")
                                                                                      BND:
            RISK
            write("~");
                                                                                     PROCEDURE setup(VAR k,z: INTEGER; VAR m,n: ARRAY[12,12] OF INTEGER);
        BND:
                                                                                     VAR j.jj: INTEGER:
   BND;
                                                                                     BEGIN
 BND:
                                                                                        REPEAT
                                                                                            REPEAT
                                                                                              cursor(k+2,z+5);
PROCEDURE think (VAR m, n: ARRAY[12, 12] OF INTEGER);
                                                                                               IF (k=1) OR (k=12) OR (z=1) OR (z=12) THEN
LABEL rerun:
                                                                                                  write ("+")
VAR c,g,k,s,t,y,z: INTEGER:
                                                                                              BLSB
BEGIN
                                                                                              write("?");
 cls;
                                                                                                REPRAT
 cursor(2,2);
                                                                                                key(3,j,jj);
 writeln(" Press K to key generations");
                                                                                                UNTIL ((j=32) OR (j=65)) AND (jj=1):
 writeln(" Or any other key for auto");
 writeln(" ");
                                                                                              IF j=65 THEN
 writeln("
               When all life ceases."):
                                                                                                            (See Page 20)
```

# **HORIZON**

ORDER

BUD MILLS SERVICES 166 Dartmouth Drive Toledo Ohio 43614

**RAMDISK** 



Revised 9-15-88
PRICES Subject to CHANGE Due to present Economic Conditions and MEMORY SUPPLY
Please call ( 419 ) 385 5946 for a CURRENT Quote
These prices valid only TO Nov 1,1988

Type Kit HRD+2000 ONE MEG 800k/GENEVE \$500.00 HBD+5000 512k \$360.00 HRD+2000 384k DSDD \$300.00 HRD+2000 HRD+2000 192k DSSD \$200.00 96k SSSD \$160.00 HRD+2200

Pre-Built READY TO RUN ADD \$60.00 Pre-Builts -Limited Warrenty 90 Days

Above KITS include the HORIZON Card, Instructions, MENU ROS and ALL parts.

Assistance or Repair Available

PHOENIX MOD to add a BOOT Drive to a 384 ~ BOOK/GENEVE 90k \$80.00 180k \$120.00 256k \$145.00

Upgrade old 180k to \$60.00 256k w/instructions...

Mike Ballmans version of 32/16 Console Mem Mod \$36.00 w/John Guions switch Mod.

Bare HORIZON HRD+2000 card Const MANUAL + MENU7.3 \$40.00 This card is EASIER TO BUILD than the older HORIZON card. Uses the HRD+ circuit without stacking the control chips.

An optional 32k Mem Mod can be added to any HORIZON or HRD+ to replace the P-BOX 32k Card. Mod includes instructions for ALL HORIZON RAMDISKS... \$25.00

Deduct 5% IF you are purchasing 5 or More of the above Kits..... Ohio Residents add 6% sales tax

Shipping and Handling included within U.S. and Canada Shipping OverSeas ADD \$ 5 Surface or \$15 AirMail

Call TI-COMM BBS on 419 385 7484 for current prices or information 300 Baud,7bit,even / 1200 baud,8bit,no parity GET Current Software Downloads SELECT MEG Info...M at sign on...

Please include your Name, Address AND Phone # with order...
\*\*\* Visa, MC, AmEx add 10% Call 1-800-456-9272 (DISK ONLY SOFTWARE) \*\*\*

# By John Guion and Robert Produced by istributor

The P-GRAM card is a GROM Emulation Card for use with the TI 99/4A Requires Periphial Expansion Box, 32k and Disk Drive.
The P-GRAM will save and run MODULES and is compatible with files saved by the GRAM-KRACKER or Cart-Save.

saved by the GRAD-KRHUKER of Lart-bave.

A fully documented Source Code and USER Manual (on Disk DV80) allow you to SAVE Modules, EDIT as you wish, LOAD to card and RUN.
The P-GRAM card contains 72k of battery backed RAM memory ( lp CMOS )
40k GRAM for GROM emulating, 16k for Module RAM bank-switched, and 16k of DSR RAM also bank switched.

The Optional CLOCK is not required for proper operation of the P-GRAM, but the price is right.

FULLY ASSEMBLED, TESTED and READY IO RUN, WARRENTED 6 Mo. WITH

Please Allow 2 to 4 Weeks For Delivery

OHIO ORDERS add 6% sales tax 5% Discount on orders of 5 units or more. US and Canada Shipping included. Overseas \$5 Surface or \$15 AlRmail.

ORDER From: BUD MILLS SERVICES 166 Dartmouth Dr. Toledo Oh. 43614

\*\*\* Visa, MC, AmEx add 10% Call 1-800-456-9272 (DISK ONLY SOFTWARE)

#### Demystifying assembly

# Features of MICRO-WORD outlined

#### By JOHN BIRDWELL

I hope this column has been a moving experience for you I know it has been for me. My moving has been back to the Chicago area. By the time this is published I will hopefully be all settled in my new home and be ready to get the October article out. Beginning with this issue please address all correspondence directly to me. My new address is John Birdwell, 1310 Kent Court, Wheaton, Il 60187.

In the July article there is an error which occurred when it was typeset. On page 18 the third line of the CLS routine reads LI R1. This should read LI R1, 'that is two spaces between the single quotes. Thanks to Marc Levine for pointing out this error.

I have begun to receive input on the features readers would like to see. Listed below are some of those which are within the scope of this project.

- Toggle to allow only displayable ASCII characters (ie. no control characters.)
- Make blocks marked for copy, delete, etc. appear in inverse video.
  - Tabline (done in August issue).
- True lower case (done in August ssue).
- Catalog disk.
- Screen dump without leaving editor.
- Display a dash line to indicate the point where a physical print page ends.
- Use of command keys like Turbo Pascal and Wordstar instead of a command line.

• Help windows like Telco.

- A configuration file containing the following:
  - Foreground and background colors.
  - Default data drive.
  - · Keyboard macro definitions.
  - Printer defaults.
  - User defined tab settings.
- Votes both ways for horizontal scroll and for windowing like TI-Writer. (This month's program allows for both.)
  - Printer control by control characters.
  - Auto word wrap.
- Allows start cursor at the start of file after a load.
- Also requested is to make the source code available for a fee. This will be done. Please continue to provide input on the desired features you would like but make is soon as once we get locked into going in one direction it may not be possible to accommodate your desires.

Dan Eicher asked about making this program work with the ADVDP card. This is the 80-column card from DIJIT which uses the same 9938 video display processor as the Geneve. Although I do not have an ADVDP card to test this with, all that should be required to do this is to remove the instruction JEQ ITSA4A from the INIT code.

Jerry Bohnert reports a problem with an INVALID REGISTER error on the line SFIRST B @INIT. Assuming Jerry has changed the copy directives as correct in the August issue the error has to be in the

label INIT since that would be the register the error is indicating.

This month we will be begin to store date into memory like a word processor should. This will require several changes to the existing source code so read the listing section carefully. We will be using the memory above the code to store data with the plan being to move our program to the · lower 8K there by leaving most of the upper 24K available for data. Next month I'll publish a list of patches you can make to the SAVE utility so that it will load into high memory. This will give us pages >2800->4000 for our program to load, or 6K of code space. To keep maximum flexibility the format of the stored data will be kept simple, at least for now. All data keyed will be stored as is onto memory with a hex FF marking the end-of data.

The display is re-painted after each key. To do this and to allow for the scrolling of the display on the 4A each line is built in a buffer starting at the left margin and ending at either a carriage return (hex 0D) or the right margin. A set of pointers is maintained which indicate where in the line the display is to start and end. The line or appropriate section of it is then displayed. This is repeated for all 22 lines. We could add more intelligence to the display routine and re-display only what is really needed but this would result in differing performance based upon how much has to be done. By re-writing all 22 lines we can ex-

(See Page 21)

#### TURBO PASC 99—

```
(Continued from Page 18)
                                                                  BND;
                                                                                                       cls:
  BRGIN
                                                                                                       rules;
    cursor(k+2,z+5);
                                                                2: =2+1:
                                                                                                       REPEAT
    write("0");
                                                                UNTIL z=13:
                                                                                                        k:=1:
    m(k,z]:=1;
                                                            z:=1;
                                                                                                        z:=1;
    n[k,z]:=1;
                                                            k:=k+1;
                                                                                                        cls;
  RND
                                                            ONTIL k=13:
                                                                                                        text:
BLSE
                                                                                                        setup(k,z,m,n);
  BEGIN
                                                        END:
                                                                                                        think(m,n);
    cursor (k+2,z+5);
                                                                                                       UNTIL false;
    write("~");
                                                   { This is the actual program!:- }
    \mathbf{m}[\mathbf{k},\mathbf{z}]:=0;
                                                                                                      RND.
    n[k,z]:=0;
                                                      BRGIN
```

\* GO GET A KEY AND RETURN WITH IT IN B1

\* WRITE IT BACK

\* Save current character

#### MICRO-WORD—

ANDI R1.>7800

\* TORM OFF THE INVERSE

#### (Continued from Page 20)

pect close to the same performance at all times and adjust things, such as the keyboard repeat rate, accordingly.

If you would like to obtain a copy of this source code send \$3 plus a blank, formatted diskette and a stamped self-addressed mailer to John Birdwell, 1310 Kent Court, Wheaton, Il 60187.

```
MOVR R4.*R15+
                                                                                                          * Load key to memory
                                                                                     CB OFF, R5
                                                                                                          * At the end of memory now
              MORE MICRO-WORD
                                                                                     JNR SHOW1
                                                                                                          * No
                                                                                     HOVB @FF. *R15
                                                                                                          * Yes set new end of memory
                                                                                                          * At the end of useable memory?
                                                                                     CI
                                                                                          R15.>FFF8
                                                                                          SHOW1
                                                                                                          * No
                                                                                     JNR
********* Filename : MICRO-EQU
                                                                                     DRC R15
                                                                                                          # Yes hackup
                                                                                          MAIN
                                                                                                          * and get out
* Add to BQU section
                                                                               SHOW1 C
                                                                                          ERNARTL, ECURPOS
                                                                                                          * At right margin
                                                                                     JNR
                                                                                          SHOW2
ELMARTL. ECURPOS
                                                                                                          * Yes, set back to left margin
                                                                                     MOV
                         * Low memory 132 bytes for building a display line
1.80 11.0 ROB >2000
                                                                                          OLMAR.R14
                                                                                                          * Set cursor on line position
●DLCOL
                                                                                                          * Set display left column to zero
                                                                                          CONRLIN. CORCOL
                                                                                                          * Set display right column to display width
* In FTNTAB change FOR, BACK, UP, DOWN to IGNORE
                                                                                     DRC
                                                                                          ODRCOL
                                                                                                          * Correct to column number
                                                                                          CONRLIN.R6
                                                                                                          * Set cursor to start of next line
* ADD the following to the DATA section
                                                                                          OBEGLIN
                                                                                                          * Point to beginning of this line
*******************
                                                                                                          * Plus left margin
                                                                                          PLNAR RG
DI-COL DATA 0
                           * Logical left column
                                                                                          R6. PROE
                                                                                                          * Go beyond display
DRCOL DATA @
                           * Logical right column
                                                                                                          * Not yet
                                                                                     JLT SHOWA
*************
                                                                                                          * Must scan for hard return or for line length
                                                                                          €CPL.RØ
* NOTE: DSCROL will set the amount of horizontal scroll that will take
                                                                                                          * Start of display memory
                                                                                     MOV @BEGDSP,R1
       place when the right display column is reached
                                                                                                          * Got at hard return
                                                                               SHOWIA CB
                                                                                          *R1+, @CR
      a value of 1 causes a scroll increase to window the display
                                                                                          SHOWLR
                                                                                                          t Yes
                                                                                     JRO
      20 causes a window like TI-Writer
                                                                                     DRC RØ
                                                                                                          * Decrement line length
DSCROL DATA 20
                           * Horizontal scroll amount
                                                                                     JNR SHOWLA
                                                                                                          * Continue search
BEGDSP DATA PREE
                           * Current address of text in memory
                                                                               SHOWIR MOV RI. #RRGDSP
                                                                                                          * Set new start of display
      DATA Ø
                           * Total # of character per line
                                                                                          CONELIN. R6
                                                                                                          * Backup a display line
******************************
                                                                                     JMP SHOWA
                                                                                                          * Continue
                                                                                          R14. @DRCOL
                                                                                                          * At right screen edge
                                                                                     JLT SHOWS
                                                                                                          * No
                                                                                          edscrot.educou
                                                                                                          * Scroll display right amount required
********* Filename : MICRO-INIT
                                                                                                           * both left and right
                                                                                          eDSCROL.eDRCOL
* Add Before the B ** MAIN instruction
                                                                                          edscrol, R6
                                                                                                           * Subtract scroll amount
INC. RE
                                                                                                           * Correct range
      MOV @ONELIN.@DRCOL * Set right display column
                                                                                      TNC
                                                                                          ecorpos
                                                                                                           * Next position on cursor line
                           * Correct to column position (39 for a 4a)
      DRC ODRCOL
                                                                                      INC
                                                                                          814
                                                                                                           * Next column on line
      LI R15, PREE
                           * Set r15 to start of data store
                                                                                      JMP
                                                                                          SHOW4
                           * Set to end of data
      MOVB @FF. *R15
                                                                               SHOWS INC
                                                                                          PCURPOS
                                                                                                           * Next position on tab line
      MOV R6.R14
                           * Set to cursor position on line
                                                                                      THC
                                                                                          R14
                                                                                                           * Next position on line
****************************
                                                                                      INC RE
                                                                                                           * and display
           enain
                           * INITIALIZATION COMPLETE BEGIN THE PROGRAM
                                                                                * Now display the screen
                                                                                SHOWA CLR RØ
                                                                                                           * Start of display
*********** Filename = MICRO-MAIN
                                                                                      MOV @DLCOL.R1
                                                                                                           * beft display column start
: Add the following to the start
                                                                                          R1.LBUILD
                                                                                                           * Add start of line build for dsiplay start
                                                                                      MOV CONELIN.R2
                                                                                                           * Display for line length
R8.22
                                                                                                           * Show 22 lines
: FIRST SHOW THE CURRENT CURSOR POSITION ON THE TAB LINE
                                                                                      MOV PREGDSP. R7
                                                                                                           * Location in data to start
                           * Invert the next position on the tab line
HAIN MOV R14.RØ
                                                                                SHOWS LI
                                                                                          R3, LBOILD
                                                                                                           * Clear line build to spaces
      AI RØ.TABLIN
                            * add to start of tabline
                                                                                                           * 2 spaces at a time
                                                                                      LI
                                                                                          R4.
                           * Get the current character
       MOVB *RØ, R1
                                                                                SHOWSA MOV R4.*R3+
                                                                                                           * Load 2 spaces
       ANDI R1.>7FØØ
                           * Turn off inverse
                                                                                      CI R3.LBUILD+80
                                                                                                           * Done 80
       MOVB R1,*RØ
                           # Pot it back
                                                                                      JNB SHOWSA
                                                                                                           * If not do 2 more
      LI RØ, 22
                            * Show active section of tabline
                                                                                      MOV @CPL, R4
                                                                                                           * Maximum characters/line
       MPY CONKLIN.RO
                                                                                      MOV @LMAR.R3
                                                                                                           * Start fill at left margin
                            * Now pointing to correct VDp location
       MOV R1.RØ
                                                                                                           * Position into build line
                                                                                      A) R3.LBUILD
                            * Starting left column
       MOV @DLCOL.B1
                                                                                SHOWSB MOVB *R7.R5
                                                                                                           * Save write to write
       AI RI.TABLIN
                           * From start of tab line
                                                                                      CB OFF.R5
                                                                                                           * End of text
       MOV @ONELIN.R2
                            * Line length
                                                                                      JRQ SHOW?
                                                                                                           * Yes go clear the rest of display
       REMP SYNRU
                           * SHOW IT
                                                                                      MOVB *R7+, *R3+
                                                                                                           * Load byte to line build
CB @CR,R5
                                                                                                           * Just load a hard return
* Remove the following through BLWP @VSBW
                                                                                      JEQ SHOWS
                                                                                                           * Yes go show this line
                                                                                      DRC R4
                                                                                                           * Decrement characters on line count
       MOV @CURPOS.RØ
                           * GET CURSOR POSITION
       BLWP OVSER
                           * GRT THE CHARACTER THERE
                                                                                                        (See Page 24)
```

BLWP EVSBW

MOVB \*R15.R5

\*

\*\*\*\*\*\*\*\* Filename = MICRO-DISP

\* Replace the SHOW routine with the following

# TEX+COMP

**SINCE 1980** 

THE OLDEST AND MOST RESPECTED NAME IN TI-99/4A



Public Domain and Shareware Programs Are Available from our Library, and Priced at

**EXCITING NEW WAYS** TO USE YOUR TI-99/4A COMPUTER Only **1**95

each

LATEST FREEWARE RELEASES



BONUS

FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DISKS!!

#### ORDERS SHIPPED OUT SAME OR NEXT DAY

# series v

Fantastic Software Great games, educational programs, and much more.

#70. RUNNER II If you liked Star Runner and TI Runner, you will love this latest and greatest running game from France. Great screens, graphics and excitment.

#71. KIDS LEARNING II Another two disk sides filled with the best educational programs and games ever created for the computere Fantastic graphics and color to make learning fun.

**#72.** CERBERUS

A fantastic space game from Germany where you have to pilot your space ship through narrow and crooked channels in space without colliding. Great graphics, selectable ship speed and music add up to one of the best we have seen. If you thing re-fueling in Parsec was tough, you haven't seen anything! #73. CRYPTO (gram)

If you like word games this is one of the best. Set up like a TV game show with great screen displays and an exciting game for all ages!

#74. LABEL MAKER II This label progam makes labels to affix to gifts and presents. You compose the text and add graphics from a selection to fit the occasion.

Send order and make checks payable to

#### TEX-COMP

PO. Box 330<del>0</del>4, Granada Hills, CA 91344

AUTHORIZED DEALER

TERMS: All prices FO Billion Angeles For fastest service use cashiers check or mo order Add 3% shipping and handling (\$3.00 Minimum). East of Mississipor 4.5 % Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**#75. DISK CATALOGER** This fantastic program by Marty Kroll takes your disks and creates a library disk where you can tell what you have in your program library. Files, sorts, prints and easy to use! Now is the time to get organized and this program does it for you #76. PROGRAMMING AIDS & UTILITIES II A collection of aids and utilities that will be useful to everyone who uses a 99/4A. UTIL3 is a utility to convert disk and cassette programs in TI Basic to TI Extended Basic. Now you don't have to worry about the wrong calls etc. Another utility from Australia, "Merge", allows you to combine two programs. For example, two cassette programs can be made out of one that is too large to load separately. In addition, two great diagnostic utilities are included that allow you to test your keyboard and processor and see the response right on the screen.



#77. MICROdex99



This is a database program by data

you to file away information from

magazines, for example, and access

it at will. Similar in concept to

base expert Bill Gaskill. It allows

our disk #21 but operates completely

in database management and computer

different. A must for those interested

VISA and MASTERCARD HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

NOTE: Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 612% sales tax

#### **NEW LOWER PRICES**

On Essential Software Packages

ATTENTION TI-99/4A USERS....TEX-COMP HAS LOWERED THE PRICE ON TI SOFTWARE THAT IS ESSENTIAL TO THE TI-99/4A USER..EXTENDED BASIC, EDITOR ASSEMBLER, MULTI-PLAN, LOGO II, TI-WRITER AND MINI-MEMORY, ALL KEY SOFTWARE AT A FRACTION OF ITS ORIGINAL COST.

#### There may never be a better time than now to buy



TI Multi-Plan

Electronic Worksheet with many advanced features and built-in ease of use. Requires disk drive and controller, and 32K memory Expansion Unit. Printer and RS-232 Interface recommended. Cartridge and Disk.



Editor/Assembler

This is the complete version with manual, module, program disk and the disk version of Tombstone City as an example of assembly language programming. 32k and disk drive are required. This package will allow you to program the 994A in TMS 9900 Assembly Language and gives you access to all system features. Provides the fastest speed possible from the 16-bit processor!



**TI Writer** 

This is a professional word processing system for the TI-99/4A. Provides the features and ease of use found in office systems. Requires disk drive. 32K Memory and Printer. Module and Disk.



Original TI-Extended Basic

A powerful, high-level programming language that expands the capability of your TI-99/4A Home Computer. Includes TI Extended BASIC module (36K bytes of preprogrammed memory) and Dwines' reference manual.



Logo II

In use by educators throughout the country. Requires cassette or disk based system, and 32K memory expansion.



Mini-Memory

This software cartridge adds memory to your system. Totals 14K of memory (6K of GROM, 4K of ROM, 4K of RAMI). Mini Memory includes a built in battery, permitting programs and data stored in RAM to be retained even if module is

removed from console, BONUS: FREE Mini-Writer I word processor (s \$19.95 value) with Mini-Memory

SPECIALS!!! TI-WRITER/MULTIPLAN UPGRADE DISK (reg.\$4.95) only \$1.00 with TI-WRITER OR MULTIPLAN!

"INTRODUCTION TO ASSEMBLY LANGUAGE" (15.00 value) only \$1.00 with Editor Assembler.

TI LOGO WORKBOOK (reg.\$5.95) only \$1.00 with LOGO II "TEACH YOURSELF EXTENDED BASIC" (disk or cassette) only \$1.00 with Extended Basic

SUPER EXTENDED BASIC (Extended Basic with additional c commands and graphics only \$49.95)

TERMINAL EMULATOR II MODULE FOR telecommunications and Text-To-Speech (reg.\$9.95) only \$4.95 with any software on this page. All specials must be ordered at same time as the qualifying software!

Send order and make checks payable to

**TEX-COMP** 

PO Box 33064, Granada Hills, CA 91344







VISA and MASTERCARD HOLDERS CALL DIRECT

(818) 366-6631 24 Hour Order Line

TERMS: All prices FOB. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 415%. Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the intolt to limit qualities.

NOTE: Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear California orders and 61½% sales tax.

# Myarc, DIJIT rely on Yamaha 9938

By TONY LEWIS

The video chip used in the 99/4A, the TMS9918A, was dicussed in some detail in the August issue of MICROpendium, but what about the 9938 VDP used in both the Myarc 9640 and DIJIT Systems' Advanced Video Processor Card (AVPC)?

This chip, as we will see shortly, is one of the most complex peripheral chips developed for use with display terminals and personal computers. But it wasn't developed by TI. Yamaha and Microsoft jointly developed the chip.

According to what I have been told, the V9938's history is something like this: when TI committed to develop the 99/8 computer, the company realized it needed something more powerful than, but compatible with, the 9918A. The 99/8 prototypes in existence today do not have a 9938 VDP inside, but rather some custom video circuitry to emulate some of the 9938's features. Since TI pulled the plug on development of the 99/8 in 1983, further development of the Advanced Video Display Processor (AVDP) chip was stopped, too. (TI did not stop work on all video

chips. A subsequent article will cover how TI leap-frogged ahead to the state of the art 340XX video processors, which were originally numbered as an extension of the 99/91 video family.)

Yamaha and Microsoft came into the picture in the early 1980s due to the MSX computer standard. The MSX standard was developed by Microsoft and embraced by Japan (and virtually by no one else). As part of the original MSX design standard, the video chip was the TMS9918A(!). When the MSX-2 standard was developed, they needed an upgraded video chip (80 columns, etc.) that was still upwardly compatible with the 9918A. With TI out of the picture, Yamaha and Microsoft developed the 9938 on their own, and it is marketed by Yamaha today as the V9938.

As with the previous article, this article will discuss some of the hardware aspects of the V9938, and not the software used by the 99/4A or Geneve systems to drive the AVDP. It is assumed that you have read the 9918A article. Access to a TI data manual for the 9918A, and the Yamaha

data manual for the V9938 is mandatory for a full understanding of how to use the 9938.

This chip is so complex that an in-depth discussion of each feature is impossible; therefore, only the major features of the 9938 will be highlighted. Consult the data manual for more details. Yamaha's address is provided at the end of this article. Once again, I am not an expert on the 9938, so please bear with me if you spot a mistake.

#### THE V9938 ARCHITECTURE

Compared to the 9918A, the V9938 is truly an advanced video processor, capable of driving an analog RGB monitor, composite monitor or television (with a modulated signal). The major design features offered by the chip are as follows:

- Full bit-mapped mode.
- 32, 40 and 80 column text display.
- Access to pixels using X and Y coordinates.
- Fundamental video commands implemented by hardware, not the main processor: AREA MOVE, LINE, SEARCH, etc.

(See Page 26)

#### MICRO-WORD-

```
(Continued from Page 21)
       JNE SHOWSB
                                                                                   ********** Filename = MICRO-KEYS
                            * No do some more
SHOWS BLWP EVMBN
                                                                                   * Add the following before the RT in the GRTKY routine
                             * Show this line
           CONBLIN.RO
                            * Next display line
                                                                                   **********************
       DEC
           P.X
                            * Done 22
                                                                                         MOV R14, RØ
                                                                                                               * Set tab line position back to inverse
       JNE SHOWS
                            * No do next line
                                                                                         AI RØ, TABLIN
SHOWSA B
           OMAIN
                            * Bone
                                                                                         MOVB *RØ.R1
                                                                                                               * Get the character
SHOW? BLWP EYMBW
                            * Show the last line
                                                                                         ORI R1,>8000
                                                                                                               * Turn back on inverse
      Ы
           R3.LB01LD
                            * Frepare to space out the rest of display
                                                                                         HOVB R1. *RØ
                                                                                                              * Put byte back
           R4.
      Ł I
                                                                                  **********************
SHOWTA MOV R4. *R3+
                                                                                                              * RETURN
      CI R3, LBUILD+89
      JNE SHOWTA
                                                                                  * Remove the following from the end of the GETRY routine
SHOW7B A
           ONBLIN, RU
                            * Next line
                                                                                        MOV ecorpos, Re
                                                                                                              * INVERT TAB LINE CHARACTER
      DEC R8
                            * All done
                                                                                        BLWP OVSBR
      JEO SHOWS
                            * Yes leave
                                                                                        AT R1.>8000
                                                                                                              * PLACE INTO INVERTED CHARACTER SET
      BLWP EVMBW
                            * Place out line
                                                                                        BLWP EVSBN
                                                                                                              * WRITE IT BACK
      JMP SHOWTB
                            * Do next
                                                                                  * Replace the BMTKBY code with the following
* To the end of the TABSET routine add the following before the RT
                                                                                  ***********************************
*************************
                                                                                  ENTREY MOVE OCR. R4
                                                                                                              * load c/r character to key save
* Now figure the number of characters per line
                                                                                        MOV ERMARTL, ECURPOS
                                                                                                            * Set to right margin
      MOV GRMARTL, RØ
                            * Get right margin amount
                                                                                           OSHOW
                                                                                                              * Let show do the work
           CLMARTL, RØ
      S
                            * Subtract left margin from right
                                                                                 ***********************************
      INC RØ
                            * Plus 1 to get absolute number
                                                                                 * Delete BACK, FOR, UP, DOWN routines
      MOV ROLPCPL
                            * Save characters/line
                                                                                 *********************************
***********************
      kΤ
                            * RETURN TO CALLER
```

WHERE:

**CHICAGO** 

Holiday Inn, 3505 Algonquin Rd. (Rt. 62) Rolling Meadows, IL.

WHEN:

Saturday, November 12, 1988

9 A.M. - 6 P.M.

**ADMISSION:** 

\$4.00

FOR INFORMATION CALL: (312) 695-9291

OR WRITE TO:

Chicago Area TI Users' Group P.O. Box 578341 Chicago, IL 60657

**BBS**:

(312) 345-4127

**VENDORS:** 

Genie - Competition Computer Prods Data System - Chicago B128 Users' Group Rave 99 Co. - B and D Computer Supplies C and D Drive - Genial Computerware

Asgard Softwware - Will County Users' Group Hunter Electronics - Great Lakes Software

L.L Conner Enterprise - Chicago Area Users' Group

(partial list)

Social Mixer:

Friday, November 11, 1988

Admission \$4.00 8:00 PM - 12:00 AM

DINNER:

Saturday, November 12, 1988

Admission \$10.00 7:00 PM - 9:30 PM

HOTEL ROOM RATES:

Single - \$55.00

Double - \$55.00

**Tower Room - \$65.00** 

MILWAUKEE

Quality Inn, 5311 Howell Ave., Milwaukee, WI

(across from Mitchell Field)

Sunday, November 13, 1988 9 A.M. - 4 P.M.

\$2.00 (\$1.00 in advance)

(414) 535-0133

**W99CC** P.O. Box 2723 Appleton, WI 54911

**GUEST SPEAKERS** 

DOOR PRIZES

VENDORS

^<del>``</del>\*\*\*\*\*\*\*\*\*\*

#### (Continued from Page 24)

- Digitize and external synchronization.
- Programmable color palette (512 colors total).
- Analog RGB video output and composite output available.
  - More sprites per horizontal line.
- Hardware support for mouse and light pen.
  - Maximum 512 x 212 pixel display.
- Maximum 256 colors displayed simultaneously.

Like the 9918A, the 9938 is designed to be a memory mapped device that communicates with the main processor (CPU) via a series of Command, Control, and Status registers (see Fig. 2). It also provides all the signals needed to control up to 192K of Dynamic RAM (DRAM), interface to external video signals, and accept input from a mouse and light pen. It is interesting to note that while the V9938 has 64 pins, it is a "shrink DIP" chip, which means that it takes up the space of an ordinary 40-pin chip. This non-standard design has also created many headaches for the printed circuit board designers. (See Fig. 1 for pinout.)

#### **INTERFACING THE V9938**

The V9938 has no main CPU address lines, and is meant to be used as a memory-





Fig. 1

#### **VIDEO CHIPS**



mapped device. One may communicate with the 9938 by use of 8 data lines, 4 control lines, and an interrupt line. See the table below for a listing of the access "ports" and how they are used on the AVDP:

Port	Function	Mode0	Mode
0	VRAM data access	0	0
1	Read/Write to registers	1	0
2	Color Palatte register		Ü
	access	0	1
3	Register Indirect access	1	1

Don't bother looking in the Yamaha manual for explanations of the ports or how to set the Mode0/1 pins to access them. There are no references as how to access the ports! Ports 0 and 1 duplicate the same functions as on the 9918A; access to Ports 2 and 3 are through manipulating the Mode1 pin. And as with the 9918A, you communicate with the AVDP by sending and receiving data through a series of registers.

The interrupt pin generates a low signal at the end of each active display scan. This

is useful for mouse routines. A reset line clears the chip when the computer is reset. The timing crystal is rated at 21.47 Mhz, and the CPUCLK line produces a signal at 1/6 the crystal frequency. No GROMCLK signal is produced. See Fig. 2 for more interface details.


#### OTHER AVDP INTERFACES

The 9938 interfaces to a variety of dynamic RAM, from 16K x 1 to 64K x 4. The maximum memory with the minimum number of chips is achieved with 4464 type 64K x 4 DRAM. A full 128K bytes of video memory is accomplished with just 4 chips; you get 192K bytes with 6 chips. Refer to the 9918A article for details on how dynamic RAM is accessed. The 9938 can access 128K of video memory plus an extra 64K "expansion" RAM. This expansion RAM is a nice place to stick extra screen information or data without interfering with the regular video memory section. High speed memory data move commands (covered later) can transfer information

(See Page 28)

# 1988 The Year Of The Upgrade Not The Up Trade

A COMPLETE EXPANSION SYSTEM 9900 + FOR THE TI99/4A 6 THE ULTIMATE 99/4A EXPANSION SYSTEM AT A SPECIAL PRICE FROM TEX+COMP"



CorComp) COMPLETE **EXPANSION SYSTEM** 

**NOTHING ELSE TO BUY!** 

TEX-COMP, the undisputed leader in supplying the 99/4A User, has now put together the finest and most complete expansion system ever offered for the TI99/4A.

- 9900 Expansion Box & Regulated Power Supply (UL Approved)
- 32K Memory Upgrade Adds 32K bytes of Random Access Memory to your system.
- Double Sided/Double Density Disk Controller (operates up to 4 drives)
- RS232 Interface Lets you add a wide range of other accessories, such as printers or telephone modems, one parallel and 2 serial outputs.
- 1 SS/SD Disk Drive Allows you to store and retrieve data on 51/4-inch single- or double-sided flippy diskettes.
- 1 Disk Drive Case & Regulated Power Supply Handles two 1/2-height drives easily (UL or LAC Approved)

**ALL FOR** 

New Disk Manager with Improved Disk Utilities

All Cables & Instructions Including a free TI RS232 Y-Cable.

Plus S&H

For above system with full size of 1/2-height D\$/DD Drive SPECIFY \$399.95 For above system with a pair of 1/2-height DS/DD Drives NEW LOW PRICE 499.95

CorComp RS232 Card (for TI P-Box)	79.95
CorComp 32K Card (for TI P-Box)	99.95
CerComp 256K P-Box Card	WRITE
CorComp 512K P-Box Card	WRITE
CorComp DS/DD Controller (for TI P-Box)	149.95
CorComp 9900 System with Free RS232 Y-Cable	299.95
CorComp Stand Alone RS232 with Free Y-Cable	99.95
CorComp Stand Alone 32K	89.95
Triple Tech P-Box Card (Clock/Buffer)	119.95
9900 Clock Stand Alone	69.95
"Grom Buster" (for 1983 Consoles)	24.95
Load Interupt Switch (with FREE Screen Dump Program)	19.95
PDI Diagnostic Module	24.95
NEW "Writer-Ease" Word Processor & Spell Check New Dictionary	39.95
IBM Connection (39.95 with Controller Card)	49.95
1/2 - Height DS/DD Disk Drive (2 will fit in P-Box) New Lov	ver Price 89.95
Full Size SS/SD Disk Drive (exact replacement for TI 1250)	59.95
Full Size DS/DD Disk Drive	79.95
Drive Enclosure with Regulated Power Supply for 2 1/2-height or 1 full D	rive 39.95
Cable Kit for 2 ½-height Drives (for installation in P-Box) (9.95 with drives)	29.95

Send order and make checks payable to:



PO Box 33804, Granada Hills, CA 91344



VISA and MASTERCARD HOLDERS CALL DIRECT

(818) 366-6631 24 Hour Order Line

TERMS: All prices F.O B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4½%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

NOTE: Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 61½ balles tax.

#### (Continued from Page 26)

from one 64K block to another very rapidly.


The 9938 can directly access either a light pen or a two-button quad mouse (see Fig. 3). With a light pen, the AVDP rapidly scans the screen by activating each pixel one at a time. When the light pen detects the flash, the 9938 stores the screen position in the appropriate registers. The light pen can also have a user-activated switch to activate the read. This is useful for simple screen data input or "paint" routines.

The mouse interface is for a quadraturetype mouse such as a Microsoft or Logiteck bus mouse with the signal lines XA, XB, YA, and YB. These signals produce two square wave signals, 90 degrees out of phase, for both the X (left/right) and Y (up/down) directions. These signals are produced only when the mouse is moved and the chip counts the pulses produced during a given interval; the distance the mouse has moved is directly proportional to the counts accumulated. The difference in the phase (-90 or +90 degrees) between the "A" and "B" signals for a given direction tells the chip whether the mouse was moved up or down, left or right. The 9938 interprets all of this automatically and stores the mouse movement information in twos complement form in the mouse registers. By reading these registers after each screen interrupt, you can track the mouse's movement across the screen. Input from the 2 mouse buttons drive the same two lines as the light pen.

The R(ed), G(reen), and B(lue) signals, along with the CSYNC (composite horizontal and vertical synchronization) signal drive an analog RGB monitor. The VIDEO signal outputs to a composite monitor; this can also be translated by the TI modulator to drive a TV set. Needless to say, the advanced display modes such as 80 columns and 512 x 212 pixels can be read only on the RGB type monitors. There are about half a dozen other miscellaneous signals (VDS, YS, etc.) that are used for digitizing and external signal interfacing. These signals are not covered very well by the Yamaha manual, and are not discussed further in this article.

#### AVDP REGISTERS

Wow! Does this chip have the registers: 24 Control registers, 15 Command registers, 16 color palette registers and 10



Status registers. Each of the original 9918A command and status registers are duplicated by the 9938 to maintain compatibility. But look at all those extra registers! That should give you an inkling of how powerful and flexible this chip can be. Below is a simplified listing of what the registers' functions are. It would take a couple of full issues of MICROpendium to explain each register in detail. The Yamaha manual does a reasonable job in explaining how the registers are accessed and used.

#### Register Function(s) A. CONTROL

٠	M	ode
---	---	-----

3

0 alters display mode and interrupts sprite information, display mode color bus, mouse, light pen information, VRAM type

select total horz. pixel #, simultaneous mode

#### "Table Base Address"

10 color table (high) 4 pattern generator table sprite attribute table (low) 11 sprite attribute table (high) sprite pattern generator table "Color

pattern name table

color table (low)

TEXT 1 + 2 foreground/background 12 TEXT 2 foreground/background for blinking

13 blinking period 20 color burst Reg. 1

21 color burst Reg. 2 22 color burst Reg. 3 set upon initialization

"Display

18 display adjust 23 display offset 19 interrupt line

"Access"

14 VRAM access base address 15 status register pointer 16 color palette pointer

17 control register pointer

B. COMMAND

32 Source X low X high

Register Function(s) 34 Y. low Y high 35

36 Destination X low 37 X high

38 Y low 39 Y high

40 Pixel # X low 41 X high

42 Y low 43 Y high

44 color register 45 argument register

46 command register C. STATUS

0 vert. scan int., 5th sprite, collision light pen/mouse Switch 1+2, horz. sea

2 transfer ready, V/H scan, boundry color

Ş

display field 3 column reg. low

4 column reg. high

5 row reg. low

6 row reg. high color register

8 border X reg. low

border X reg. high D. COLOR PALETTE

establish 16 out of 512 colors to be displayed in various display modes


Once again, refer to the Yamaha manual for details on the individual registers and how they are accessed.

#### VIDEO DISPLAY MODES

The 9938 and 9918A have the following display modes in common: Graphics I, Graphics II, Multicolor, and Text (I). The AVDP goes beyond the 9918A with these new display modes:

	F J III C GCD.
Mode	Features
TEXT 2	-80 columns by 24 or 261/2 lines
	-4 of 512 colors, and blinking
	attribute
	-blinking interval user programable
GRAPHICS 3	-same as GRAPHICS II except that
	8 sprites are allowed per line (vs.)
	for Graphics II)
GRAPHICS 4	-bit map mode, 256 x 212 or 191
	pixels

(See Page 30)



THIS NEW PRODUCT ANSWERS THE NEED MANY TI-99/4A USERS HAVE TO MOVE THE EXPANSION BOX FURTHER FROM THE CONSOLE THAN THE ORIGINAL CABLE PERMITS. IT ALSO MOVES THE HEAVY ORIGINAL TI CONNECTOR AWAY FROM THE CONSOLE WHICH IN TURN ALLOWS MORE FLEXABILITY. UNLIKE SOME PAST ACCESSORIES OF THIS TYPE, ONLY THE HIGHEST QUALITY CONNECTORS AND TWISTED PAIR FLEX CABLE IS USED FOR RELIABLE PERFORMANCE AND LOW LOSS. THIS 18" EXTENSION CABLE ALSO LETS YOU MOVE YOUR COR COMP 9900 SYSTEM 18" AWAY FROM THE CONSOLE. GREAT FOR TIGHT QUARTERS OR TO GAIN MORE SPACE NEXT TO THE CONSOLE.....\$19.95 +s&h

Now get more out of your TI Home Computer -- for less. We made a special purchase and as always we we pass our savings



TEX-COMP BREAKS THE PRICE BARRIER ON DISK DRIVES FOR THE TI-99/4A

right on to you. NEW LOWER PRICES on all drives and stand alone drive units...Full height, half height, single and double sided and density. Tl controller cards will work with single or double sided drives/single density. For double sided/double density you need the Cor-Comp controller card.

NEW LOWER PRICES!!!

Stand alone ss/sd drive (in case with power supply and cable).\$ 99.95 Order 2 drives and receive P-Box installation kit with all cables. bracket, screw and instructions (reg. \$29.95) for only ......\$ 9.95. Stand alone drive case with heavy duty power supply for one full size or two half height drives......\$ 39.95. Specify TI P-Box or Cor Comp 9900 system when ordering stand alone drives so we can provide correct cable and instructions! SPECIAL orginal TI-99/4A ss/sd drives NEW only \$59.95..add \$20 for ds/dd.

Stand Alone Disk Drive

These units are sold with a 90-day warranty.

A Must Addition For Your System! Cor Comp ds/dd controller card for P-Box-supports 4 drives....\$149.95

VOLKSMODEM The Complete Low-Cost Plug-In Modem.

It puts computer to-computer communications within easy reach of every personal computer.

Just plug Volksmodem between any wall phone jack and telephone and put your computer into instant communication with thousands of others. It's that easy. No extra parts or tools are necessary—just one adapter cable and software is all that's needed.

MONEY SAVING SPECIAL. Get the Volksmodem (reg. \$59.95), 99/4A modem cable (reg. \$12.95), and Terminal Emulator II (reg. \$9.95) an \$80 + value for ONLY \$39.95.

— New Low

- New Low Price on 1200 Baud - only \$99.95



Send order and make checks payable to



PO Box 33804. Granada Hills, CA 91344







VISA and MASTERCARD HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

TERMS: All prices FO B. Los Arigeles. For fastest service use cashiers check to order Add 3% shipping and handling (\$3.00 Minimum). East of Missesuppi 41,9%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve orders add 616% sales fax the right to limit quantities

BUTE: Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear California

# (Continued from Page 28) Mode Features -16 of 512 colors per screen -8 sprites per line GRAPHICS 5 -bit map mode, 512 x 212 or 192 pixels -4 of 512 colors per screen -8 sprites per line GRAPHICS 6 -same as 5, but with 16 of 512 colors per screen GRAPHICS 7 -bit mapped mode, 256 x 212 or 192 pixels -256 colors per screen out of 256 colors possible

Obviously, TEXT II and GRAPHICS 6 and 7 are the advanced display modes available only with an appropriate RGB monitor and a generous amount of VRAM (64-128K). GRAPHICS 6 and 7 come close to IBM's new VGA display modes. Most composite monitors are not adequate to display these modes clearly; combination composite/RGB monitors capable of displaying about 600 x 200 pixels can be purchased at a discount price below \$300. (I predict that once you use a RGB monitor, you'll never want to see a composite monitor or TV set again.)

One more item: the 9938 can display in

either an interlaced or non-interlaced mode. The non-interlace mode is preferred, particularly if you use the graphics extensively. An interlaced monitor will trace the odd-numbered rows, then the even-numbered rows of a screen, unlike the non-interlaced design which will display all rows in order. The interlaced monitor must have "long persistance" display to keep the display from looking "jumpy." Unfortunately, long persistence displays have a tendency to smear fast moving displays, such as sprites.

#### HARDWARE COMMANDS

To increase the speed of some commonly used functions, the designers of the 9938 added several commands that are executed by the AVDP without intervention from the main processor (CPU). Commands are executed by writing data to Reg. #46. All parameters used by the commands are first set in Reg. #32-45. When the command is completed, the execute bit is reset to 0. If you want to stop a command, you can execute a 'STOP'. These commands are used only in the bit map modes, 4-7. All pixels are accessed in X-Y coordinates, which greatly eases the burden on the

programmer.

The commands and their functions are listed below:

Command	Function
НММС	high speed move of data from the CPU to VRAM
YMMM	high speed move of data from
НМММ	VRAM to VRAM, Y dir. only high speed move of data from
HMMV	VRAM to VRAM, X+Y dir. high speed move of data from VDP
LMMC	to VRAM; 'paints' area logical move of data from CPU to VRAM
LMCM	logical move of data from VRAM
LMMM	to CPU logical move of data from VRAM
LMMV	to VRAM logical move of data from VDP to VRAM
"Logical moves	"means that functions such as AND,
OR, NOT, etc.	are done between the source and
destination pixe	els.
LINE	draws a straight line in VRAM
SRCH	searches for border color left or right
	of a given position 5
PSET	draws a dot in VRAM; does logical
	operations
POINT	reads a pixel at x,y; returns color of

stops execution of above commands

(See Page 31)

# My-Art Coloring Book

By Cynthia Becker

This amazing new package turns My-Art into an electronic coloring book! Easy to use - even very young children can spend hours coloring pictures without messy crayons, using only a mouse and this disk. A real value - these pictures can be re-used over and over, unlike traditional paper coloring books. Get your copy today! Requires My-Art, Myarc Geneve 9640.

\$9.95 plus \$.75 S&H

Asgard Software P.O. Box 10306 Rockville, MD 20850

#### WHY PAY TWICE?

STOP

GET

#### **TELCO**

FROM THE AUTHOR!

Why pay someone for a demonstration copy when you're still obligated to pay the author if you use it? You're probably not going to get the most recent version that way, either. Get the latest copy of this exciting, full-featured terminal emulator direct from Charles Earl! Simply request a copy when you send in your registration fee — only \$20.00 for one of the finest programs available for the TI & GENEVE! Send your money order or personal cheque to:

Charles Earl 34 McLeod Street Ottawa, Ontario K2P 0Z5

TELCO has been released as user-supported software, so if you would like to "try before you buy", look for it on a FREE public BBS in your area, or ask a friend for a copy.

TELCO — Currently Featuring Xmodem, Ymodem, Compuserve B/Quick B and ASCII File Transfers, Macros, Super Autodialer, PC Pursuit Dialer, a Great Review Buffer, Conference Mode, Multiple Terminal Emulations and MORE!

# (Continued from Page 30) REAL WORLD APPLICATIONS

The MSX-2 computer standard may or may not be flourishing in Japan or elsewhere, but you'd be hard-pressed to find a MSX computer here. Fortunately for us, there are three separate products that use the 9938 in the TI environment: Mechatronics and DIJIT Systems' 80-column cards, and the Myarc 9640. I do not claim to be an expert on any of these products: most of the following commentary is second-hand, except for the DIJIT AVPC card.

The Mechatronics card, apparently, was meant to sit beside the console, not in the PE Box. Since the 9918A is removable, the designers ran a ribbon cable and plug to the 9918A socket to intercept various signals. The card was accessed as a file, ie, through Open, Print, Input and Close commands in BASIC, which limited its capability for compatability greatly. Exact capabilities of this device, and current availability are unknown. Perhaps a reader can update us on the status of this product.

The Myarc Geneve 9640 computer uses the V9938 with 128K of video RAM in the form of four 64K x 4 DRAM. There are apparently no provisions for use of the extra 64K expansion RAM. Options such as

digitization, external synchronization, etc. do not appear to be feasible with the current model because the full color bus is not brought out. The 9938 is probably memory mapped into the same locations as the 9918A on the 99/4A for software compatability.

Last, but not least, the 9640 uses a 3 button mouse. Wait a minute — doesn't the 9938 have inputs only for *two* buttons? It indeed does, but the third Myarc mouse button drives an interrupt line to the 9995, which uses a separate software scheme to track its status.

The DIJIT Systems' AVPC card is probably the closest anyone will come to exploiting all the features available from the Yamaha V9938. In addition to the previous products capabilities, this PE Box card has 192K of VRAM and can support digitizing and external video overlay with the help of another device currently being developed. The AVPC is claimed to be 99 percent compatible with existing /4A software (in 32- or 40-column mode, of course). Modifications have been done to several programs already to expand displays to 80 columns.

To install the card, a minor modification needs to be done to the /4A motherboard — one pin on the 9918A is bent, and a

trace on the PC board is cut to allow the video address signals to go to the PE box.

Two minor operating problems have surfaced with the AVPC. It seems that the RS232 cards have a bug in their DSR ROMs that could cause them to lock up under certain circumstances. DIJIT has a replacement EPROM that corrects this error. And the Horizon RAMdisk has operating problems, too. DIJIT notes that this is due to some software oversights in the Horizon card, not the AVPC. The former problem is due to the fact that the TI PE box has only one interrupt line. -INTA. The PE box has the capability to allow two levels of interrupts, via the

(See Page 32)




The MULTI-MOD is a plug-in upgrawle for owners of Triton's Super Extended BASIC module that gives you SEB, Editor/Assembler, Disk Manager III, and TI-Writer ALL IN THE SAME MODULE! It may be the only module you'll ever need!


The price of the upgrade kit is \$22.95 and includes a manual and disk with the Editor/Assembler and TI-Writer support files. A free brochure is available on request from:

John Guion 11923 Quincy Lane Dallas, TX 75230

Also ask about TI RS232 and Disk Controller upgrade kits.

(Super Extended BASIC is a trademark of Triton Products Company)





#### (Continued from Page 32)

signals interrupt sense enable A and B, but the /4A does not take advantage of this feature.

DIJIT Systems also has a programmer's package coming out this year for the card. They also maintain information on a local bulletin board system (619-278-8155), such as how to make custom cables for various mice for use with their card.

#### A SIMPLE V9938 DESIGN

Well, now you've read about all the wonderful things the V9938 can do, and you're ready to send \$35 or so to Yamaha for a chip and data manual so you can wire up your own video card.

If you just want video and the mouse/light pen interface, then it really would not be that hard to do (see Fig. 4). As long as you were willing to accept the 9938 as a peripheral device in a Device Service Routine (DSR) location, then the design is a "simple" one. Either a LS138, LS154 or custom PAL device could be used to interpret the DSR, ROM, and 9938 select functions from the appropriate signals. An 8K DSR ROM would hold the software needed for the interface, and six TMS4464 DRAMs provide 192K of video

RAM. The video signals would need amplification to properly drive the monitor, and the mouse interface is shown in Fig. 3.

From a software point of view, the easiest way to access the 9938 is via file commands, like the Mechatronics card. A slicker way would be to define BASIC CALL commands just for the card; the /4A operating system can access the DSR ROM to implement the new "CALL DISPLAY80" commands. One drawback to this scheme is that Extended BASIC does not search the DSR ROMs for new CALL commands while in a program that is running. The best all around solution, in my opinion, is use of a GRAM KRACKER or GRAMULATOR device to modify the TI operating system to recognize the card.

#### CONCLUSIONS

The Yamaha V9938 is a powerful, upwardly compatible successor to the 9918A that has found its way into several PE boxes around the country. If you are interested in exercising your 9938 to its fullest potential, or are interested in developing your own design, I encourage you to contact Yamaha International for a copy of the data manual, and current pricing of single quantity V9938 chips. Be sure you have a 9918A or 9118 data manual from TI handy also to fill in the gaps. A simpler solution would be to purchase one of the fine products that utilizes the V9938, and have the software in place to make it run. If you have questions or comments concerning this article, forward them to MICROpendium, or directly to the author (Tony Lewis, 409 Drolmond, Raleigh, NC 27615), or on CompuServe CIS 73357,1730.

#### References

TMS 9918A/28A/29A Video Display Processors Data Manual

V9938 MSX-Video Technical Data Book TI-99/4A Console and Peripheral Expansion System Technical Data

Readers who are interested in purchasing a V9938 or data manual, may write Yamaha for current pricing and availability: Yamaha Systems Technology; 6600 Orangethorpe Ave.; Buena Park, CA 90620; Attn: Mr. Bob Star.

Note: if you have technical questions concerning the V9938, it is recommended that you write Yamaha at the above address.

# Tips for new hard disk users

Here are a few reminders and suggestions for readers who have or are considering the new Myarc Hard & Floppy Disk Controller card.

- 1. Make sure the DIP switches are set for CRU >1100 when running as a floppy and hard controller and CRU >1000 when running as a hard disk controller only. (You have to remove the clamshell cover to do this.)
- 2. If the card seems to perform erratically, try plugging it into a different slot on the PEB.
- 3. Check to make sure you've got a version H7 EPROM. The EPROM should be labeled and you can also check it by entering a "V" at the main MDM5 menu screen. If the EPROM is a lower number, such as H3, contact Myarc about obtaining a replacement.
- 4. Make sure you have an adequate power supply. The PEB power supply won't handle a hard drive reliably.
- 5. It's recommended that you have the hard drive and PEB connected to a power-strip so that everything can be turned on simultaneously.
- 6. If you are using the hard drive with a Geneve and can't get it to boot the SYSTEM/SYS file from the hard drive (assuming the SYSTEM/SYS file is in the root directory and LOAD/SYS is in the subdirectory WDS1.DSK1; or you get an error message to the effect that the system can't find the HFDC, verify that the CRU base is set for >1000 on the DIP. If it is set for anything else,

the system may not find it. Although the DIP allows you to set a variety of CRU locations for the HFDC, some of them will be used by other cards in the PEB and others simply won't work with the HFDC. (This holds true only until the HFDC is able to support floppy drives on the Geneve. Then you would set the DIP to CRU >1100 in all cases.)

- 7. Read the manual thoroughly and experiment. Try out different formatting defaults.
- 8. When installing your hard drive, make sure that it is right-side up. Many hard disk manuals assume that the hard disk will be installed in a PC and don't bother to explain what right-side up is. If you have a question about it, contact the vendor or the manufacturer to make sure. On a Seagate drive, the drive activity light should be in the lower left hand corner.
- 9. Double-check all cable connections between the PEB and the hard and floppy drives. The connectors on the HFDC are marked so that you can match the No. 2 slot of the connector with the No. 2 pin of the HFDC. The colored edge of the ribbon connectors is a visual cue.
- 10. When inserting or removing the HFDC from the PEB, make sure that the power has been off for several minutes. Then, make sure it goes in or comes out straight. Do it with two hands. There is a possibility of shorting it out if it is pulled out haphazardly and

(See Page 33)

#### HARD DISK TIPS—

#### (Continued from Page 32)

the protruding end rubs against the metal guides in the back of the PEB.

11. If you can't get some programs to load properly from a hard disk, re-read the manual on subdirectory organization. Make sure that programs that require a volume name — such as Multiplan TIMP — are kept in directories with the following example pathname: WDS1.DSK.VOLUMENAME.PROGN AME.

12. With the 99/4A, make sure that your last floppy drive has a terminating resistor pack. I tried out a system that had two flop-


pies connected to a CorComp disk controller, the last drive of which did not have a terminating pack. While it ran just fine with the CorComp controller, when I replaced it with the HFDC I couldn't access the floppies.

13. When booting a Geneve from the hard drive, if you use an AUTOEXEC file, the file must be located on DSK1. The HFDC apparently looks for physical DSK1 for the AUTOEXEC file. The final version of MDOS should correct this.

14. MDOS in its current version does not fully support hard disk operations. If you use the proper command structure and find that the hard disk doesn't respond, then that command probably isn't functional. Don't waste a lot of time trying to do things from MDOS that it can't do. When version 1.1xH comes out, everything should work as described in the manual.

#### Coming next month

- Comparisons of the major telecommunications networks
- A Funlweb tutorial



# Oliver's Twist

A new game for the Adventure module by:

Mickey Schmitt & Lynn Gardner

At the end of the long journey from your home village you are standing in front of the castle of your recently departed Uncle Oliver (known in this realm as King Oliver IV). As one of the family's poorest relations, no one was more surprised than you on finding that Oliver had left his entire kingdom to you. However, as with many unexpected gifts there is a catch. Before you can inherit the castle you have to mollify the spirits of your ancestors by returning 15 treasures to their rightful places. Unfortunately, the will does not specify where these locations might be. Can you return everything without disturbing Oliver's ghost?

\$9.95 Plus \$.75 S&H Specify Disk or Cassette

Send to: Asgard Software
P.O. Box 10306
Rockville, MD 20850

Requires: Adventure module in cartridge or disk format

Credit Card Orders: Call 1-800-456-9272. Visa, MC, AmEx accepted

#### Geneve

# MDOS 1.10 to use extensions

#### By MIKE DODD

Many users have asked about the next version of MDOS; what the changes will be, when it will be officially released, etc. No one knows when it will be released. When it is, the version number will be V1.10.

One major change in it will be the ability to carry over the internal RAMdisk between MDOS and GPL. You can set up a RAMdisk in MDOS, load it with files (you can use a batch file to do this), enter GPL, work with the files, go back to MDOS, and the files will still be there. The present version of MY-Word (V1.1) and MDM3 (V2.1) are incompatible with the new version of GPL. MY-Word has been upgraded to fix this (V1.2). Spokesman Jack Riley said that Myarc has not yet modified MDM3 to run with MDOS V1.10 but that the company will do the modification at some future date, and will ship it with MDOS.

Another change is that the DIR function

will now display the time and date stamp if used in 80-column mode (MODE 80). In 40-column mode, the display format is much the same as before.

Paul Charlton has also added a feature that will allow specifying a file type from MDOS with the use of extensions. The back quote is used to mark the extension, then you can use D, V, F, I, P and a number to specify the file type. For example: typing COPY \*'DF128 B: would copy all DIS/FIX 128 files from the current drive to the B: drive. Using DEL \*'I would delete all INTERNAL files from the current drive. ATTRIB +P \*'P would protect all program image files. You can also use the method to create files with the COPY CON command: typing COPY CON C:TEST'DF54 would allow you to type into a DIS/FIX 54 file named TEST on the C: drive.

MYARC has released an interim version of MDOS (V1.06) and GPL that was released with the HFDC. V1.06 contains

some of the changes that will be in V1.10 (in particular, the carry-over from MDOS to GPL of the internal RAMdisk), but not all. When V1.10 is complete, it will be mailed to all registered Geneve owners.

#### CHANGING COLORS

The following program is relatively simple, but serves a useful function. The program allows a user to easily change the screen colors in MDOS. This is especially useful for readers with monochrome monitors who wish to use the 80-column mode. After creating the file, you can access it by typing SCREEN fg bg (assuming SCREEN is the filename). The mnemonic fg is the foreground color (1-16), and bg is the background color. Typing SCREEN 16 1 would set the screen colors to white on black. You could access the program from within your AUTOEX-EC file, so as to have your choice of colors automatically come up upon booting the machine.

(See Page 35)

# TI BASE

# The Ultimate TI-99/4a Database

"This database is one of a kind for the TI market and provides many of the qualities sought for so long ... I commend Texaments for producing such a superb and reasonable priced product." — Ron Albright

"Simply amazing ... more features and functions than I could ever imagine" — R.F., Irie, PA

"The most bang for the buck since TI Artist ... a truly superior product" — K.S., San Francisco, CA

"... where no 99/4A has gone before! The possibilities of TI Base are almost endless" — C.L, Huntington, NY

"TI Base is the best database I've ever used on my TI-99/4A and Geneve ... everyone should get one" — K.M., Tampa, FL

Now you've heard what other people are saying about TI Base, why not try it for yourself? For only \$24.95 (plus \$2.50 for shipping) you get the TI Base system disk, a TI Base tutorial disk, a TI Base keyboard overlay, and the TI Base users manual. To start using TI Base you will need a disk system, 32K memory expansion, and either Extended BASIC, Editor/Assembler, or Mini memory cartridge.

#### **TEXAMENTS**

53 Center Street, Patchogue, New York 11772 Office (516)475-3480 BBS: (516)475-6463

Please add the following shipping charges to your order: \$2.50 for domestic first class delivery, \$8.00 for foriegn air mail (insured) delivery. Orders are usually shipped within a 48 hour period. All C.O.D. orders must be placed by phone. No credit card orders will be accepted. Prices, specifications, and availability are subject to change without notice. Dealer and User Group inquiries are invited. Contact our office for more details and special offers.

#### **GENEVE**—

#### (Continued from Page 34)

To enter the program, use MY-Word's Program Edit mode. Assemble with the CR options, and use Paul Charlton's linker program to create a program image file loadable from MDOS.

The program uses three subroutines:

- CMDSTR is Charlton's routine to fetch the command line.
- SHOTXT will display a text string on the monitor.
- GETNUM will convert an ASCII number (positive integers only) to a 16-bit binary number.

CMDSTR and SHOTXT have appeared in this column before (April 1988 issue). GETNUM assumes that the byte at CMDLIN is the length of the input remaining. The routine will parse until it reaches the end of the input line (as determined by the length byte at CMDLIN), a space, or a comma. Any other non-numeric character will cause the routine to jump to ERROR, which generates an error

message on the monitor.

#### PROGRAM EXPLANATION

Lines 0001-0012 are comments and the initial setup.

0013-0026 places a page of RAM in the >E000 page. This is necessary for the SHOTXT routine.

0027-0034 fetch the command line into CMDLIN.

0035-0048 parse the two input numbers. Since the input numbers are base 1 (1-16), and assembly uses base 0 (0-15), we must subtract one from both numbers. Following this, the foreground color and background color are placed together (four bits each, foreground color first) in the Least Significant Byte (LSBy) of R2.

0049-0056 write the colors to VDP Register 7 and return to MDOS. Notice that the interrupts are disabled before accessing VDP, and re-enabled afterwards. If MDOS were to process an interrupt between the two VDP write instructions, the VDP address might be destroyed, which

would cause unpredictable results. By temporarily disabling the interrupts, that problem can be avoided.

0057-0059 generate the error message (" \_\_Error \_\_'") and return to MDOS. 0061-0079 is the GETNUM routine. R2 is used as the accumulator. Every time a new digit is fetched, it is converted to binary, the accumulator is multiplied by 10, and the new digit is added to the accumulator. The multiplication has the effect of shifting the number one place-digit to the left to make room for the new digit.

0081-0125 is Charlton's CMDSTR routine, which fetches the command line. 0127-0140 is the SHOTXT routine, which displays text on the monitor. This is done by moving each byte of text to the >E000 page, then calling the WriteTTY routine. The data must be moved to the >E000 page before calling WriteTTY.

0144-0164 contain miscellaneous data, bytes, text, and the CMDLIN buffer.

#### **CHANGE COLORS IN MDOS**

```
9891 * MDOS Screen Color Set
8882 * Copyright 1988 by Mike Dodd.
8803 * Written for MICROpendium magazine.
8884 ¥
8885 * format: SCREEN fground bground
8886 * fground = foreground color (1-16)
8887 * bground = background color (1-16)
8888
             DXOP SYS, 0
9899
6818
8811
      * Start of program
                                    Load workspace pointers
             LUPI >F080
8812
      * Get a page of memory at >E000
0013
                                    Get page opcode
             LI Re,1
8814
             MOV R8,R1
                                    Get one page
8815
                                    Local page 1
8816
             MOV R0,R2
             CLR R3
                                    Slow RAM is fine
8817
                                    Memory management XOP
             SYS THEM
6818
8819
             MOV RO,RO
                                    Error code
                                     If any error, go to error routine
              JNE ERROR
8828
                                    Map page opcode
             LI
                  R0,3
8821
                  R1,1
                                     Local page 1
 8822
             LI
                  R2,7
                                     Execution page 7
             11
 8823
                                     Memory management XOP
              SYS
                  3MEM
 8824
 8925
             MOV
                  RO,RO
                                     Error code
                                     If any error, go to error routine
 8826
              JINE ERROR
 8027 * Get the command line
              LI RI, CHOLIN
                                     Buffer
 0028
                                     Write maximum length
              MOVB 2H86,*R1+
 8829
                                      (Length = two digits, plus a space,
 6636 ¥
                                       plus two more digits, plus a null
 0031 *
```

The wait is over! Now you can create and edit your own TI Runner screens! TI RUNNER Level Editor by Only Only \$18.95 \$18.95 **EB Software** The screen editor is designed to give you the power you need to add, edit, and manage your TI Runner screens. The system's easy to use menus and editor makes creating your own levels almost as much fun as playing them. Write to: Includes: **FB Software** 1. TI Runner Level Editor 905 West Middlefield #953 2. The Original 50 Levels Mountain View, CA 94043 3.44 Advanced Levels \$19.95 The Original TI Runner Galitic Battle/Spy Adventure Package \$14.95

## GENEVE-

			(Continued	from Page 35)	8898	}	MOV	B 32(R2),R6	count of chars to move
0032	¥			terminator.)	9999	)		R6,8	
033		BL	SCHOSTR	Get it	8188	ı	INC	T R6	
834			ERROR	If any error, report it	0101				
035		BL	2GETNUM	Get foreground color	0102	NXTNO	NON OF	R2,R3	cursor within node
036		MOV	R2,R7	Save	0103	1	INC	T R3	
837		JEQ	ERROR	If 8, then error	8194		MOV	R2,R4	
1038		C1	R7,16	Greater than 16?	8185	i	ΑI	R4,8	pointer to end of node
9839		JH	ERROR	Yes error	8186	¥			
9848		DEC	R7	Minus one for assembly offset	9107	NODL1	MOV	8 *R3+,*R5+	
9941		SLA	R7,4	Move to next nybble	8188	:	DEC	Ró	
042		BL	2GETNUM	Get background color	0189		JEQ	NODJ1	
943		HOV	R2,R2	Is it equal to 0?	0110		C	R3,R4	
1844		JEQ	ERROR	Yes error	0111		JL	NODL 1	
1945		CI	R2,16	Greater than 16?	0112		MOV	*R2,R2	this link never zero if valid stri
846		JH	ERROR	Yes error	0113		JMP	NXTNOD	
847			R2	Minus one for assembly offset	0114	*			
048		A	R7,R2	Put foreground color in register	8115	NODJ1	CLR	RB	
949		Al	R2,)8700	VDP write-to-R7	9116		JMP	NODRET	
950		LIMI		Turn interrupts off	8117	¥			
851		SWPB			9118	NO#ST	R CLR	R8	
852			R2,3VDP1	VDP port 1 (address port)	0119		MOVE	3 R0,2-1(R1)	
953		SUP8			0120		MOVE	3 R0,*R1	
854			R2,3VDP1		8121		JMP	NODRET	
055		LIMI		Turn interrupts back on	0122	¥			
856	DONE		2)0880	Return to MDOS	0123	BADLE	I SETE	R0	
1057	ERROR	BL	SHOTXT	Display text	8124	NODRE	MOV	R0,R0	\$
058			ERRTXT	Error text	<b>8</b> 125		RT		
059		JMP	DONE	Return to MDOS	9126				
969					0127	* Dist	olay t	ext on the screen	
661	GETNUM			Start with 8	8128	SHOTX	L HON	*R11+,R9	Get address of length byte
862	GN1	MOVB	acmdlin, Re	Get length	0129		MOVE	*R0+,R2	Get length byte
863		JEQ	GN2	No more characters must be done	0130		JEQ	SHORÉT	Null length - don't display anythin
964		SB	2H01,2CMDLIN	Minus one	0131		SRL	R2,8	To LSBy
865		MOVB	*R1+,R0	Get character	0132		MOV		Save
966		C8	R0,2SPACE	Space?	0133		LI	R1 TXTBUF	Text buffer
867		JEQ	GN2	Yes must be done	9134	SHOTX1	MOVB	*R0+,*R1+	Move
868		CB	R0,2COMMA	Comma?	8135		DEC	•	Any more to move?
869		JEQ	GN2	Yes must be done	0136		JNE	SHOTX1	Yes
	* Mak	le sur	re it's really a	number	0137		LI	R1,TXTBUF	Text buffer
871		S8	2H30,R0	Minus ASCII offset	8138		LI	R0,)27	WriteTTY opcode
972		CB	R0,2H39	<b>'9'</b>	8139		SYS	2VID	Video XOP
073		JH	ERROR	Not a number error	8149	SHORET	RT		Return
174		MPY	2D10,R2	Multiply what we have by 10	8141				
975		MOV	R3,R2	Move result back to right place	0142	*****	¥		
176		SRL	R0,8	To LSBy	8143				
977		A	R0,R2	Add to accumalator	8144	TXTBUF	EQU	>E988	
78		JMP	GNI	Get another number		VDP1		)F18A	
879	GN2	RT		Return	8146	-			
888						0147	VID	DATA 6	Video XOP number
181	******	****	**********	**********************	*******	0148		DATA 7	Memory XOP number
982	¥					8149		DATA 18	, , , , , , , , , , , , , , , , , , , ,
183	¥	conve	rt command args	into string	6150				
184	¥	by J.	Paul Charlton		8151	CLS	BYTE	>01,>1A	Length of one, ^2 to clear screen
85	¥					ERRTXT			Error message - length of 13
986	ŧ	IN:	R1 points to str	ing buffer (byte after length byte)	0153			'Error'	Actual text
87	F			have max length of buffer	8154			>8D,>8A	CRLF
88				• • • • • • • • • • • • • • • • • • • •	8155	HRI	BALE	•	with the second
89		OUT:	ok R8=8 eas	ual flag SET	0156		BYTE		
98			,	val flag RESET		SPACE	BYTE		
91				· - <b>J</b> ··		CONNA			
	MDSTR 1	40V	3)8128,R2	get pointer to command string	0159		BYTE		
92			NOUSTR	zero length string			BYTE		
			92(R2),9-1(R1)	· · · · · · · · · · · · · · · · · · ·	0160 0141	N37	BYTE	/37	
193				compare lengths of strings	8161	CMARY TAX	000	7	Button ton an 150
193 19 <b>4</b>		THE I	DANIEN.						
93 9 <b>4</b> 95			BADLEN DI DS	string too long for the buffer		CMDLIN	B22	/	Buffer for command line
192 193 194 195 196	ì		R1 ,R5	cursor to caller's string buffer	9162 9163 9164	UNULIN	END B22	/	Butter for command line

### Myarc Q&A

# Geneve, HFDC questions addressed

This is the first of a continuing series of question and answer interviews about Myarc products. Jack Riley is the spokesman. Readers are welcome to submit questions in writing to MICROpendium. Some answers are condensed for space considerations.

# What are the most common problems reported by Geneve users?

Most of it, when it first started, was simply learning to use the system. And probably most of it still is a matter of the consumer base by and large not being accustomed to an operating system, since the 4A didn't have one. Like how to set up autoexec files. Probably we'll go through that again with the release of DOS in October.

We've had some problems from consumers with the clock in test mode, they couldn't access the floppy disk controller correctly. We've added code in DOS to eliminate that as far as we can. We cannot redesign the CPU that TI built in the 9900. We have to make due with what they did.

There have been no real problems on the hardware side since day one. On the software side, most of it has been a matter of how do you do things.

# What's the most common problem reported with the Hard and Floppy Disk Controller?

The most common problem is bad hard drives or marginal hard drives. Consumers making the mistake of buying a cheap drive, and that's not the place to do it. It's fine to buy a cheap floppy drive, but a hard drive is not only a drive, it is where all your data is. With a floppy, if a drive goes bad you can remove your floppy and replace the drive. You can't do that on a hard drive. So that's not the place to try to pinch pennies.

### Is there a substantial body of information in the MDOS and HFDC manuals that is no longer valid, given that they were written before the accompanying software was finished?

I would say not. The manuals as they were written didn't even talk about MY-Word. The major portion of the addenda had to do with MY-Word. Another major portion of the addenda had to do with saving cartridges. There's nothing in the

manual about how to save cartridges. So, we had to cover that.

The actual number of commands (in MDOS) that have been changed or modified were relatively small. I think it only takes up a page of the addenda, and there's only a couple of changes in Advanced BASIC. The manual, of course, was written on the DOS side, and Myarc Disk Operating System was written from a command level to emulate MS-DOS. To write the manual based on the better written MS-DOS manuals was fairly simple.

# What's been added to MDOS since the manual was written, besides the minor changes to the ATTRIB command?

Features we've added that were not intended to be included that we've given the community gratis, such as the autoexec redirect commands. The manual shows a lot of commands as being external. In fact, there's only one external command. That's the graphics command.

The other differences I can think of, the manual talks about shifting your screen left or right to get it centered. Well, there's no reason to do that since it's handled automatically in the 9938 chip. So that command is no longer valid. Another change was that TI mode was not a separate piece of software, ie. GPL. As the manual described it, it was much more flexible making it a separate program unto itself. And, therefore, setting speed, etc. is done in GPL instead of from DOS. There's no reason to have that in DOS anymore.

# Messages on several bulletin boards suggest that Myarc is going to send out two EPROMs with each HFDC. Is this true?

That was an earlier approach, to send two EPROMs: one slow, one fast. But we decided to solve it from a software standpoint. So version 1.24 or higher of MDM5 allows the consumer to set the head step speed to suit his hard drive, as opposed to earlier versions which did not. It was all done in the EPROM itself. The speed is set from 0 through 7, the lower the number the faster. For example, a 28 millisecond average access drive will use an interlace of 2 and a head step of 0.

What if someone used a faster in-

# terlace or head step speed than a particular hard drive was meant to handle. What would happen?

The format speed would slow down drastically, because it could not get to the track, settle in place and read it correctly. Or you'll get lots of errors. For instance, with the V1.25 of MDM5, to format a 28 ms drive takes 5 minutes 45 seconds on average, as opposed to about 30 minutes for V1.23. So, if it takes, say, 20 minutes to format using the newer version of MDM5, you know you've got the wrong settings. But it's not going to hurt anything.

# How many kilobytes of RAM are reserved for the print spooler in MDOS when operating in TI mode.?

It's always a 16K spooler. It's a default. Of course, you can partition more than that if you want to.

# Where does the 640K RAM of the Geneve go to?

512K of it is program RAM. 128K is video. Then you've got 32K that's static RAM that's never been counted.

# How much does SYSTEM/SYS take up when it's loaded?

I'm not sure, I think it's 208K. (The 208K comes from the 512K of available program RAM—Ed.) To run your program, both GPL and DOS utilize the 32K which no one's ever counted, which is upgradable to 64K. In GPL mode, in (See Page 38)

## **Now Shipping!**

### Myarc Hard Disk Controller Cards Geneve 9640

Hard drives — Power Supplies Cables — Fully assembled units We carry the full Myarc product line. Call our office and make your best deal.

> Texaments 244 Mill Road Yaphank, NY 11980 (516) 345-2134

### MYARC Q&A—

### (Continued from Page 13)

Editor/Assembler, for example, the user's got exactly the same amount of program RAM as he's got in the /4A.

This does not include MY-Word, (80-column) Multiplan and MDM3 V2.11 which use "pages" of memory. We are reworking DOS and GPL that will be more memory-efficient and will work essentially this way: while you're in DOS mode, even though you used a TI MODE in your autoexec, the pages of memory that GPL will claim and use for extended memory are yet unnamed. It doesn't claim those until you actually load GPL, at which point the memory required is claimed. Those page numbers, as it were, are passed on to GPL, and GPL then has them available for extended memory programs. So, if you then were to load MDM3, it would look at that memory location and say 'these are the pages available to me' and use those. The net result is that when you're in DOS you have more memory available. It requires rewriting at least the memory management portion of MY-Word, Multiplan and GPL. So, when we send out software in October, we'll be sending new versions of those also. It also means that those new versions of DOS and GPL won't be compatible with earlier versions.

# The Myarc expansion memory card increases the amount of program RAM for the Geneve, right?

Yes. You could partition it as a RAM-disk if you wanted to.

But it would be available through MDOS and not through GPL?

GPL is the name we chose to mean "TI mode." When you go into it you're emulating as closely as is technically possible a /4A. Therefore, programs like Editor/Assembler have only available to it the same amount of memory that they had on a /4A. Now, programs that have been modified, and there's only three at this point — that doesn't mean others could not be — take advantage of the same memory. So, if some programmers wanted to write or modify programs that work for the /4A to take advantage of increased memory they could.

# Is MY-Word going to load at the A> prompt?

First of all, Myarc has never advertised that MY-Word would load from DOS. In fact, what we advertised initially was that it would be TI-Writer upgraded to increased memory and 80-columns. Subsequently, it was so modified that we renamed it MY-Word because we added commands, put it in 80x26, and on and on. After doing this, there was one addenda that was sent out in error listing programs that would load from the A> of DOS. That was Advanced BASIC and Pascal. Inadvertently, MY-Word was listed in there. That was our mistake. Subsequent and previous addendas never listed it as loading from the A >.

The reason is quite simple. Though source code did exist for the editor portion of TI-Writer, source code did not and to our knowledge does no longer exist for the formatter. So there is no way to rewrite that code. And, since with the newer DOS

and GPL loading MY-Word with an autoexec is almost transparent, we've essentially given you the same thing. Now, it doesn't make sense for us to spend our resources rewriting the formatter portion of MY-Word, rather than doing MY-Pro-Word.

## What about the apparent delay in getting the HFDC to the market?

Early last year we had a hard and floppy disk controller card that is not the one we have finished. The primary difference is the streamer tape backup. At that point in time, the capacity was essentially the same (four floppies, 3 hard disks up to 134 megabytes each), but it didn't have streamer tape backup. Well, logically it didn't make a lot of sense to offer that kind of capacity on a hard drive with no way to back it up except floppies. So streamer tape was apparently needed. Our dealers agreed, people like Roger Dooley at Tenex and Darryl Dheinwith Dhein's Wholesale. We had been saying up until then that we were essentially ready to release this card, which we were. It was going to be released without MDM5, it was going to use essentially the software the (Myarc WDS100) personality card used. Once deciding to include streamer tape backup. that was estimated to take about 8-12 weeks. In fact, the engineering on that card, so Lou Phillips tells me, was much more difficult than the 9640 was. That's the reason for the delay.

At the same time, we were delaying it, we decided to do an assembly language version of MDM3, upgrading it to MDM5 and adding the features you now see. That originally was going to be done by Innovative Programming. Obviously, that didn't work out. We subsequently changed it to Mike Dodd, who took the source code of MDM3 and modified it. And then it was finished essentially by John Birdwell. So, it's not a misleading of anyone early on that the card was essentially finished. And it's also the reason for the price change.

Even in the IBM market where you get very inexpensive cards because of the high volume, there is no card available for less than the \$325 cost of the Myarc HFDC that includes a hard and floppy controller, streamer tape backup and cables.

# Horizon releases P-GRAM card

Horizon Computer is producing the P-GRAM card, a GROM emulation card for use with the TI99/4A.

The card will save and run modules and compatible with files saved by the GRAM-Kracker or Cart-Save, according to the manufacturer. The card was developed by John Guion and Robert Jones.

The manufacturer says a fully documented source code and user manual (provided as a DV80 file on disk) allows the user to save modules, edit them, load them to card and run. The P-GRAM card is said to contain 72K of battery-backed RAM (1p CMOS): 40K for GRAM emulating, 16K for module RAM bank-switched and 16K of DSR RAM, also bank-switched. An optional clock is available.

The card requires peripheral expansion box, 32K and disk drive. A P-GRAM kit is \$150, with clock kit for \$20; a fully assembled P-GRAM is \$180, \$200 with clock. For information or to order contact Bud Mills Services, 166 Dartmouth Dr., Toledo OH 43614.

## Myarc Hard & Floppy Disk Controller

# It was worth the wait

### By JOHN KOLOEN

I think it is safe to say that Myarc has its hard and floppy disk controller under full control. The card itself has been operational for months, but the operating software, including an EPROM, have been upgraded constantly throughout the summer. With the release of Version 1.23 of the Myarc Disk Manager 5 (MDM5) and the Version H7 EPROM, the card becomes a valuable asset with either the Tl99/4A or the Myarc 9640.

The final hard disk version of MDOS (to be numbered something over 1.10H) is due at any time. Unofficial version numbers 1.08 and 1.09 have appeared on bulletin boards in recent weeks but the final product for hard disk users will be Version 1.1xH, the "H" standing for hard disk.

Trying to review the HFDC is complicated by the fact that its performance depends somewhat on whether it is run on a 4A or a Geneve. On the 4A it is fully operational, controlling both hard and floppy disks. On the Geneve, until the finished MDOS is available, it controls only hard drives - floppies are still controlled with a floppy disk controller. Even so, the HFDC runs at about 90 percent of its potential without the final MDOS. The final MDOS should improve its DOS-level control of hard disks — such as being able to create and remove directories from the A> prompt — but nothing that can't be done through MDM5 either on the Geneve or the TI. MDM5 runs in 40 columns on both computers.

**Performance**: The only other hard disk system available for the TI was Myarc's WDS100 system, which used a "personality" card to interface with the TI. A 10-megabyte configuration of this system retailed for about \$2,000 when you could get one and gave the user no choice in terms of what hard disk to use or how to format it. You got what Myarc delivered. While the WDS100 performed well, its disk manager was written in Extended BASIC and was tedious to use, though it provided users with access of up to 10 megabytes of storage, with much faster input/output than is possible with floppies. But compared to the modern hard drives

## Review

### Report Card

Performance	
Ease of Use	
Documentation	
Value	A
Final Grade	

Cost: \$325 (includes MDM5 and cables) Manufacturer: Myarc Inc., P.O. Box 140, Basking Ridge, NJ 07920, (205-854-5843)

Requirements: TI99/4A or Geneve 9640, hard disk drive (non RLL type), (expansion memory for 4A), Extended BASIC or Editor/Assembler, MDOS V.1.06 and GPL 1.03 or higher for Geneve

that the HFDC supports, the WDS100 system was a tortoise.


The hard drive I use with the HFDC is a 20-megabyte, half-height Seagate 225, not among the fastest in the Seagate lineup. A 125 is much faster and only nominally more costly, though it is not as widely available. Even so, data transfer with the 225 is brisk. Here is an example, using a 43-sector BASIC game program, operating out of Extended BASIC (times are in seconds):

Device disk	Load	Save
Hard disk	3.5	3.5
Floppy	9	18
RAMdisk	3	3

Similarly, using MY-Word, a 46-sector document is saved or loaded in all of three seconds. (When writing a file to a hard disk for the first time, the process may take slightly longer. When rewriting to the file, maximum speed is achieved.)

The drive is housed in an external hard drive chassis that includes its own 45-watt power supply and quiet cooling fan. This cost about \$120 new. (Most late-model hard disks use less than 20 watts so it would be feasible to have two half-height hard drives in the chassis. In fact, it is wired for two hard drives.) I also have a surplus hard drive enclosure and power supply that cost \$35 but I had to rewire it for the hard drive. If you are not at all handy with hardware projects, I highly recommend ordering an assembled and tested chassis/power supply. I also recommend the use of name-brand hard drives. The documentation for them is usually worlds beyond the documentation that comes with the cheaper brands. Manufacturer support, too, is likely to be much better on a namebrand than an off-brand. If you know what you are doing with hard drives, by all means take chances. If you don't, stay with

(See Page 40)



### MYARC HFDC—

### (Continued from 39)

proven technology.

The actual speed of reading/writing to a hard disk depends on the hard disk. Factors such as the average access time and interlace are generally determined by the manufacturer of the hard drive. Suffice it to say that the faster the drive, the more expensive it is. Generally, too, the larger the drive in terms of storage capability, the faster it is likely to be. (Incidentally, the Seagate 225 has a head access time of 65 milleseconds, while the Seagate 125 has an access time of 27 milleseconds.)

The card has two sets of DIP switches: one to set the CRU base of the card and another used to control floppy drives. The floppy switches allow the user to configure floppies as 40 or 80 track, and step rates from 16 to 2 milleseconds.

After configuring the switches and installing the card, Myarc Disk Manager 5 is loaded from Extended BASIC or Editor/Assembler. The user can check the version number of the EPROM by pressing "V" at the main menu. Version H7 or higher is recommended.

MDM5 is menu driven and the documentation walks the user through the formatting process. However, for a new user, much of the process will be unclear. Here are the parameters the user must set prior to formatting a hard drive (based on V.1.23 of MDM5):

Volume Name:

Sectors/Track: (32)

Heads: Cylinders:

Write Precompensation:

Sector Verification: (8)

Interlace: (12) Step Rate (0-7):

The numbers in parentheses for sectors/track, verification and interlace are defaults.

Users would refer to their hard disk manual to determine the number of heads and cylinders. (A 20-megabyte hard drive typically has 4 heads and 615 cylinders per head.) Once these numbers are entered, a number appears as a recommended default for write precompensation. For a hard drive with 615 cylinders, the default entry is 464. However, the hard drive manufacturer may provide a recommended range for write precompensation. Use

that as your guide.

Without going into any explanation, generally, the lower the number, the faster the hard disk will operate. However, since not all hard disks are created equal, users may want to experiment. There is no need to be concerned about damaging a hard disk by the settings you select for the formatting process. It is a simple matter to reformat a hard drive.

One way to gauge whether the settings you select are optimum for the drive is to make note of the time it takes for the drive to be formatted. The faster it formats, the more optimum the settings you've selected. While only relatively fast hard drives would use, say, a Step Rate of 0, many might be able to accommodate a 1. Regardless of what you do, a drive should take well under ten minutes to be formatted. Anything longer should cause the user to reformat the drive with faster settings.

Whether you are running an HFDC on a Geneve or a 99/4A, the hierarchical structure of hard disk directories is the same. The only difference is that from MDOS you can refer to the root directory of the hard disk by a letter, C> for instance. Otherwise, from programs that run out of the GPL interpreter on the Geneve or on the /4A, the tree-like subdirectory names would be the same. For example:

Suppose you wanted to load a program such as Multiplan, which requires the volume (or disk) name to be TIMP. The following would be entered from GPL on the Geneve: WDS1.DSK.TIMP.MP (assuming that you named your Multiplan cartridge files MP).

Similarly, if you were to try to load Multiplan from a /4A, you would enter WDS1.DSK.TIMP.MP (assuming you named your Multiplan cartridge files MP). If you use a Multiplan cartridge in the GROM port, you would load the Multiplan program files from WDS1.DSK.TIMP. as well

Only from MDOS would there be a difference. At that point, the Geneve user could refer to the hard disk using a letter, such as E>.

MDM5 supports all the standard disk manager functions: copying, deleting, formatting, protecting, moving, etc. files and programs. It is also quite efficient at backing up a hard disk drive to floppies.

A useful feature of the HFDC that is absent from the WDS100 system is its support for floppy emulation files. This works only when the HFDC is used to control both floppies and hard disks. Through MDM5, it allows the user to actually copy the entire contents of a floppy disk to a hard disk directory as a single file. The user then designates this as an emulation file. What this means is that the HFDC will search for this file as if it were in physical drive DSK1. Thus, programs that are required to load from physical floppy drive 1 can be loaded from the hard drive. The user can create many emulation files, though only one can be active at any one

The emulation feature isn't a big deal, however, since most programs that load from floppy drive 1 will also load from the following hard drive subdirectory: WDS1.DSK1.PROGNAME.

One aspect of the HFDC that is not operational on either the /4A or Geneve is the streamer tape backup system. Operating software for it is not available at this time, so backup has to be done with floppies, which is how it is done by the majority of PC hard disk users.

**Documentation:** The HFDC manual is similar to the WDS100 manual. It has been updated, of course, for MDOS. (The operation of the HFDC is also similar to the WDS100 system.) It takes the user through the formatting stage and provides an explanation of how to set up subdirectories. There is also a lengthy reference section detailing software interface specifications, pinouts, error messages, trouble shooting procedures and a section on the use of the HFDC with Extended BASIC programs. I would like to have seen more examples to illustrate various procedures, but the manual by and large is more than adequate.

Ease of Use: Getting accustomed to a hard disk depends on the user. Once the nature of a subdirectory system becomes obvious, it should become second nature.

Value: At \$325, the hard disk controller is an expensive item, particularly when you consider the cost of a hard disk and power supply. (Cabling consists of standard 34-pin and 20-pin connectors.)

If you are serious about your computing (See Page 44)

## Game Writers Pack 1 and Graphic Lister

# Two for the road

#### By HARRY BRASHEAR

It's been a while since I have bough any heavy duty programs to get my review teeth into. However, there are dozens of neat little programs that come along on almost a weekly basis that definitely require attention.

Up to now I haven't gotten into them because they are hard to review. You either like a little program or you don't, so I'm going to present two on one page, one I did like, the other I didn't.

The first is something that has apparently fallen out of the woodwork, not here, but in England.

Have you ever heard of a Collins Starter Pack? No? Don't feel bad, I've been here for seven years and I was as much in the dark as you are. As nearly as I can gather, these starter packs were produced by a publisher in England under license from Texas Instruments. For some reason, they never got to the shelf and my guess is that, since the copyright is for 1983, TI dropped us before they made it. Anyway, these starter kits sat around in a warehouse all this time and they have finally been brought out into the sunlight. As of this writing, I don't know who will distribute them in this country or how much they will be. I assume we'll find out soon enough.

There are four kits, Starter Pack 1 and 2 and Game Writers Pack 1 and 2. The one I have in hand is "Game Writer's Pack 1," and I think it's neat!

The pack consists of a two-sided cassette with three programs on each side, and a manual of about 96 pages. The intention of the manual is to explain how the programs on the cassette were written and how they work. The book doesn't duplicate the cassette programs; however, it shows you smaller programs that use subroutines similar to the runnable programs.

No big deal, you say? Oh, yes, it is! Does the statement, R=R-(K=88)+(K=69), boggle your brain a little? If it does, buy the pack! This manual shows you how that line works, and why it is the most efficient to use. All of the little games use this kind of formulation and they work remakably well for console BASIC. Frankly, if you were to learn everything in this little

# Aeview

### Report Card — Game Writers Pack I

Performance	. A
Ease of Use	B
Documentation	. A
Value	. A
Final Grade	A

Cost: U.S. \$23 for 10 Collins Packs (Game Writers Pack I one of four titles in pack) air mail, \$14 surface mail. Manufacturer: Parco Electrics, 1 Manor Close, Weston, Honiton, Devon, UK EX14 0PE.

Requirements: cassette recorder

book, you would be on your way to being one heck of a programmer. The subroutines are nothing short of genius, and there are plenty of them to ponder. We TIers of tiny memory (the RAM, that is) must be efficient coders in today's Extended BASIC, but the good BASIC programmers of the old days had to be even better.

I can say little more about this package except that I think it's worth the cost. You can't go wrong if you want to learn to be a better programmer.

I have always been of the opinion that one should first learan to speak and write English before delving into another language. I think thaat also holds true for computer languages. It doesn't matter which one you start with, just learn everything you can about it before passing on your program to the rest of the world. In this case, someone has fallen in love with c99 and decided to take a great concept, overdo it, and dump it to the public before he knew the language.

In all fairness to this program, I will tell you that the documentation on the disk is excellent, and if you follow the instructions to the letter, and don't blow an input, the program will do what it says it will. I found more ways of coming up with a blank screen in this thing than you could shake a stick at. Every time I made a mistake and

Report Card for Graphic Lister

Performance	C
Ease of Use	$\mathbf{C}$
Documentation	A
Value	C
Final Grade	<b>C</b> +

Cost: \$11.50

Manufacturer: Nameloc Software, 3971 S.E. Lincoln, Portland, OR 97214 Requirements: Expansion memory, disk system, printer

went to look for a way out, I got in deeper trouble. The program is NOT bulletproof, even though one of the first paragraphs in the docs tells you that it has many error traps. But I'm getting ahead of myself. Let me first tell you about the concept of the program.

Graphic Lister could have filled in a hole that has existed in printer graphics for a long time. Not so much the label maker part of it, but the ability to address fanfolded 3x5 and 4x6 cards from a mailing list, and also put a return address in the corner. It will print 8½x11 letterheads, or, if you like, a size parameter of your choice.

You are allowed to use TI-Artist 1x1 fonts to do this and you may also include small instances along with the labeling. If you elect not to use an Artist font, the standard printer font is also allowed.

When you boot the program (auto-load in Extended BASIC), you get "Beaxs," the disk based Editor/Assembler from Italy, to finish loading from. Threre are actually three programs on the disk, "ONE," "TWO" and "THREE." Each program progressively gives you more options. For the life of me, I have no idea why everything wasn't put into one program. I did notice that each program used three image files. Was this inefficient programming or do I blame that on the c99 language?

The first program allows you to load a font, align the printer or print out the mail(See Page 44)

# Newsbytes

## Tigercub Tips on disk

Jim Peterson of Tigercub Software has prepared several more issues of his Tips from the Tigercub newsletter and has mailed them, together with his Tigercub Software catalog, on a DS/SD disk to more than 100 user groups which have continued to mail him their newsletters. The disk is available to any other user group newsletter editor who requests it.

Peterson says Tigercub Software will remain in business for at least another year, and he hopes to offer some new product or service in the coming year.

For information, write Tigercub Software, 156 Collingwood Ave., Whitehall, OH 43213.

# California 'share-fair' set for Oct. 9

Ten southern California TI users groups are holding a Fall-4-A-Share-Fair from noon to 5 p.m. Oct. 9 at the BACKS Community Building in Placentia, California.

Admission is free, according to Bill Harms, a coordinator of the event.

The community center is near a picnic area with barbecue pits and playground equipment available, he said, so he advises bringing a picnic lunch. A soft drink table will be available.

Commercial enterprises participating include DataBioTics, CorComp, Tex-Comp, Comprodine, T.A.P.E. Ltd., L.A. Group Marketplace, Data Depot and L&M Systems (Myare).

Harms said more than 300 fairware program disks from two large local libraries will be available and door prizes will be awarded.

Presentations and demos will be featured, he said.

A consignment table will offer the opportunity to buy or sell items.

Sponsoring groups and their coordinators include Riverside, Ed Butcher; Pomona, Gene Bohot; SFV, Jim Edwards; Brea, Rodger Merritt and Ken Hamai; Orange, Jim Swedlow; El Toro, Phil Barnes; Los Angeles, Chick DeMarti; Club 99 (Covina), Tim Remley; San Diego,

- Pierce; TICO (Oxnard), Richard Parand Harms.
  - r further information, contact Harms

at 6527 Hayes Court, Chino, CA 91710 or (714) 628-1334 (evenings).

# Software needed to help man talk

Charles Roberts of the Ozark 99er User Group writes that the group has "encountered a young man that is completely paralyzed, except for a little use of his right arm and the thumb and first two fingers of his right hand. We are putting together a TI99/4A system from donations of the group and from individual members. We hope to provide him with a voice and a way to pass the time, and maybe increase his physical dexterity. We need software that will allow a choice of phrases to be changed by single key entries and then if the particular phrase is not available, a way to compile a phrase with as few key presses as possible. With the use of the speech synthesizer he will then be able to talk, which he cannot do now. We need games that do not require any speed or numerous key strokes from the person playing the game. If any of your readers know of any software that can be used in this situation or know of any other project of this kind we strongly desire to hear about it."

Contact Roberts c/o the Ozark 99er User Group, P.O. Box 147, Springfield, MO 65801 or (417) 831-7470.

# Donaldson Software releases programs

Donaldson Software has released two new games and plans release of a word processing program in October.

In New World Voyages, the user, in the service of King George II, as captain of the 132-foot warship the "Broadsword" explores the islands of the Pacific Ocean for a minimum period of 16 months to a maximum period of 99 months. With a cargo of trinkets and utensils the player attempts to trade with the islands' natives for precious stones, furs, coral and amber. He must also take care of his 40 men and return home to England with as many sailors as possible.

Some of the islands' inhabitants are hostile while the majority of the populations offer exotic articles for the player's items of trade, in addition to supplying food to continue the voyage.

Upon return to England the player is given an audience with the king, who will remark on the expedition, give the player a rating and bestow a reward based on the success of the voyage.

The game is programmed in Extended BASIC and sells for \$12.95 U.S.

In Titan's Revenge the player's mission is to stop the Titans from occupying seven asteroid bases between the orbits of Mars and Jupiter before they reach Earth. As commander of Earth's forces the player must determine the base under attack, acknowledge the enemy's attacking fleets' strength and decide what class of fighters to send to defend the base — all within 30 seconds.

There are two levels of play to the game, programmed in TI BASIC. It sells for \$9.95 U.S.

D.S. Writer is described as a simple program designed to write business letters which can also be used to write documents. Letters and pages can be edited and saved to disk or cassette for further analysis or editing. It comes complete with a 10-page instruction manual which instructs how business letters are written. It has special features for Axiom GP250x printers, and also insert/deletes for easy editing, according to the manufacturer.

It is programmed in Extended BASIC and will sell for \$12.95 U.S.

For more information or to order, write Donaldson Software, 521 Lievre St., Buckingham, Quebec, Canada J8L 2C2.

# Charlton, Hoddie address user group

Paul Charlton and J. Peter Hoddie were guest speakers at the August meeting of the Front Range 99er Computer Club in Colorado Springs.

Charlton is the author of Fast Term and of MDOS, the operating system for the Myarc 9640, and a collaborator on MY-Art. Hoddie is the author of Font Writer and Pre-Scan It.

Charlton demonstrated MY-Art and a new program that will load GIF graphics files

(See Page 43)

# Newsbytes

(Continued from Page 42) and convert them to TI-Artist, MY-Art or RLE format.

Hoddie demonstrated his Graphics Expander program, which will enlarge or reduce the fonts from TI-Artist and CSGD. Another program, MacFlix, operates on either the TI99/4A or the 9640 and loads MacPaint graphics and will save them out in TI-Artist or MY-Art format. He also presented the database program First Base, written in c99 by Warren Agee with some routines by Hoddie. The soon-to-be-released program contains a utility that will convert PRBASE files to First Base format.

## Seattle fair set Sept. 21

The third annual State of Washington TI99/4A Convention is set for 9 a.m.-4 p.m. Sept. 24 at the Seattle Center Snoqualmie Room.

The convention is sponsored by user groups in the state of Washington.

For information, contact Barbara Wiederhold, 6102 Roosevelt Way, N.E., Seattle, WA 98115 or (206) 522-6558. After hours BBS is (206) 361-0895 24 hours.

## Chicago Faire set for Nov. 12

The sixth annual Chicago TI-Faire will be held Nov. 12 at the Holiday Inn in Algonquin, Illinois.

A social mixer will be held the evening of Nov. 11.

Tickets are \$4 to the fair, \$4 to the mixer, and \$10 to the dinner the night of Nov. 12.

For information contact Marcy Brun, Chicago Area T199/4A Users Group, P.O. Box 578341, Chicago IL 60657, or hot line (312) 695-9291.

The fair is in conjunction with the Milwaukee TI-Faire Nov. 13 at the Quality Inn, 5311 So. Howell Ave., Milwaukee, Wicconsin

For information on the Milwaukee Faire, contact Gene Hitz, Milwaukee Area 99/4A Users Group, 4122 N. Glenway, Wauwatosa, WI 53222 or (414) 535-0133. The fair is sponsored by the Milwaukee Group and the Wisconsin 99er Computer Council.

# New number for The KEEP BBS

The KEEP BBS, which has a TI-SIG, is now on line at a new phone number, (805) 495-1479.

The medieval-theme board is the home of the Tri-Valley 99ers and of the KEEP's Gaming Guild, which deals in medieval culture studies, archery tourneys and fantasy games. Sysop and king is Greg McGill.

The 24-hour board operates at 300, 1200 and 2400 baud.

### Mid-Evil BBS on line

The Mid-Evil BBS in Greenacres, Florida, operates at 300, 1200 and 2400 baud at (407) 969-3134.

Stanley Krajewski, sysop, says all callers are active members of the 24-hour board from the first call.

The TI-Net board has 10 message bases and a gameroom and casino.

Krajewski says, "Callers can fight each other and progress with experience and gold with each call."

## Genial releases MacFlix and FirstBase

Genial Computerware recently released a graphics program called MacFlix that allows TI and Geneve users to access Macintosh graphics. Also, Genial's Graphics Expander program has been updated to include the ability to shrink graphics and fonts.

Genial is expected to start shipping FirstBase, a database manager by Warren Agee, this month.

MacFlix, by J. Peter Hoddie, allows TI and Geneve users to access graphics created with the Macintosh's MacPaint. MacFlix allows users to load, view, print, and save MacPaint graphics.

MacFlix will save a MacPaint image as a TI-Artist screen which can be manipulated with most TI graphics programs. MacFlix supports Epson compatible and Prowriter printers. MacPaint pictures are available on all major telecommunications networks, many local BBS's, and through user groups.

Geneve users may use MacFlix in high-

res mode, with or without interlace. On a 9640, MacFlix can display more than a standard Mac screen. MacFlix also saves images in both MY-Art formats.

MacFlix comes with a conversion routine that lets users move MacPaint pictures to and from PC disks using PC-Transfer.

Written in assembly language, MacFlix runs on a 99/4A with Extended BASIC, Editor/Assembler or Super-Cart, or a Geneve.

MacFlix is priced at \$15. Those who order before Sept. 30 will receive a bonus disk of Macintosh pictures.

Graphics Expander V.2.0 is used with graphics created with TI-Artist, CSGD, Font Writer II and other graphics software. Features include:

- Compatible with TI-Artist Fonts and Instances, and CSGD Fonts and Small Graphics.
- Converts graphics between TI-Artist and CSGD formats.
- Can stretch and shrink graphics by user selectable factors from -8 to 8.
- Graphically displays conversions to eliminate guess work.
- Provides Upside-down, Invert, Mirror and Rotate functions.
- Built in Catalog and Delete file options.
  Included with the program is a copy of
  BIG-TYPE. This program allows users to
  load any TI-Artist font (can handle fonts
  over 200 sectors in size) and type it onto
  any TI-Artist picture.

Graphics Expander is available for \$10. Owners of earlier verions of Graphics Expander may receive the upgrade by returning their original and \$3 to Genial.

To order, send check or money order, plus \$1 for shipping and handling, to: Genial Computerware P.O. Box 183 Grafton, MA 01519.

Credit Card orders (Visa, MC, AmEx) may be placed through Disk Only Software at 1-800-456-9272.

For a catalog of Genial Computerware products for the 99/4A and 9640, send a self-addressed, stamped envelope to the address above.

## Archiver upgrade

Barry Boone released Archiver V3.02 in (See Page 44)

# Newsbytes

#### (Continued from Page 43)

mid-August. It is a fairware product. According to Boone, most users send \$15 for the program. It is widely available on BBS systems, user groups and through other fairware channels.

Archiver 3.02 was rewritten from scratch in four days, according to Boone. Debugging took substantially longer. (The previous version of the program was V2.4). The program is used to compress programs and files so that they take up less space on a disk. The primary advantage is in telecommunications, where transmission time is billed by the minute. To use archived programs, end users decompress them with Archiver 3.02, restoring them to their original size.

The upgraded Archiver has a more efficient user interface than previous versions. Archiver 3.02 allows users to compress and extract (decompress) files and programs, including the ability to extract individual files from an archived collection of files. Users can also catalog the contents of arcfiles. Archiver provides a number of file disk utilities, including copying, deleting,

unprotecting and renaming files. The disk utilities are called from the main menu, unlike previous versions in which the users went through two menu screens to activate utilities. Files in DV/80 format may be read with the View Text File function. Archiver includes a menu prompt to load FUNLWEB.

The most obvious change in Archiver is that the program now carries prompt responses as defaults. In other words, when you answer a prompt, the response reappears whenever the prompt is redisplayed. Also, Archiver 3.02 allows a hard copy printout when cataloging disks or arcfiles. According to Boone, Archiver 3.02 is compatible with earlier versions.

To order a copy, send a postage-paid return mailer and floppy disk to: Barry Boone, P.O. Box 1233, Sand Springs, OK 74063.

# Users groups get disk offer

Jack Sughrue, author of software including Plus!; \*Impact/99\*; and Textware, Soft-

ware & Elsewhere is offering four disks of his 99/4A articles to 4A newsletter editors or user group libraries.

These public domain articles include reviews and other comments about happenings in the TI world and may be used freely by any user group. In return, Sughrue asks to be placed on the newsletter mailing list.

To get the ready-to-print files, user groups should send four initialized SS/SD diskettes or two initialized DS/SD diskettes with mailer and postage, or send \$5 and the author will provide disks and mailer. If sending money, specify SS/SD or DS/SD. Write Jack Sughrue, Box 459, East Douglas, MA 01516.

Newsbytes is a column of general information about products, services and activities relating to TI users. The publisher does not necessarily endorse products listed in this column. Vendors, manufacturers and others are encouraged to submit items for consideration. Photos will be used when space permits. Materials cannot be returned.

# User Notes

# More on Multiplan and slash zero

This comes from Jack Youngs, of

Bellerose, New York. He writes:

In your July (1988) issue, User Notes, there was an article on slashing the zero in Multiplan. It was also said there was a quirk in the slashing of the zero in that

when the zero was in reverse video, the zero was not slashed.

To correct the quirk, I continued searching the MPCHAR file to the sixth sector (004F), about halfway down the sector (starting at 128) you will find the following hex code:

#### FFE7 DBDB DBDB 2BE7

Just replace the above code with the following:

#### FFE7 DBD3 CBCB 9BE7

Of course, I made a working copy of Multiplan and used Disk Utilities to make the changes (any sector editor will do).

# One-line catalog program is handy

This handy one-line was devised by John Martin of the Jackson County 99ers. The computer won't accept the entire line in one bite, so enter as much of the line as you can, then press FCTN 8 (REDO) and

(See Page 45)

### TWO PROGRAMS-

### (Continued from Page 41)

may also load a small instance to go with the text.

Program THREE allows you to do everything the first two did, but you now have a 1½-inch label option and you can use a little larger instance.

I guess the first thing you do with the disk is blow away the first two programs and just get into the third. At least that way it cuts down on your suffering.

Apparently there are some earlier versions of this program around called Label-maker, because a conversion program is on the disk to change your old mail list to one acceptable to Graphic Lister. If the program is new to you, a list maker is includ-

ing list on 1-inch labels. You may use any of the aforementioned formats or you may type from the keyboard.

The second program will allow you to do everything program ONE did, but you ed also. The list maker is in Extended BA-SIC and is as good in operation as any program I have seen of this type. It worked flawlessly, was super friendly and the menus were very nice looking. See what I mean?

My advice to Nameloc is to take Graphic Lister and redo it in XBASIC. Add a function to print the message on the other side of the postcards and run it back out to us again. The concept is great; Graphic Lister in c99 is not.

## User Notes

#### (Continued from Page 44)

cursor down to the last character and continue entering the remainder of the line.

The program prints a disk catalog to the screen and can be easily modified to output to a printer by changing the device as defined by the OPEN statement. File types are abbreviated in the catalog display and the protect designation is signified by a zero (unprotected) or a -1 (protected).

1 IF F THEN INPUT #1: A\$, A, J, K :: IF J THEN PRINT AS; TAB( 12); J; TAB(18); SEX\$ (B\$, ABS (A\*  $(2)+1,2);K;TAB(27);A<\emptyset :: GOT$ O 1 ELSE RUN ELSE BS="AVDEDV IFIVPG" :: INPUT "IGK":F :: OPEN #1: "DGK"&STR\$(F)&".", IN TERNAL, RELATIVE, INPUT :: GOT 0 1 !213

## Making the most of a RAMdisk

The following is by Robert E. Barnes, and appeared in the Greater Tampa Bay TI User Group newsletter.

Before I got my RAMdisk, almost all my programs ended with a CALL PEEK(2, A,B) :: CALL LOAD(-31804,A,B). This does a reset which returns Extended BASIC to the TI title screen. (An expansion memory is required.)

After I got my (Horizon) RAMdisk, I got exasperated with the delay which the computer did a reset then reloaded MENU to return to the John Johnson Menu screen. While reading a sister newsletter, I discovered that all I had to do was replace the CALL PEEK, CALL LOAD with DELETE "MENU" and the computer immediately reloads Menu. This, of course, was in the documentation but it took someone else's article for it to sink in.

By the way, the CALL PEEK, CALL LOAD above is a nice way to return to the title screen from within an Extended BASIC program if you don't have a RAMdisk.

(The author of the article Barnes refers to above is John Paine. The article appeared in the newsletter of TISHUG in Carlingford, New South Wales, Australia. - Ed.) Here is the remainder of Paine's article.

The following example is the listing of a simple program that prints documents and is well worth having on a RAMdisk as a permanent utility. When used with the print buffer, it reloads the menu and allows me to do other things while the printer chugs along.

100 CALL CLEAR !209 110 OPEN #1: "PIO", OUTFUT !16 120 INPUT "FILENAME-> ": A\$ ! 0171 130 OPEN #2: A\$, DISPLAY, VARI ARLE 80, INPUT, SEQUENTIAL !2 Ø 140 IF EOF(2)THEN 170 !217 150 LINEUT #2: A\$ :: PRINT #1

: A\$ !235 16Ø QOPO 14Ø !219 17Ø CLOSE #1 :: CLOSE #2 !17

180 DELETE "MENU" ! 153

### Check CALL INIT

Want to check whether CALL INIT has

been executed? Why should you? Well, if it has, and you inadvertently run a CALL INIT, it will wipe out any assembly language routines in memory. The following CALL PEEK, which appeared in the Computer Voice newsletter, and elsewhere, will check for CALL INIT and if it has been executed will go to line number 20. Here's the line:

10 CALL PEEK(8198, A.B):: IF A=170 AND B=85 THEN 20 ELSE CALL INIT

### Faster restart

Here's a CALL LOAD that can be used to replace a RUN statement in an Extended BASIC program to increase the speed of restarting the program. Here's the CALL LOAD:

CALL LOAD(-31962,160,4)

According to Barry Ensley, of the Kansas City 99ers, this speeds up the restart of a program by turning off the pre-scan function the second time a program is run.

### An AUTOEXEC file for MDOS users

This brief tutorial on writing an AUTOEXEC file on the 9640 was written by Jane Laflamme and appeared in the newsletter of the Ottawa TI99/4A User

Group. The recommended way to write AUTOEXEC files is from MY-Word. which makes it easy to edit. Writing a file from MDOS using the COPY CON command doesn't permit editing. She writes:

This is a very quick tutorial on how to create an AUTOEXEC file and a few ideas on how to manipulate it. The following is my AUTOEXEC file. And explanation of how it works is in parenthesis to the right of each command. Do not include these parenthetical remarks in an AUTOEXEC file that you create.

#### MDOS COMMAND

ECHO OFF

MODE 80

SPOOL 16

RAMDISK 180

ASSIGN C=DSK5:

ASSIGN E = DSK6:

ECHO DSK5 is Drive C and double-sided

ECHO DSK6 is Drive E

ECHO Print Spooler installed

**ECHO** 

ECHO Good Morning... Have a good day!

**ECHO** 

A:CONFIG-16

EXPLANATION

(80 column text screen) (Print spooler installed)

(Double-sided, single-density RAMdisk)

(You have to give it a letter to access) (Same as above)

(To let me know it is installed)

(Same as above) (ECHO will print text to screen)

(This will echo blank if no text)

(Makes me feel good in the morning)

(This command will load program into MDOS from drive A. After exiting the CONFIG-16 program, the AUTOEXEC will take back control.)

**ECHO** 

**ECHO** 

(See Page 46)

## User Notes

(Continued from Page 45)

ECHO Hit any key twice for GPL -

ECHO CTL. C to abort GPL load.

**PAUSE PAUSE**  (To allow for CTL, C command) (To go into GPL)

ECHO ON

(Following command will now be printed on the screen so you will

know that it is being executed.)

E:GPL

As in the above example, the AUTOEX-

ing AUTOEXEC file will create a menu that will execute the file "M". First create your AUTOEXEC file.

EC file can run another file. The follow-

MODE 80

ECHO OFF

ECHO MENU

ECHO ----

**ECHO** 

ECHO A....CONFIG-16

ECHO B....GPL

ECHO C....MYART

**ECHO** 

**ECHO** 

(Type "M" followed by a space, and then the letter of the

usually "A".)

**ECHO** selected program...)

Save the above from MY-Word with the Print File (PF) option, and strip control characters with the "C" command. For

example: "PF" (ENTER), DSK1.AUTOEXEC" (ENTER).

Or type it directly into MDOS with the

IF %1 = A DSK1.CONFIG-16

IF %1 = B DSK6.GPL

IF %1==C ECHO INSERT MYART DISK INTO DRIVE A

**PAUSE** 

A:MYART

Note: If you select option C from the AUTOEXEC file, I have paused the execution of MY-Art to allow you to switch disks. Also, if you use option B, you must assign DSK6 as E, as in my first example, which, of course, I didn't do in the "menu" AUTOEXEC file.

Save this file, as you did with the AUTOEXEC file, with the PF option of MY-Word or the COPY CON M comand from MDOS.

command "COPY CON AUTOEXEC".

(COPY whatever follows, typed on the

CONsole, and name it AUTOEXEC.

When you have finished typing, press

CTL-Z, which saves it to the active drive,

Now, create the "M" file.

These are just a few ideas on how to manipulate an AUTOEXEC file. Also, you can run another AUTOEXEC file from a different disk in the active drive if you are still in MDOS by pressing the Control, Alternate and Delete keys simultaneously.

## Pulling out the stops on E/A bug

This tip was originally published by Danny Michael in the Shoals 99ers newsletter. It has to do with a bug in the ASSM2 file of TI's Editor/Assembler.

If you want to use PIO as an output device for a LIST, you have to put a full stop after it to make it work - ie. PIO. - due to an error in the ASSM2 file. The error is in the DSRLNK routine which the assembler uses — it doesn't use the same

routine that a program calls.

The assembler internally uses a modified VSBR routine which returns data to R0 instead of the usual R1, but whoever wrote the internal DSRLNK forgot this. As a result, the assembler looks at R1, and the program uses an incorrect name length when scanning for the device name. The period causes the routine to exit, and catches the error.

To permanently fix this, use a sector editor on the ASSM2 file, and look for code 04 20 AA BE 00 00 D1 C1. It is usually in the eighth sector of the file.

Change the last C1 into a C0 and the assembler will work as it is supposed to. No need to add a full stop after PIO anymore.

### RS232 with PIO?

Here's a way to avoid wasting a lot of printer paper while trying to debug a program that outputs to a parallel port. The advice comes from the TI User Group of Orange County (California).

Suppose you are writing a program that does a great deal of printing. There is a bug somewhere in the middle of the printing instructions resulting in an I/O error message.

Every time you try to find it, however, you must wait while your printer wastes a lot of paper getting to the problem. What to do?

Redirect the output from PIO to RS232.BA = 9600. Unlike the parallel port, the serial port does not wait for a ready signal to return from the printer. So, all of the print instructions will go out through the RS232 channel into the ozone until you find the problem. Setting the baud rate at 9600 speeds things up. The default rate is 300 baud, which leaves plenty of time for a cup of coffee.

## Sorting with PR Base

Sorting of data with PR Base is based on ASCII strings, according to Stephen Shaw, of the TI99/4A User Group of the United Kingdom. Thus, he notes, everything works according to the ASCII values of the characters. This means that though a 4 comes after a 2, 22 will come before 4. To get around this, use leading zeroes with numbers you are sorting by, then the sort will be what you expect — 02, 04 followed by 22.

Also, selective indexing search works on your input up to the first space, so that "good day" will only work on "good". To use the whole phrase, insert a question mark between the words — "good?day".

# Classified

### **Software**

#### TI NET NETWORK

Tired of the mundane? Need specific 99/4A-9640 information? Can't get a straight answer? Then it's time you joined some of the best hardware and software people in the TI/Myarc community. Become a member of the best technical Sig around. You will find many 9640 programs on TI NET first, then on the other networks. Sign online tonight. Dial 1-800'365-4636. Press RETURN twice. At PASSWORD, Type TISPECIAL and pass RETURN. \$19.95. Includes one hour standard connect time plus a DELPHI user manual. v5n8

#### **FOR SALE**

80K GK w/GRAM Packer; Utility I: \$190; Axiom Parallax-TI: \$40; cc-9900 (expandable RS232): \$110; cc-Triple Tech: \$110; P-code card: \$80; 2-300 modems: \$35/\$19; Rave 99/105: \$185; Many caartridges, inc/Plato and various books. Thomas W. Renfroe, 8144 Imperial Dr., Pensacola FL 32506-3764, 904-453-9260 v5n8

### **CHECKBOOK RECONCILE \$29.95**

Balance to the penny every month. Rocketman Checkbook Program. See our program review in August 1987 MI-CROpendium. California Programs, 4426 Appian Way, El Sobrante, Ca. 94803. 415-222-1626. v5n9

#### HOME BANKING

Common sense, productivity software for your 99/4A. For more information, write to E & M Software, Box 551, Oscoda, MI 48750. v5n11

#### **FOR SALE**

War of the Netherworlds \$15.95 U.S./Sapphire Dream-Dangerous Missions-Prof. Blackjack \$9.95 U.S. each. (See July's MICROpendium's Newsbytes) Send check or M.O. to Donaldson Software, 521 Lievre St., Buckingham, Quebec, Canada, J8L 2C2 v5,n8

#### TI NET HELP DISK

Learn your way around the TI International Users Network with this autoload, printable Help Disk. FREE

## **Policy**

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisement to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

### Software

XMODEM for TEII users to D/L a communications program. Online sign up offer on Help Disk — Send \$2.00 deposit. Deposit returned as online time credit when you join TI NET. Supply limited! — TI NET, P.O. Box 244, Lorton, VA 22079.

#### **CREDIT CARD ORDERS**

For Genial Computerware, Horizon RAM Disk and ASGARD Software products. Send your orders to: DOS Software Division, P.O. Box 244, Lorton, VA 22079 or call 1-800-456-9272. Visa, M/C, Amex. v5n9

### **BIRDSTRIKE**

A back-to-school sale on this exciting and humorous action game with many clever touches, stunning graphics, music, animation, and speech (speech synthesizer is optional). Every game is different. Special price is \$7.50. Specify disk or cassette. Extended BASIC required. Jackson Software, ATTN: P. Volkert, 34 Village Court, Laconia NH 03246.

### ASSEMBLY LANGUAGE MUSIC

Assembly Language Music that plays under Extended Basic. Two selections are offered: 20 pieces by Johann Sebastían Bach from Anna Magdalena's Notebook, and 15 Two-Part Inventions by Johann Sebastian Bach. Each features a selection menu Load program,

### Software

and makes your TI sound like a Grand Piano. Please specify which you want. Requires XB, Disk, 32K. Send \$2.50 to Harrison Software, 5705 40th Place, Hyattsville, MD 20781 v5n8

## **Systems**

MYARC 9540 - 101 KEYBOARD 5 mo. old \$375.00 (904) 472-2694 v5n8

**SEVERAL EXPANDED 99/4A SYSTEMS**Console, P-box, 32K, RS232, SS/SD, DS/DD. Steve 316-685-2096 Days, Curtis 417-869-3802 Days. v5n8

### Miscellaneous

#### Texas Instruments TI99/4A Hardware & Software

— TURBO-PASC '99 in stock! only \$59.95 — Proto-Board for PEB by Willforth only \$35. TI Dual Sticks \$10.00 XB Detective \$10.00 Speech Editor \$20. Printer Cable (PIO) \$24. Jungle Hunt, Protector II, Moon Patrol, \$15 ea. Dust Cover \$4, Q'bert \$15, Adventure \$10.00 Hint Bk \$7.95, Super Extended Basic \$59.95 \*\* Sorcerer by Infocom (disk Dr. req.) \$15. P-Code Card w/Software \$159. TI-Artist \$20. TPA w/Font 1 \*34, TI-BASE \$24.95 latest Ver Side-Port & Cart-port Ext. Cable \$25.00 ea. We stock 32K, Disk Ctrl, RS232, Ramdisk Cards

#### L.L. CONNER ENTERPRISE COMPUTER&ELECTRONICS 1521 Ferry Street Lafayette, IN 47904

CALL 317-742-8146 or CALL 317-423-4879 Visa or M/C Accepted, add \$3 shipping

# The LEADING monthly devoted to the TI99/4A

\*\*\*\*\*\*\*\*\*\*\*\*

### **Subscription Fees**

\$20 for 12 issues via domestic second class mail \$25.25 (U.S. funds) Mexican delivery

\$27.50 Canadian delivery

\$23.50 (U.S. funds) for 12 issues foreign delivery via surface mail (\$25 after Oct. 1, 1988)

\$37.00 (U.S. funds) for 12 issues foreign delivery via air mail

Outside U.S., pay via postal or international money order; personal checks from non-U.S. banks will be returned

### Address Changes

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

### **Back Issue Policy**

Back issues of MICROpendium are available to subcribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.00 per issue desired in a check or money order. No shipping charge in U.S., Canada and Mexico; Texas residents add 7.5% sales tax. For foreign delivery, add 50 cents per issue surface mail, \$2 per issue air mail. No discounts on orders of sets. All prices U.S. funds. OUT OF STOCK: Vol 1, nos. 1-2

### Tell us about it

Please let us what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

Send me the next 12 issues of MICROpendium. I am enclosing \$ in a check or money order in U.S. funds. Mail to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680

The set of numbers on the left of your mailing label indicates the cover date of your last issue.