# MICAOpendium

Volume 8 Number 7

August 1991

\$2.50

# Spatial Relationships

by Regena

# Keeping track of telephone lists by Jerry Stern

# Accessing built-in assembly routines by Barry Traver

# Top down programming

by Bruce Harrison

Dumping modules to disk with Funnelweb, enabling the XB break key with the Geneve and nesting .IF files with TI-Writer

Barry Boone squeezes digital sound from the TI's little sound chip

Reviews of Mario Brothers, Turbo 2056 and Linkage

# Software Choose from our big selection of software for the TI-99/4A Computer.

selection of TI Software. The TI Software library on module, disk and cassette and is considered the best in the home computer software field. Tl utilized the talents of such industry leaders as Scott Forsman, Milton Bradley, Microsoft Corp., Scott Adams, Addison Wesley Publishing, DLM, Milliken Publishing, Scholastic Inc., Imagic, Spinnaker and the list goes on and on.

Tex Comp continues to stock the world's largest Home Management, Personal Finance, Education. Arcade-type games — all in the big TI Computer software library.

Tex-Comp purchased TI's inventory of these outstanding titles in order to continue its support of the TI-99/4A user

With its five warehouses and financial resources, Tex-Comp has been able to assure you, the TI-99/4A user continued support.

## HOME ENTERTAINMENT

MO																																		
	D	ULI	ES																															
PH	и	3:	229	,	to	DE		r .																										. 95
PH	н	30	023	i	lu	nt		Γh	ė	Ü		 BD	us				•		•	•	•			•		*	۰				٠	•	. 4	. 92
			052	1	Γoι	e t		to	n	•	C	it	Ţ.				ì		Ċ	i			Ċ	:		i	:	•			i	i	. 4	.95
			053																															
PH		30	054	٠,		τ.	W	87	5.																								1.	0.5
PH	2	3	057 056 112	- 7	11	nc	n.			٦.		٠.	• •	•	• •		•		٠	٠				٠	٠.	٠			٠				. 4	.95
PH	'n	31	112	- 1							٠.		• •				٠.	• •	•	•	٠.			٠	٠.	•	•		,	٠	٠		. 4	. 95 . 95
PH	Ħ	30	180																															
				1	ı٠	٧b	re		k e	r	1	1				Ċ			Ċ	ì			Ċ						:	i	:	:	3	. 95 . 95
			110		h:	is	ήc	1	•	T	T 8	ı	1.																	÷	ŀ		5	. 95
PIL		30	134 137 125 136 138 142 167		lui	9 C	14	•	•		٠.		٠.	٠	. ,	٠			٠	٠	٠.												6	. 95 . 95 . 95
PH	×	30	125				me	חיי	- 1	i.				:		٠				٠		,	٠						٠	ė	٠		. 6	. 95 . 95
PH	м	30	36	2		ro	2		n		• "	· 8	٠.			•			٠	٠		٠		٠.	•	٠			٠	٠	٠	•	. 6	. 95
PH	H	30	38	ō	or	٦n	ec	t	F	ò	úΣ	Ċ	: :	:		Ċ			ì	•				٠.	•	•			•	•	•		9	95
PH	М	30	142	D T	ur	าก	e i	8	a	٠f	D	0	00	Ġ	(	ri I	th	,	ď	i	s k	ò	ì		ï	i			ì		ì		ğ	95
PHO		30	942	Ţ	ur	າຕ	e l	8	0	٠f	D	ю	OM		( 4	i	t	1	t	8	e	)								·			9	95
PH		31	20	9	tł	) e	11	0		٠		٠	٠.						,								٠.					. ,	9	. 95
PHO	Ä	32	110		110	r	os -	u	r g		חס	١.	::		i	•															٠.		9	. 95
PHI	•	32	33	, R	ur ur		, PT		i m	.01	•	^'	···	80		•	•	•	٠			٠			٠			٠	٠	٠	٠.		9	95
PHO PHO PHO PHO PHO	4	31	46	M	un	ŝ	ήœ	ιοl	Ьí	ĩ		ì	: :		i	:		:			٠				٠	•		•	٠	•		٠,	ĭ	.95 .95 .95 .95 .95 .95
PHI	4	31	97	S	1 y	-	o i	di							Ċ		i	Ċ	:		Ì	Ì			i	•	•	•	•			i	ξ	95
																						Ī			Ī			ľ	ï	•		•	-	,,
DIS	sĸ	ΕT	TE	PR	00	R.	۸M	s																										
PHI			0.2	_		_				_																								
PHI					- 1	т	K E	K		T	-	ij	1	re	q		Ĺ	0	r	5	P	e	ec	:h	)								4	95 95 95
PHI	١.	50	15		у в 1 л	16.	er	۶.		•	Ö	9	١.	::	:	٠,	٠	•			٠	٠			٠		٠	٠		٠			4	95
PHI	í	50	17	ő	ld	i	C 5		Ru	ŀ	č	00	90	!!	8	- 1	ï	٠			٠	٠					٠	•	•				4.	95
***	*	SP	FC	AL	ō	1	di	ei	•	à٠	ıί	č	30	ô	í	• •	•	i	'n		í	ì			٠		•	٠	٠	•			÷.	97
PHI	•	50	37	D	Гa	v	P	οi	e	T	(	E>	ĕ	Ва	8	ic	)				Ī			Ĭ			Ĭ	ï				ì	4	95
CAS																																		
PHT		۴0	0.2	*	<b>.</b>			·	,		٠,	,	_	_																				
PH1		60	ĭń			::	N.E.	•											- 8		e												4.	95
								•	M.	- 1	^	4.								•								٠.			•			À.,
PHT		60	15	0	id	i	e r e s	٠,	M	e l	C	d y	d		:	ì																	٤.	95
PHT		60 60	15 17	0	ld ld	i	er es es	,	M Bu	el t t	G	d y	d d	ie	8	1	i										:	ì					4.	95 95 95
PHT	•	60 60 5P	15 17 EC 1	H O O AL	1 d	ie	es es es	7 !	M Bu	el t t Bu	G	0 0 0 0 0 0	d d	i e		1	i	i			i	i											4.	95 95 95
PHT		60 60 5P	15 17 EC 1 26	O AL	ld ld 0	ie	es es di	7 E E 1 E	h L	e l t t Bu	GGE	dy oc oc in	d	i e	. s i (	l l es	1	i B	6		i	i		Š	Pe			h					4.4.7.4.	95 95 95 95
PHT		5 P 6 O 6 O	EC 1 26 37	AL S. D:	ld ld o	i	es di N	y E E 1 g	h h	el t t Bu	G G E	dy oc in	d	i e	. s	l es Ex	· i	i B	6		i c	i		s	P		ċ	h					44.744	95 95 95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	60 60 NT	EC 1 26 37 UR E	AL S D	o t		N P	i g	h:	Bu t r	B. (1	in Ex	g - i	od Ba	i (	Ex	,	B		í	1 c	1		Ś	P		c!	h					4.	95 95 95
PHT	E	50 50 50 80 30 30 61 61	EC1 26 37 URE 415 417 URE 9 d	S S S S S S	d d d	ve ve	N P	esign tut (a.s.	in in	Bu tr e us	t B (I	od bit	u lu	le u	i ( s	es Ex ic	P P .	in it	å a	t t	1 c	Pi	Ad di	S ·	30	(d (t )4	i:	s l	k )	)		i	7.4.	95 95 95 95
PHT	E	SP 60 60 NT 30 NT if	ECI 26 37 URE 410 417 URE y d	S Silisi	Add Add	ve ve li	N P	ergiolic tut (a.s.	i i	Bu tr e us	He He t	od bit	u lu	Ba le u	i ( s	es ic	PP	l Ba	a	i tth	1	PI	A d	S	30	(dt)4	i:	h i	k ]	) (		1	7.44 6.6)	95 95 95 95 95
PHT	E	SP 60 60 NT 30 NT 30 NT SC NT SC SC	ECI 26 37 URE 417 URE 417 URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S Silisi	d dd dd ER	ve li	N P	ergio	i i	Bu t e e b l	He He t	od bit	u u h	le uo	i ( s	es Ex ic	PP	i i i i	a	t the	1	Pi	Ad Ad	S	30	(d (t)4	i i	n si	k )	)		1 1	7.44 666)	95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · · · · · · · · · · · · · · · · · ·	30	(dt)4	i:	h pe	k )	)		1.0	7.44 666)	95 95 95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · · · · · · · · · · · · · · · · · ·	30	(dt)4	i:	h pe	k )	)		1	7.44 666)	95 95 95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · VVI	30	(dt)4	i:	h i	k )	)		1	7.44 666)	95 95 95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · VVI	30	(dt)4	i:	h i	k )	)		1.0	7.44 666)	95 95 95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · VVI	30	(dt)4	i:	h i	k )	)		1	7.44 666)	95 95 95 95 95 95 95 95 95
PHI ADV	E	SP 60 60 NT 30 30 NT if	EC1 26 37 URE 41D URE 41T URE 50 00 00 00 00 00 00 00 00 00 00 00 00	S S S S S S S S S S S S S S S S S S S	Add Add	ve li	P P P P P P P P P P P P P P P P P P P	eseio tu (a.se	in in	Bu tr e us bl	B (I Mk t w . e	od b it	lu e h	le uo	i ( s	es Exc dede	·) PP r · · · ·	i i i	a	tith	10	Pi	A d	· S · VVI	30	(dt)4	i:	h i	k )	)		1.0	7.44 666)	95 95 95 95 95 95 95 95 95
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd R e i o c c c c c c c c c c c c c c c c c c	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd R e i o c c c c c c c c c c c c c c c c c c	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd R e i o c c c c c c c c c c c c c c c c c c	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd ER I o F o F o	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith N	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd ER I o F o F o	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	E	SP S	ECC 237 URE 41TE dury version Content of Con	S Sision (our ge rid To e l l AL-	d dd ER I o F o F o	verities during the land	N P	eigh tu(a.seoo.i.aa	h in	Bt rees bloomer E	B (I Mk t v e	od bit	or luiue h	le uo	1 ( S	es contract of the contract of	PP	i i i i i i i i i i i i i i i i i i i		tith	10.	Pi	A d	S	30	(dt)4	i:	h i	k)	od		1.01	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT PHT ADV PHM ADV Spe	* E	SPI	ECC 237 E ECC 23	S Silisi	Add Add For All SIVI	of the state of th	N Po	eigh uu(a.seooase)alfERM	the remain yum 1 root 1	But ees il	B ( Me two e ) A reddor RPF	in x odd bt	orgen uueh	le uo	i () s	exc ede	PP T	in in it is a second of the interest of the in	6	if tithnNe	l c	Pi	ddd M	S. VV	300 C	(dt)4	i i	h sl	* )	bod		11.	744 66)	955 955 955 9555555 5
PHT ADV	* E	SPI	ECC 237 E ECC 23	S Silisi	Add Add For All SIVI	of the very state of the state	N Po	eigh uu(a.seooase)alfERM	the remain yum 1 root 1	But ees is is in a real for the second of th	B ( Me two e ) A reddor RPF	in x odd bt	orgen uueh	le uo	i () s	exc ede	PP T	in in it is a second of the interest of the in	6	if tithnNe	l c	Pi	ddd M	S. VV	300 C	(dt)4	i i	h sl	* )	bod		11.	744 66)	955 955 955 9555555 5
PHT PHT ADV PHM ADV Spe	* E	SPI	ECC 237 E ECC 23	Sistem (1)	Add Add ER E I OF O WEST	VVIOLOGICA STATE OF THE STATE O	N Po no income in the income i	eio ti (a.seooase)alfERM.t	the remain year 1 revenue	But e se . b E L A A MHUSE . P	Me M	in a doubt	or luie h	Ba eeuo	i()s	exc sede	PPP Tr	in it	64	if it it it it it is a second of the interest	1 c · · · · · · · · · · · · · · · · · ·	Pi	ddd N	S. VV	O C	(dt)4	i i	h sl	* )	bod		11.	744 66)	95 95 95 95 95 95 95 95 95 95 95 95 95 9
PHT ADV	* E	SPI	EC6 26 27 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	S Silisi	Add R E E E E E E E E E E E E E E E E E E	VVIII of the state	N P	eigh uu(a.seooase)alfERM.ta	the remain yum 1 root NEP od	But ees of Eugeneur Pe	Me M	in a do bit	order une h	Da eeu O	i () s	exc ede	PPP T	initial desired in the second	it	it i	1 c · · · · · · · · · · · · · · · · · ·	Pi	Add Di	S IVV	)	(dd(t))4	i:	h)	x))	)		11.	744 66)	955 955 955 955 955 955 955 955 955 955

P.O. Box 33084, Granada Hills, CA 91344

VISA & MASTERCARD HOLDERS CALL DIRECT

COMPUTER	PROGRAMMING	AIDS

MODULES	
PHM 3026	
110. 3073	Editor-Assembler9.95
DISKETTE	PROGRAMS
PHD 5007	Teach Yourself 99/4A Basic
PHD 5019	Teach Yourself Extended Basic
PHD 5005	Programming Aids   1
PHD 5077	Programming Aids 1 11 111 0 0 05
PHD 5067	Beginning Basic Tutor
PHD 5076 PHD 5098	Text to Speech (Ex-Basic Speech)4.95
PHD 5078	seginning sasic Tutor
PHD 5079	TI Forth Source Code (2 disks)4.95
CASSETTE	
PHT 6006	Programming Aids 1
PHT 6007	Teach Yourself 99/4A Basic 4 95
PHT 6019	Teach Yourself Extended Basic 4.95
PHT 6067	Beginning Basic Tutor4.95
	ATION
MODULES	
PHM 3002	Early Learning Fun
PHM 3003	Beginning Grammer 4.95 Physical Fitness 4.95
PHM 3010 PHM 3020	Physical Fitness
PHM 3020	MUBIC Maker
PHM 3021	Number Magic. 9.95 Weight Control & Nutrition. 10.95
PHM 3109	
PHM 3043	12.95   1.24   12.95
PHM 3047	Reading Roundup
PHM 3048 PHM 3082	Reading Rally9.95
PHM 3027	Addition & Culturation 1
PHDM 3028	Addition & Subtraction 11
PHM 3029	Multiplication 19.95
PHM 3049 PHM 3051	DIVISION 1
PHM 3061	Numeration 11   9,93     Scholastic Spelling 5 (speech)   9,93     Scholastic Spelling 5 (speech)   9,95     Milliken Subtraction   9,95     Milliken Division   9,95     Milliken Integers   9,95     Milliken Integers
PHDM 3091	Milliken Subtraction (speech)9.95
PHM 3093	Milliken Division 9 95
PHM 3094	Milliken Integers
PHM 3099 PHM 3101	Milliken Laws of Arithmetic
PHM 3114	Milliken Laws of Arithmetic 4.95 Milliken Measurement of Formulas 4.95 Allieator Mis
PHM 3115	Alien Addition
PHM 3118	Minus Mission
PHM 3177 PHM 3178	
	Story Machine
DISKETTE	PROGRAMS
PHD 5009	Music Skills Trainer4.95
PHD 5011 PHD 5018	
PHD 5018	Market Simulation 4.95 Speak & Spell 11 (Ex Basic req.) 9.95
PHD 5031	Speak & Mark (TP 11
PHD 5042	Spell Writer (TF-11 rec.)
PHD 5026	Bridge Bidding I
PHD 5039	Bridge Bidding 11 4.93
PHD 5041 SPECIAL!!	Bridge Bidding III
PHD 5020	Numic Maker Demo (use with End.)
PHD 6010	## A
	the moste quity4.93



(818) 366-6631

24 HOURS A DAY 7 Days a Week!

*see	dis.	Ver	10	n s		fo	÷	r	ec	e.	ī	•	ėn e	2 7		s	4				т	r		, ,				
	6009	Mus	ic	SI	ιi	11	8	T	T	i	10	r															- 1	
PHT	601-0	Mys	e		м	<b>e</b> 1	00	10											•		•	٠	•		•	•	. 2	·
PHT	6011	Com	****	á.		٠.		1		Ŀ.	: :	•	٠		•	•		•			•	٠	•		•	٠		
Dill	6018	Com	,.,			,,,,			٠,		κ.	٠	•		٠	•	٠.	٠				٠	٠.				. 4	٠. ۶
		Mari	et	3	1	B۷	i	١t	10	n.																	. 4	. 9
PHT		Spea	ık	6	M	st	h.																				1.	0
PHT ·	6042	Spe	1	W.	·i		т													•	•			•	•	•	٠7	. 2:
PHT	6026	Bric			ū	ää	1		٠,			•	•		•			•	٠.	٠	٠	٠.	•	٠	٠	٠	٠.	
PUT	6039			:		33	**	ı,	:	:	٠,	*	•		•	٠,		٠	٠.	٠			٠,		٠		. 4	. 9:
		Brie	84		"	ac	11	١g.		1																	. 4	. 95
PHT		Bric	ig e		ı.	dd	ir	36	- 1	1	١.																1.	95
SPEC	1 A L . 1 1	BRII	vis		1	nn	1 8	ĭř					•	. 1										•	•	•	٠.	

# MANAGEMENT AND BUSINESS

PHM	3006 3007 3022	Home Financial Decisions
PHM PHM PHM PHM PHM PHM PHM	3006 3007 3022 3016 3035 3044 3113 3112 3013	Home Financial Decisions
PHD PHD PHD PHD PHD PHD PHD PHD	5001 5003 5021	PROGRAMS   4.93
PHT PHT	6003 6038	PROCRAMS Personal Financial Aids

## TI-COUNT BUSINESS SOFTWARE **NEW LOW PRICE!**

General Ledger	SPEC	IAL	OF	FEF	111	
Accounts Receivable Accounts Payable	ALL S	SIX	PF	OGF	RAMS	
Inventory	PLUS	AU7	O	COL	INT	
Mail System	<b>AUTO</b>	EXF	EN	ISE	PRO	ı
	RAM.	\$89	9	15+5	ι&h	

# MATH AND ENGINEERING

specify disk or tape with order

Math Routine Library4.95
Electrical Engineering Library4.95
Graphing Package4.95
Structural Engineering Library4.95
AC Circuit Analysis4.95
****SPECIALALL 5 OF THE ABOVE ON DISK OR TAPE17.95

# 2400/1200/300 MODEM

for the TI-99/4A Only \$99.95

There's a world of information out there and it's all at your fingertips.

Cables & Software included

TI-99/4A MODEM CABLE. TE-II.
FAST TERM & TELCO INCLUDED--A \$30 BONUS!

INTRODUCES THE BEST MODEM VALUE EVER TEX-COMP PROUDLY OFFERED FOR THE TI-99/4A. A 2400/1200/300 BAUD HAYES COMPATIBLE MODEM COMPLETE WITH CABLES AND SOFTWARE FOR ONLY \$99.95. THIS IS A MODEM THAT IS READY TO USE TO WITH LOCAL BOARDS, NATIONAL INFORMATION COMMUNICATE SERVICES. ALL YOU NEED IS A TI-99/4A WITH A RS-232 INTERFACE AND YOU ARE IN BUSINESS. DO NOT CONFUSE THIS PACKAGE WITH THOSE THAT COST MORE AND CHARGE EXTRA FOR CABLES AND COMMUNICATION SOFTWARE.



**New for 1991** NX-1001 Multi-Font


Add Excitement to Your Documents with 20 Different Typestyles With over 20 typestyles at your fingertips, you'll print attractive, exciting documents every time. The NX-1000 also features paper parking so you can feed single sheets without removing fanfold paper. 180 CPS Draft/45 CPS NLQ Faster, more efficient

- Over 20 Typestyles
- IBM & Epson Compatible 4K Print Buffer Memory
- Easy Front Panel Control High Resolution Graphics
- One Year Manufacturer 's Warranty

FREE \$100 BONUS WITH YOUR PRINTER YOU RECEIVE OVER \$100 IN FREE GOODS FOR YOUR TI.



SPACE-SAVER CONNECTOR CABLE





GIVE THE P-BOX FOOT THE BOOT

Now you can move your expansion box or 9900 box further away from THE CONSOLE. WITH THE P-BOX IT ALSO MOVES THE BULKY TI CONNECTOR AWAY TO PROVIDE MORE FLEXABILITY IN SETTING UP YOUR SYSTEM. THIS 18" CABLE IS PROFESSIONALLY MADE WITH THE HIGHEST QUALITY MATERIALS TO ENSURE RELIABLE PERFORMANCE AND NO DATA LOSS......\$19.95

THIS NEW MONITOR HAS IT ALL! THE 1CM135 FROM MAGNAVOX HAS COMPOSITE, PC-RGB, DIGITAL. ANALOG AND SUPER VHS INPUTS SO IT IS COMPATIBLE WITH EVERY TI-99/4A CONFIGURATION AVAILABLE: 99/4A. MYARC GENEVE, DIJIT 80 COL. CARD. MEGATRONICS 80 COL. CARD AND TRITON TURBO. THIS UNIT ALSO OFFERS FULL COMPATIBILITY WITH VCRS. LAZER DISKS, NINTENDO, & SUPER VHS. 14 INCH COLOR SCREEN WITH SPECIAL HI RES GREEN SCREEN OPTION FOR WORD PROCESSING. TILT/SWIVEL BASE, AND STEREO AUDIO INPUTS. COMES WITH A 2-YEAR NATIONAL WARRANTY FROM NORTH AMERICAN PHILLIPS (NAP). 99/4A, RGB AND AUDIO/VIDEO CABLES INCLUDED.



95+\$10S&H

P.O. Box 33084, Granada Hills, CA \$1344

VISA & MASTERCARD HOLDERS CALL DIRECT

(818) 366-6631

24 HOURS A DAY 7 Days a Week!





# Contents

# MICAOpendium

MICROpendium (ISSN 10432299) is published monthly for \$25 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728-1156. Second-class postage paid at Austin, Texas, and additional mailing offices. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680-1343.

No information published in the pages of MICROpendium may be used without permission of the publisher, Burns-Koloen Communications Inc. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval.

While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher.

Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment.

Display advertising deadlines and rates are available upon request.

All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included.

Foreign subscriptions are \$30.25 (Mexico); \$32.50 (Canada); \$30.00, surface mail to other countries; \$42 airmail to other countries.

All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office.

Mailing address: P.O. Box 1343, Round Rock TX 78680

Telephone: (512) 255-1512

CompuServe: 75156,3270

Delphi TI NET: MICROPENDIUM

GEnie: J.Koloen

John Koloen.....Publisher
Laura Burns.....Editor

# Regena on BASIC

# **Extended BASIC**

# **BASIC/Assembly**

# The Art of Assembly

# MICRO-Reviews

Mario Brothers, Turbo 2056, Linkage ...... Page 27

# Comments

# **User Notes**

Classified ...... Page 31

# **Departments**

FeedbackPage 6Reader to ReaderPage 29TI FairsPage 30

# \*READ THIS

Here are some tips to help you when entering programs from MICROpendium:

1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation points at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the October 1987 edition.

2. Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.



# TRIS-9640

An addictive mind-teaser inspired by Tetris, Tris is a true-to-the-original version of this popular game with all of the little features and nuances that made the original a hit in the arcades and at home. After running it from the M-DOS command line, you'll be transported into a world of ever-faster falling blocks. Rotate and move them into place to form solid rows, which disappear when you do and pile up when you don't. Take advantage of time before pieces "stick", the "piece preview" function, or variable starting heights in planning your strategy. Play with keys or joysticks. By Jim Reiss.

Item E-01b - Disk - \$9.95

# **PAGE PRO SIDEWAYS** PICTURE PRINTER

With this utility, and a little help from Page Pro, you can quickly create landscape (sideways) calendars, certificates, flyers and more on your 9640! This utility places no limits on your imagination - use any fonts, pictures or borders in any order. Run from the command line, this program features "batch" printing, variable enlargements, 80column support, a variety of printer resolutions and more. Requires an Epson or compatible printer. By Chris Bobbitt.

Item P04 - Disk - \$12.95

# TYPEWRITER 9640

Have you ever said while using a word processor, "I could do this easier with a typewriter!"? For many jobs - short notes and memos, envelopes, the occasional label - a word processor is too much. If all you need to do is pound out something quickly and easily without a lot of fuss, a typewriter fills the bill. Typewriter 99 turns your computer into a full-function modern typewriter with features like auto-justification and centering, bold and underline text, one or two line spacing, and much more. Developed with the aid of secretaries and typists, this program is the most natural way to type text on your Geneve, and is perfect for the computer-phobe or those with a lot of work and a little time. Runs directly from M-DOS. A printer required. By Jim Reiss

Item P18c - Disk - \$14.95

# THUMBNAILS

Page Pro and TPA users take note! Introducing the Ultimate tool for managing MacPaint pics for the Geneve - Thumbnails! This innovative program functions much like a disk manager for MacPaint pictures. Hard drive compatible, this program will allow you to catalog a disk (or directory) of MacPaint pics, display them at full size one at a time or in a high-resolution "slideshow", print them, view them in a condensed (thumbnail) format, convert them to TI-Artist Instance or Page Pro format, and finally, print them nine-to-a-page, with a border around each and the filename and pathname underneath, on your Epson or compatible printer. Perfect for generating reference sheets to keep track of your collection, or just plain viewing and converting pictures. Includes a nice collection of MacPaint pics (including some very famous karate-loving turtles). Runs from M-DOS - By Francisco Garcia.

Item G16 - Disk - \$12.95

U.S. Please add\$2.50/order, Canada \$3.00, Airmail \$5.00. Send orders to:

Asgard Software • P.O. Box 10306 • Rockville, MD 20849

# Feedback

# Praise for Myarc

I sent a check to Myarc April 5, 1991, ordering the Hard and Floppy Disk Controller and received the HFDC three weeks later. James Crosson of the NET 99er user group spent one afternoon setting up my recently purchased used Geneve, used hard disk drive and new HFDC. After no problems setting it up, he gave me instructions how to use the FAST computer. The only errors I have had since are when I hit the wrong key.

Thanks to Myarc, MICROpendium, James Crosson and my user group NET 99er. I have learned to use the TI99/4A as a result of being associated with them since 1983 — Myarc since April 1991.

Jo Nell Thompson Fort Worth, Texas

# Where is everybody?

Here in East Central Florida, a tiny remnant of the once-mighty Daytona 99ers, still loyal to the TI, cling desperately to MI-CROpendium and whatever second-hand newsletters we can get hold of, as our only link to the rest of the TI world. We who have never even seen a RAMdisk drool over such exotic goodies as hard drives, 80-column cards and all the other incredible things announced, advertised, reviewed and talked about in the pages of MICROpendium.

Yet we are beginning to wonder if all this is vaporware. At last being able to afford some of these high-powered gadgets, I resolved to catch up with the rest of TI-dom, urged on by two or three of my fellow orphans. On May 28 I wrote 17 letters to vendors noted in MICROpendium as having been at the last Chicago Faire, requesting catalogs, prices and any available information on their products. To date I have received five catalogs or price lists, all from software vendors. (Thank you to those who responded.) We don't lack for software, we need hardware! If this stuff really exists, I want to buy some of it!

In mid-June, while waiting for replies to my letters, I also resolved to get up on the bulletin boards, and to join at least one of the Big Three information services to get some information via modem. After dozens of hours and scores of phone calls, I still have not been able to obtain a working telephone number for CompuServe, GEnie or Delphi! My letters have been returned as undeliverable. Not even a phone call to MICROpendium could produce a usable phone number or a correct address!

Bulletin boards? Hah! There aren't any in Florida! The Miami User's Group does not exist, as far as Southern Bell is concerned. All other phone numbers listed anywhere for TI BBSes in Florida have led to dead ends. "We're sorry, that number is no longer in service."

Back on May 1, I had written to Barry Traver requesting his GRAPHICOMP program on disk, and enclosed the requested amount. In late June I sent him a copy of the original letter, asking if he had received it. Still no answer to either letter, and, of course, no disk.

What's going on here? Are we the victims of an elaborate, cruel hoax? Or of some sinister conspiracy to stampout all remaining TIers in Florida? If this is the kind of help and support we can expect from the TI community, it's no wonder that most of the Daytona 99ers long ago switched to clones.

I would hate to give up the nine years I've got invested in my TI to start all over again with a foreign system. But if our own people continue to ignore our cries for help, I'm about ready to defect, too.

Arnie Stewart
New Smyrna Beach, Florida
Sorry not to have been able to find these
for you during your call, but you can call
CompuServe at 1-800-848-8199, Delphi at
1-800-544-4005 or GEnie at
1-800-638-9636 (all voice numbers).

# Where's Myarc?

I am currently in a quandary regarding what to do about my Myarc Floppy Disk Controller Card which no longer works and I wish to have repaired.

I have sent a letter for information to Myarc at Basking Ridge, New Jersey, which came back with a postal stamp, "Return to Sender, Undeliverable as Addressed, Forwarding Order Expired." This address I had dug out of the original box the card came in. Then I dug into the stuff

I got with my "HFDC" and found an ad dress in Martinsville, New Jersey — again, the prodigal letter returned!

Do you, or do any readers, have a current address or non-mechanically answered phone number where I can get some good up-to-date information on how to get my card fixed?

North Bay, Ontario, Canada
The recorded message at (908)
805-0007 says repairs go to 50 Darren
Woods, Martinsville, NJ 08836, and questions to PO. Box 140, Basking Ridge, NJ
07920. The former Alabama phone
number is no longer in service. — Ed.

# Help given, sought

I did the TI community a favor, now could someone please help me? On the million-plus Prodigiy membership bulletin board I posted a bulletin about the TI. In it, people can find out how to subscribe to MICROpendium, and I listed several TI suppliers. I also encouraged others to list other reputable vendors.

If you have Prodigy, you can find it by JUMPing BULLETINBOARD and choosing the Computer Club. It's listed under HARDWARE:SYSTEMS as TI99/4A STILL LIVES! I tried to list it as its own topic but Prodigy reclassified it.

My problems: I desperately need a conversion program that will change my TI word processing document to IBM and vice versa. JP Software doesn't even put on their answering machine anymore, so I can't get any help there. I work for a law firm, but am I supposed to subpoena the company for a program? I would even settle for a copy! Help!

Problem No. 2: My TI will no longer print anything to my printers (dot matrix and laser). I will get some stray character on the top two lines and nothing else. What is the possible problem, and who can fix it?

Frank P. DeCandia Jersey City, New Jersey


We appreciate your mention of us on Prodigy. Now, concerning your first problem, there is no vendor that we know of who is currently supplying either Cor-(See Page 29)

# BASIC

# **Spatial Relationships**

# By REGENA

This summer has turned out to be a bit hectic. My son is getting married, then the very next day I leave for Washington, D.C., to attend the White House Conference on Library and Information Services (July 9-13) as one of the delegates from Utah. The day after I return from Washington, D.C., we will travel to another son's Senior League All-Star Baseball tournament. I just wish I had a lap-top to take with me on the trips! Computers have really become part of our daily lives!



Because of my lack of time for programming this month, I am submitting a program that I wrote in 1983 which was available on cassette only. I have revised it to be able to use with the disk system. This program is "Spatial Relationships" for preschoolers and uses the Speech Synthesizer and the Terminal Emulator 2 command module.

Put in the Terminal Emulator 2 command module and press 1 for TI BASIC. Then type CALL FILES(1) and press ENTER. Type NEW and press ENTER. Now you may type in or load the program and run it.

Spatial concepts are introduced to the young child: up/down, in/out, over/under, low/high, in front/behind, around/through and far/near. A picture is drawn for each set of concepts. The words are spelled in lowercase letters for the beginning reader. The words

are spoken as the concept is illustrated with moving or blinking graphics.

After two words are introduced, the computer randomly chooses one of the concepts and illustrates it. The child must press 1 or 2 to choose which concept is shown. All instructions are given orally, so choices need to be made after the talking finishes.

With the Terminal Emulator 2 command module in the console and in TI BASIC mode, you may use the command

OPEN #1: "SPEECH",OUTPUT

Then to have the computer speak, use PRINT # 1, such as PRINT #1: "YES."

PRINT #1:A\$(T)

PRINT #1: "CHOOSE"; A\$(0); "\_OR"; A\$(1)

DATA statements are used to read in the words used for A\$(0) and A\$(1) and the graphics character definitions and placements. Subroutines are used to present the concept for each set of words, to define characters, to draw graphics, to present the quiz and to blink or move characters.

If you wish to save typing effort, you may have a copy of this program by sending \$4 to REGENA, 918 Cedar Knolls West, Cedar City, UT 84720. Be sure to specify that you need "Spatial Relationships" for the TI and whether you want cassette or diskette.

# SPATIAL RELATIONSHIPS

10 REM SPATIAL RELATIONSHIPS 1237 20 REM BY REGENA !071 30 REM REQUIRES SPEECH SYNTH ESIZER AND TERMINAL EMULATOR 1084 40 DIM A\$(1)!086 50 OPEN #1: "SPEECH", OUTPUT ! 60 CALL CLEAR !209 70 PRINT " \*\*\*\*\*\*\*\*\*\*\*\* \*\*\*\*\*\*\*\*":" \*";TAB(26);"\*":" \* SPATIAL RELATIONSHIPS \*": \*";TAB(26);"\*" !142 80 PRINT " \*\* :!126 90 CALL COLOR(12,2,1)!222

100 GOSUB 3010 !029 110 DATA "",,20,97,3D4381818 181433D, 98, BCC281818181C2BC, 100,0000010101010101,101,3C4 281FF8080423C,102 !158 120 DATA 060908080808083E,10 3,0101010141221C,104,0000808 08080808,105,00000008,108,08 08080808080808,110 !196 130 DATA BCC2818181818181,11 1,3C4281818181423C,112,80808 080808,114,BCC281808080808,1 16,0000080808087F08,117 !129 140 DATA 818181818181433D,11 8,4141222214140808,119,04048 8885050202,123 !075 150 DATA 00000000030C30C,124 ,030C30C,125,010204081020408

1007 160 GOSUB 3280 !044 170 CALL CLEAR !209 180 CALL SCREEN(8)!153 190 CALL COLOR(1,2,1)!171 200 CALL COLOR(2,2,1)!172 210 GOSUB 3000 !019 220 DATA ^UP., ^DOWN., 2, 136, 1 C1C083C18142242, 137, 3838103C 18284442 !118 230 CALL COLOR(13,14,14)!072 240 CALL COLOR(14,5,1)!227 250 CALL CLEAR !209 260 RESTORE 280 !118 270 GOSUB 2940 !215 280 DATA 6,22,3,100,23,3,97,

(See Page 8)

# **REGENA ON BASIC—**

660 CALL HCHAR(C, J+1, 130, K)!

(Continued from Page 17) 072 1040 1040 RESTORE 1060 !133 23, 5, 111, 23, 7, 118, 23, 8, 119, 2 670 CALL HCHAR(C, J+K+1, 129)! 1050 GOSUB 2940 !215 3,10,110 !127 1060 DATA 6,10,10,136,10,9,1 290 PRINT #1:A\$(1)!020 680 J=J+1 !013 300 J=12 !053 690 K=K-2 !017 37,6,13,111,6,15,118,6,17,10 1,6,19,114 !183 310 FOR C=22 TO 7 STEP -1 !2 700 NEXT C !217 18 710 CALL HCHAR(8,11,128)!054 1070 PRINT #1:A\$(0)!019 320 CALL HCHAR(C,J,128,31-J) 1080 GOSUB 3670 !180 720 CALL HCHAR(8,12,129)!056 1090 PRINT #1:A\$(0)!019 !131 730 PRINT #1:A\$(0)!019 330 J=J+1 !013 740 RESTORE 760 !087 1100 GOSUB 3280 !044 340 NEXT C !217 1110 GOSUB 2940 !215 750 GOSUB 2940 !215 350 CALL HCHAR(4,27,117)!055 760 DATA 13,22,10,105,23,10, 1120 DATA 8,21,12,117,21,14, 110, 20, 16, 100, 21, 16, 97, 21, 18 360 CALL HCHAR (4, 29, 98) ! 016 108, 23, 12, 110, 18, 11, 136, 19, 1 ,101,21,20,114,20,10,136,20, 370 CALL HCHAR (5, 29, 112)!053 1,137,20,11,138,18,25,144 !1 9,137 !235 380 PRINT #1:A\$(0)!019 78 390 GOSUB 3360 !125 1130 PRINT #1:A\$(1)!020 770 DATA 19,25,145,20,25,146 1140 GOSUB 3740 !250 400 PRINT #1:A\$(1)!020 ,23,23,111,23,25,117,22,27,1 410 GOSUB 3460 !225 16,23,27,108 !013 1150 PRINT #1:A\$(1)!020 1160 CALL HCHAR (10, 23, 32, 2)! 420 PRINT #1:A\$(0)!019 780 PRINT #1:A\$(1)!020 430 GOSUB 3310 !074 790 GOSUB 3280 !044 218 440 ON T+1 GOSUB 3460,3360 ! 800 PRINT #1:A\$(0)!019 1170 CALL HCHAR (15, 19, 32, 2)! 052 228 810 GOSUB 3550 !059 450 GOSUB 3070 !089 820 PRINT #1:A\$(1)!020 1180 GOSUB 3310 !074 1190 ON T+1 GOSUB 3670,3740 460 IF F=1 THEN 250 !245 830 GOSUB 3610 !120 !132 470 ON T+1 GOSUB 3460,3360 ! 840 CALL COLOR(14,3,3)!227 1200 GOSUB 3070 !089 052 850 CALL COLOR(15,1,1)!224 860 GOSUB 3310 !074 1210 IF F=1 THEN 970 !200 480 PRINT #1:A\$(T)!110 1220 ON T+1 GOSUB 3670,3740 490 GOSUB 3280 !044 870 ON T+1 GOSUB 3550,3610 ! 500 RESTORE 520 !103 137 !132 510 GOSUB 3000 !019 880 GOSUB 3070 !089 1230 GOSUB 3280 !044 890 IF F=1 THEN 560 !045 1240 RESTORE 1260 !077 520 DATA ^IN., ^OUT., 9, 128, 01 900 ON T+1 GOSUB 3550,3610 ! 1250 GOSUB 3000 !019 03070F1F3F7FFF, 129, 0080C0E0F 1260 DATA ^LO., ^HIGH., 3, 128, OF8FCFE, 130, FFFFFFFFFFFFFFFF 137 10525276F6FFFFFF, 136, 1038383 910 GOSUB 3280 !044 !211 920 RESTORE 940 !012 838387C92,144,020646FFFF4606 530 DATA 136,3C7EE7C3C3E77E3 02 !224 C, 137, 1818FFFF18181818, 138, 3 930 GOSUB 3000 !019 1270 CALL COLOR(13,3,1)!224 C6666C3C3C3C3C3,144,3C7EE7C3 940 DATA ^O VER., ^UN DER., 3, 1280 CALL COLOR(14,7,1)!229 C3E77E3C !040 128, FFC3A59999A5C3FF, 136, 3C2 424FFFFFF0C0C, 137, 000000FFFF 1290 CALL COLOR(15,5,1)!228 540 DATA 145,1818FFFF1818181 1300 CALL CLEAR !209 8,146,3C6666C3C3C3C3C3C3 !081 FF1818 !199 550 CALL COLOR(13,3,1)!224 1310 CALL HCHAR (24, 10, 128, 21 950 CALL COLOR(13,2,1)!223 560 CALL CLEAR !209 ) ! 068 960 CALL COLOR(14,5,1)!227 1320 PRINT #1:A\$(0)!019 570 CALL COLOR(14,7,3)!231 970 CALL CLEAR !209 1330 RESTORE 1350 !168 580 CALL COLOR(15,7,1)!230 980 CALL HCHAR(11,6,128,22)! 1340 GOSUB 2940 !215 590 FOR C=21 TO 14 STEP -1 ! 1350 DATA 6,22,5,144,23,3,10 800 990 CALL HCHAR(12,6,128,22)! 8, 24, 3, 108, 24, 5, 111, 24, 7, 118 600 CALL HCHAR(C, 6, 130, 12)!0 022 ,24,8,119 !143 36 1000 CALL VCHAR(13,6,128,7)! 610 NEXT C !217 1360 GOSUB 3830 !084 247 1370 PRINT #1:A\$(0)!019 620 K=10 !052 1010 CALL VCHAR(13,27,128,7) 1380 GOSUB 3280 !044 630 J=6 !007 1390 PRINT #1:A\$(1)!020 640 FOR C=13 TO 9 STEP -1 !2 1043 1400 GOSUB 2940 !215 1020 CALL VCHAR (13,7,128,5)! 1410 DATA 9,1,22,104,2,22,11 246 650 CALL HCHAR(C, J, 128)!150 (See Page 8)

1030 CALL VCHAR(13,26,128,5)

# **REGENA**—

(Continued from Page 8) 0,1,24,105,2,24,108,2,26,97, 3, 26, 103, 1, 28, 104, 2, 28, 110, 2 3,15,136 !112 1420 GOSUB 3890 !145 1430 PRINT #1:A\$(1)!020 1440 CALL HCHAR(22,29,32)!05 1450 CALL HCHAR(1,15,32)!252 1460 GOSUB 3310 !074 1470 ON T+1 GOSUB 3830,3890 !187 1480 GOSUB 3070 !089 1490 IF F=1 THEN 1300 !020 1500 ON T+1 GOSUB 3830,3890 !187 1510 GOSUB 3280 !044 1520 RESTORE 1540 !103 1530 GOSUB 3000 !019 1540 DATA \_IN ^FRONT.,\_BE ^H 129,600C528C229146A9,130,010 2060C123146D9 !125 1550 DATA 131,610E568C32D146 A9,132,610E448830A0408,136,3 C7EE7C3C3E77E3C, 137, 1818FFFF 18181818 !093 1560 DATA 138,3C6666C3C3C3C3 C3,144,003C4281A9819142 !027 1570 CALL COLOR(13,12,1)!017 1580 CALL CLEAR !209 1590 CALL COLOR(14,7,12)!024 1600 CALL COLOR(15,2,1)!225 1610 PRINT #1:A\$(0)!019 1620 FOR C=10 TO 15 !153 1630 CALL HCHAR (C, 10, 128, 11) 1086 1640 NEXT C !217 1650 J=10 !051 1660 FOR C=9 TO 7 STEP -1 !1 1670 CALL HCHAR(C, J, 130)!143 1680 CALL HCHAR(C, J+1, 129, 10 )!048 1690 CALL HCHAR (C, J+11, 131)! 1700 CALL VCHAR(C+1,J+11,129 ,5)!2541710 CALL HCHAR (C+6, J+11, 132 ) ! 062 1720 J=J+1 !013 1730 NEXT C !217 1740 RESTORE 1760 !067

1750 GOSUB 2940 !215

1760 DATA 13,13,15,136,14,15 ,137,15,15,138,18,5,105,19,5 ,108,19,7,110 !095 1770 DATA 18,11,102,19,11,10 8, 19, 13, 114, 19, 15, 111, 19, 17, 110, 18, 19, 116, 19, 19, 108 ! 238 1780 PRINT #1:A\$(0)!019 1790 GOSUB 3280 !044 1800 CALL COLOR(14,12,12)!06 1810 PRINT #1:AS(1):020 1820 RESTORE 1840 !148 1830 GOSUB 2940 !215 1840 DATA 11,6,18,144,2,17,1 04,3,17,98,3,19,101,2,21,104 ,3,21,110,2,23,105,3,23,108 1200 1850 DATA 3,25,110,2,27,100, 3,27,97 !168 1860 GOSUB 3280 !044 1870 PRINT #1:A\$(1)!020 1880 GOSUB 3280 !044 1890 CALL COLOR(15,1,1)!224 1900 GOSUB 3310 !074 1910 ON T+1 GOSUB 3970,4020 1202 1920 GOSUB 3070 !089 1930 IF F=1 THEN 1580 !045 1940 ON T+1 GOSUB 3970,4020 1202 1950 GOSUB 3280 !044 1960 RESTORE 1980 !032 1970 GOSUB 3000 !019 1980 DATA \_UH ^ROUND., ^THRU. ,2,136,0787FCFCFC4444,137,E0 E13F3F3F2222 !054 1990 CALL COLOR(13,6,1)!227 2000 CALL COLOR(14,16,1)!022 2010 CALL CLEAR !209 2020 CALL HCHAR(7,11,128,7)! 232 2030 CALL HCHAR(8,9,128,12)! 2040 CALL HCHAR (9, 8, 128, 13)! 237 2050 CALL HCHAR (10,7,128,13) 1021 2060 CALL HCHAR (11,8,128,11) 1021 2070 CALL HCHAR (12, 10, 128, 8) 1021 2080 PRINT #1:A\$(0)!019 2090 RESTORE 2110 !163 2100 GOSUB 2940 !215 2110 DATA 8,17,8,97,17,10,11 4, 17, 12, 111, 17, 14, 117, 17, 16, 110, 16, 18, 100, 17, 18, 97, 9, 5, 1 36 !141 2120 GOSUB 4070 !069 2130 PRINT #1:A\$(0)!019 2140 GOSUB 3280 !044 2150 CALL HCHAR (16, 18, 32)!05 2160 CALL HCHAR(17,8,32,11)! 228 2170 PRINT #1:A\$(1)!020 2180 RESTORE 2200 !253 2190 GOSUB 2940 !215 2200 DATA 11,16,8,116,17,8,1 08, 16, 10, 104, 17, 10, 110, 17, 12 ,114,17,14,111,17,16,117 !08 2210 DATA 17,18,97,18,18,103 ,16,20,104,17,20,110 !032 2220 GOSUB 4190 !190 2230 PRINT #1:A\$(1)!020 2240 GOSUB 3310 !074 2250 CALL HCHAR (9, 22, 32) !002 2260 CALL HCHAR (16, 8, 32, 13)! 2270 CALL HCHAR (17,8,32,13)! 230 2280 CALL HCHAR (18, 18, 32) ! 05 2290 ON T+1 GOSUB 4070,4190 1217 2300 GOSUB 3070 !089 2310 IF F=1 THEN 2010 !220 2320 ON T+1 GOSUB 4070,4190 1217 2330 GOSUB 3280 !044 2340 RESTORE 2360 !158 2350 GOSUB 3000 !019 2360 DATA ^FAR., ^NEAR., 11,12 8,087F08087F080808,129,FC000 00000FC, 130, 0000000000000101 ,131,7F010101017F0101 !149 2370 DATA 132,01010101010101 01,133,00000000FF,134,080808 08FF080808, 136, 3838107C10282 828,144,3C7EE7C3C3E77E3C !14 2380 DATA 145,1818FFFF181818 18,146,3C6666C3C3C3C3C3 !081 2390 CALL CLEAR !209 2400 J=5 !006 2410 FOR C=15 TO 4 STEP -1 ! 2420 CALL HCHAR(C,J,123)!145 (See Page 10)

# REGENA ON BASIC—

(Continued from Page 9)	GAIN": :" 2 TO END PROG	3230 F=0 !253
2430 CALL HCHAR(C,J+1,124)!0	RAM" !226	3240 PRINT #1:"^YES." !145
77	2820 PRINT #1:"^PRESS 1 2 TR	3250 PRINT #1:"^IT IS ";A\$(T
2440 J=J+2 !014	Y AGAIN. ^PRESS 2 2 END." !0	)!199
2450 NEXT C !217	99	3260 GOSUB 3280 !044
2460 J=13 !054	2830 CALL KEY(0,K,S)!187	3270 RETURN !136
2470 FOR C=22 TO 6 STEP -1 !	2840 IF K=50 THEN 4270 !243	3280 CALL SOUND(1000,9999,30
217	2850 IF K<>49 THEN 2830 !023	)!048
2480 CALL HCHAR(C,J,125)!147	2860 RESTORE 220 !057	3290 CALL SOUND(1,9999,30)!1
2490 J=J+1 !013	2870 GOTO 210 !033	57
2500 NEXT C !217	2880 FOR C=1 TO 10 !099	3300 RETURN !136
2510 CALL COLOR(13,2,1)!223	2890 CALL SOUND(50,1497,5)!1	3310 GOSUB 3280 !044
2520 CALL COLOR(14,7,1)!229 2530 CALL COLOR(15,7,1)!230	48	3320 RANDOMIZE !149
	2900 CALL COLOR(14,16,1)!022	3330 T=INT(2*RND)!227
2540 PRINT #1:A\$(0)!019 * 2550 RESTORE 2570 !113	2910 CALL COLOR(14,7,1)!229	3340 PRINT #1:"^CHOOSE";A\$(0
2560 GOSUB 2940 !215	2920 NEXT C !217 2930 RÉTURN !136	);"_OR";A\$(1)!178
2570 DATA 24,1,26,102,2,26,1	2940 READ N !229	3350 RETURN !136
08,2,28,97,2,30,114,3,24,128	2950 FOR C=1 TO N !134	3360 CALL HCHAR(22,11,32)!04
,4,24,108,4,17,130,5,17,131,	2960 READ A,B,G !199	3370 CALL HCHAR(6,27,137)!05
5,18,129 !138	2970 CALL HCHAR(A,B,G)!109	9
2580 DATA 6,17,132,7,17,132,	2980 NEXT C !217	3380 J=27 !059
7,6,133,7,7,134,7,8,133,8,6,	2990 RETURN !136	3390 FOR C=6 TO 21 !106
133,8,7,134,8,8,133,9,7,108,	3000 CALL CLEAR !209	3400 CALL SOUND(100,262+J*12
10,7,108,11,7,108	3010 READ A\$(0),A\$(1),N !226	,4)!127
2590 DATA 22,15,110,22,17,10	3020 FOR I=1 TO N !140	3410 CALL HCHAR(C,J,32)!095
1,22,19,97,22,21,114 !020	3030 READ C,C\$ !244	3420 J=J-1 !014
2600 PRINT #1:A\$(1)!020	3040 CALL CHAR(C,C\$)!081	3430 CALL HCHAR(C+1,J,137)!0
2610 RESTORE 2630 !173	3050 NEXT I !223	81
2620 GOSUB 2940 !215	3060 RETURN !136	3440 NEXT C !217
2630 DATA 4,6,27,136,18,8,14	3070 PRINT #1:"^PRESS 1 4";A	3450 RETURN !136
4,19,8,145,20,8,146 !080	\$(0):"^PRESS 2 4";A\$(1)!191	3460 CALL HCHAR(6,27,32)!004
2640 PRINT #1:A\$(0)!019	3080 C=0 !250	3470 J=11 !052
2650 GOSUB 2880 !155	3090 CALL KEY(0,K,S)!187	3480 FOR C=22 TO 7 STEP -1 !
2660 PRINT #1:A\$(1)!020	3100 C=C+1 !255	218
2670 GOSUB 3610 !120	3110 IF C>200 THEN 3070 !102	3490 CALL SOUND(100,262+J*12
2680 CALL COLOR(14,1,1)!223	3120 IF (K<49)+(K>50)THEN 30 90 !049	,4)!127
2690 CALL COLOR(15,1,1)!224	3130 IF K-49=T THEN 3190 !21	3500 CALL HCHAR(C,J,32)!095
2700 GOSUB 3310 !074	3 ' THEN 3190 121	3510 J=J+1 !013
2710 ON T+1 GOSUB 2880,3610	3140 CALL SOUND(50,330,2)!08	3520 CALL HCHAR(C-1,J,136)!0
!233	1	81
2720 GOSUB 3070 !089	3150 CALL SOUND(50,262,2)!08	3530 NEXT C !217
2730 IF F=1 THEN 2390 !090	5	3540 RETURN !136
2740 ON T+1 GOSUB 2880,3610	3160 F=1 !254	3550 FOR C=1 TO 10 !099
1233	3170 PRINT #1:"^NO." !060	3560 CALL SOUND(50,1497,5)!1
2750 GOSUB 3280 !044	3180 GOTO 3250 !013	48
2760 CALL CLEAR !209	3190 CALL SOUND(50,523,2)!08	3570 CALL COLOR(14,16,3)!024
2770 PRINT TAB(9); "G R E A T	5	3580 CALL COLOR(14,7,3)!231
": : : :!040	3200 CALL SOUND(50,660,2)!08	3590 NEXT C !217
2780 FOR C=1 TO 50 !103	7	3600 RETURN !136
2790 CALL SOUND(-99, INT(500*	3210 CALL SOUND(50,784,2)!09	3610 FOR C=1 TO 10 !099
RND+262),2)!027	4	3620 CALL SOUND(50,748,5)!09
2800 NEXT C !217	3220 CALL SOUND(100,1046,2)!	(See Page 11)
2810 PRINT "PRESS 1 TO TRY A	180	(~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

# REGENA ON BASIC-

	(Continued from Page 10)
	CALL COLOR (15, 16, 1)!023
	CALL COLOR(15,7,1)!230
3650	NEXT C !217
	RETURN !136
3670	FOR C=12 TO 24 STEP 2 !
072	
3680	CALL SOUND(100, -3,2)!21
9	
	CALL HCHAR (10, C-3, 32, 2)
!172	
	CALL HCHAR (10, C, 136)!11
8	
	CALL HCHAR(10,C-1,137)!
051	1.2
	NEXT C !217
	RETURN !136
	J=12 !053
	FOR C=19 TO 15 STEP -1
1016	
	CALL SOUND(100,-3,2)!21
9	
	CALL HCHAR (C+1, $J-3$ , 32, 2
)!134	
	CALL HCHAR (C, J, 136)!149
	CALL HCHAR(C,J-1,137)!0
82	
	J=J+2 !014
3810	NEXT C !217

```
3840 CALL SOUND(50,-2,4)!175
3850 CALL HCHAR(22,C,32)!067
3860 CALL HCHAR(22,C+1,144)!
051
3870 NEXT C !217
3880 RETURN !136
3890 J=523 !109
3900 FOR C=23 TO 2 STEP -1 !
3910 CALL SOUND(-100, J, 4, -5,
8) 1082
3920 CALL HCHAR (C, 15, 32) ! 069
3930 CALL HCHAR (C-1, 15, 136)!
055
3940 J=J+30 !064
3950 NEXT C !217
3960 RETURN !136
3970 FOR C=1 TO 10 !099
3980 CALL COLOR(14,12,12)!06
3990 CALL COLOR(14,7,12)!024
4000 NEXT C !217
4010 RETURN !136
4020 FOR C=1 TO 10 !099
4030 CALL COLOR(15,1,1)!224
4040 CALL COLOR(15,2,1)!225
4050 NEXT C !217
4060 RETURN !136
4070 RESTORE 4080 !092
4080 DATA 9,5,136,8,6,136,7,
7,136,6,8,136,5,9,136,5,11,1
```

36, 5, 13, 136, 5, 15, 136, 5, 17, 13 6,5,19,136 !178 4090 DATA 6,21,136,7,22,136, 8, 23, 136, 9, 24, 136, 10, 23, 137, 11, 22, 137, 12, 21, 137, 13, 20, 13 7,14,19,137 !218 4100 DATA 14,17,137,14,15,13 7, 14, 13, 137, 14, 11, 137, 14, 9, 1 37, 13, 7, 137, 12, 6, 137, 11, 5, 13 7,10,5,137 !173 4110 FOR C=1 TO 28 !108 4120 CALL SOUND(50,523+INT(5 00\*RND),4)!078 4130 READ A, B, G !199 4140 CALL HCHAR (A, B, G) ! 109 4150 CALL HCHAR(A, B, 32)!085 4160 NEXT C !217 4170 CALL HCHAR (9,5,136) !008 4180 RETURN !136 4190 G=32 1052 4200 FOR C=5 TO 21 !105 4210 CALL SOUND(50, -5, 4)!178 4220 CALL HCHAR (9, C, G) ! 047 4230 CALL GCHAR (9, C+1, G) !233 4240 CALL HCHAR (9, C+1, 136) !0 4250 NEXT C !217 4260 RETURN !136 4270 CALL CLEAR !209 4280 END !139

# EXTENDED BASIC

# Where did I write that phone number?

# By JERRY STERN ©1991 J.L. Stern

3820 RETURN !136

3830 FOR C=5 TO 28 !112

Here in Baltimore, the area code will change to 410 this fall, and I've been going through phone number lists, and figuring who is far enough west to keep the old 301 code, and who changes. A phone database with a search function would keep track of names, addresses, phone numbers, and area codes, and that is this month's program.

PHONELIST stores lists of names and phone numbers, and sorts, searches, and updates them as people move. It records

first and last name, address, city, the postal abbreviation for the state or Canadian province, and the U.S. ZIP+4 or Canadian postal code, and of course, the area code and phone number. The sort and search routines can resequence or search based on any of these fields, and entries found can be viewed, edited, or deleted. The entire list can be saved, merged with another list, printed in column format (Use compressed print only - it's 130 columns!) or in label style. Both print routines can also send the text to a disk file in TI-Writer's Display/Variable 80 format,

or you can view the entire list, three entries at a time, on screen.

The program is best suited to making multiple phone lists; make a list of business contacts, and store it away as DSK1.BUSIfriends NESS. and can DSK1.FRIENDS, or DSK1.USER-GROUP, and so on. The separate lists work best because PHONELIST is a memory-based database, built for speed rather than storage capacity, so the database is limited to the amount of string memory, or stack memory, in the TI 99/4A. PHONE-

(See Page 12)

# (Continued from Page 11)

LIST needs the expansion memory to run, but TI Extended BASIC cannot use the entire 32K expansion. Try typing SIZE from a blank TI Extended BASIC screen.

>SIZE

11840 BYTES OF STACK FREE 24488 BYTES OF PROGRAM SPACE FREE

The TI 99/4A uses the console memory for storing text variables, or strings, and the upper 24K of the expansion memory for the program and numeric variables. (The lower 8K is used for assembly programming, and not available to Extended BASIC without some extra steps to combine the two program types.) The phone database uses 129 characters for each record. 11480 bytes of memory are available in the stack, and at 129 characters per entry, 91 names and data sets should fit into memory. But other string variables in the program use some space, so the upper limit, where full memory errors would begin, is 76 names. I've limited the program to only 70 names because as the stack approaches those last few bytes of memory, the computer slows down dramatically. When string variables are setup with the DIM statement, XB does not set aside all the space that they will need. String, or text, variables only begin to use memory as they are filled, so the slowdown effect doesn't begin until the database is nearly full.

Here are the typing instructions for PHONELIST:

- 1) On line 80, change the default drive number and name to the drive you will use for your data files.
- 2) On line 90, change the default printer name to match your machine.
- 3) On line 730, PHONELIST sets the printer to condensed print with printer code 15. If your printer uses a different code, make the change here.
- 4) Line 120 and line 1530 use ON ERROR 1650 statements to capture any fatal errors from empty disk drives, full disks, and so on. While entering the program, leave both ON ERROR statements out until you are certain that the listing is free of typing errors, and add the ON ERROR statements. Typing errors in a program that uses Extended BASIC's fatal error

trapping features can make it very difficult to find out which lines contain the typos. If you use CHECKSUM to enter the program (highly recommended—see the October 1987 MICROpendium), or purchase the monthly disk from MICROpendium, this precaution is unnecessary.

5) Those of you who have different disk numbers than 1 through 3 should change the validation string in line 1520 to prevent accidentally trying to read the wrong disk directory. Users with one drive use "01", 2 drives "012", and so on. Only numbers are allowed for the directory function. Although the other I/O functions are protected by fatal error trapping, the directory routine is in a subprogram, and the ON ERROR routines cannot be used to transfer program control to outside of the subprogram.

To get started using PHONELIST, run the program, and press any key to leave the title screen. The menu will guide you to each option. A few of the options have been combined under one choice, such as the find option, which combines searching and viewing options. Here are the options in menu order.

Add to list: PHONELIST will add a new record at the end of the list. Press Enter by itself at the first prompt (last name) to return to the menu. For personal contacts, use the last name and first name as listed, but for business contacts, use last name for the company name, and first name for the contact or department name. Letters in the postal code and state entries will automatically be entered as uppercase—there is no need to hold down the shift key.

Disk directory and erase list. These two options will help keep the files manageable. The directory function will read any of the disk drives allowed by the line 1520 validation string, and the erase function will delete any file that is entered. Use the full filename, such as DSK1.README. If you change your mind, and want to cancel out of these options, use zero for the drive number to return to the main menu from the directory option. Entering a blank string from the erase option—press Function Erase to clear the default entry—will also return you to the main menu.

Find entry: Enter a search string to find, which must be the beginning of a field,

such as the first few letters of a name, and the field, such as the area code, to search. Use the same capitalization as the entry you are searching for. "Micro" and "MICRO" are not the same. PHONELIST will search the entire list, and move the matching items to the low end of the list, and then allow you to examine the list by record number.

To look at an entry by number without searching, press ENTER at the "Search for what entry?" prompt, and PHONE-LIST will go directly to the next screen, for finding the entries by record number. Entering zero or blanks will return you to the main menu, or the letter L will take you to the last entry in the file.

As you view each entry, you may choose to edit the entry, delete it, go on to the next entry, or return to the main menu. If you delete any entries, you should resort the list before printing, because deleted entries are refilled from the end of the list.

If you make a mistake typing a new entry in the add option, finish typing that entry, and then press enter at the last name prompt when PHONELIST takes you to the next page. From the main menu, choose Find entry, press enter for the search, and enter L for the record number, and E for edit. That's finish the screen, then enter, F, enter, L, enter, E.

Load list: Loads a file from disk, which can replace the file in memory (load) or be added onto the end of the file in use (merge). If you want to add many entries that all have the same city, state, and area code to your list, you could make a dummy file that has only those fields listed in each entry, and uses about five identical entries. Merge that dummy file with your address list, and then use the search function to view and edit those default entries. To escape this option, enter a blank for the file name — press Function Erase to clear the default file name.

Print list: Allows printing the list to the screen, three entries at a time, or printing to a printer or disk file in column format, or label style. Entering a blank file name returns you to the main menu.

Unlike many TI programs, in PHONELIST these options are NOT the same. If you were to provide a disk file

(See Page 13)

# (Continued from Page 12)

name to the print option, it would save a file correctly, but the file would not be loadable by TI-Writer. Similarly, using a printer name at the save disk file option would result in an 80-column printout rather than 130 columns.

Save list: Saves the entire list to a disk file. Use a complete file name, including the "DSKx." Again, a blank file name will return you to the menu.

Quick sort: Uses a text version of the quick sort routine to sort the file by any entry. The sort time will range from several seconds for files below 40 entries, to noticeably longer for files approaching the 70-entry limit. The reduction in speed is not caused by the sort routine, but by the TI 99/4A: As the stack space used for string variables gets nearly full, the computer slows down badly. To exit the sort routine without sorting the file, press zero.

Quit: Go Home. Go away. Shut down the store. And so on. Because PHONELIST keeps its records in memory, you must remember to save before quitting, so choosing Quit will give you one chance to change your mind. In response to "PRESS SPACE BAR TO QUIT" press any other key to return to the menu.

## **PHONELIST**

80 D\$, DR\$="DSK2." ! Default drive or file name !197 90 PR\$="RS232.DA=8.BA=4800" ! Default printer name !200 100 REM PHONE LIST !144 110 REM TIXB JLS 8/91 V. 2.0 1063 120 ON WARNING NEXT :: CALL CLEAR :: CALL BLUE :: ON ERR OR 1650 !064 130 CALL TITLE2 !031 140 V\$="ABCDEFGHIJKLMNOPQRST UVWXYZ0123456789.\_" ! ACCEPT VALIDATION STRING !243 150 DIM L\$(71)!153 160 A\$="Add to listErase lis t Disk dir. Find entry Load list Print list Save list Quick Sort " !150 170 LU(1)=1 :: LU(2)=27 :: LU(3)=54 :: LU(4)=82 ! data positions in string !043

180 LU(5)=103 :: LU(6)=107 : : LU(7) = 118 :: LU(8) = 122 !05 190 C=1 ! current record num ber !233 200 CALL PAUSE !232 210 CALL MENU(A\$, X):: IF X=1 0 THEN X=1 ! default menu ch oice !106 220 ON X GOSUB 250,430,1500, 1100,490,590,930,1010,1540 ! 230 GOTO 210 !033 240 REM ADD TO LIST !162 250 DISPLAY AT(1,1) ERASE ALL : "Adding an entry..." !033 260 IF S>69 THEN DISPLAY AT( 5,1) BEEP: "This list is FULL! " :: CALL PAUSE :: RETURN !2 54 270 GOSUB 1550 !100 280 DISPLAY AT(21,1): "Enter no last name to returnto the menu." !023 290 S=S+1 :: C=S :: GOSUB 30 0 :: IF TS="" THEN S=S-1 :: RETURN ELSE GOTO 250 !155 300 REM ACCEPT DATA !164 310 CALL KEY(5,K,T)!193 320 ACCEPT AT(5,1)SIZE(-25): 330 IF T\$="" THEN RETURN ELS E L\$(C)=T\$ !144 340 ACCEPT AT(7,1)SIZE(-26): Z\$ :: L\$(C)=L\$(C)&RPT\$(" ",26-LEN(L\$(C)))&Z\$ !218 350 ACCEPT AT(9,1)SIZE(-28): Z\$ :: L\$(C) = L\$(C) & RPT\$(" ", 53-LEN(L\$(C)))&Z\$ !222 360 ACCEPT AT(11,1)SIZE(-19) :Z\$ :: L\$(C)=L\$(C)&RPT\$(" ", 81-LEN(L\$(C)))&Z\$ !009 370 CALL KEY(3,K,T):: ACCEPT AT(13,1)SIZE(-3)VALIDATE(UA LPHA):Z\$ :: L\$(C)=L\$(C)&RPT\$ (" ",102-LEN(L\$(C)))&Z\$ !148 380 ACCEPT AT(15,1)SIZE(-10) VALIDATE (UALPHA, DIGIT, "-"):Z \$ :: L\$(C)=L\$(C)&RPT\$(" ",10 6-LEN(L\$(C)))&Z\$ !204 390 ACCEPT AT(17,1)SIZE(-3)V ALIDATE(DIGIT):Z\$ :: L\$(C)=L \$(C)&RPT\$(" ",117-LEN(L\$(C)) )&Z\$ !092

400 ACCEPT AT(19,1)SIZE(-8)V ALIDATE(DIGIT, "-"):Z\$ :: L\$( C) = L\$ (C) & RPT\$ (" ", 121-LEN (L\$ (C)))&Z\$ !006 410 RETURN !136 420 REM DELETE LIST !201 430 DISPLAY AT(1,1): "Deletin g a file..." !043 440 DISPLAY AT(4,1): "Name of file to delete: " !066 450 DISPLAY AT(6,4): "Press E nter to return to main menu" !157 460 ACCEPT AT(5,2)SIZE(15)VA LIDATE(V\$)BEEP:D\$ !037 470 IF D\$="" THEN RETURN ELS E DELETE DS :: RETURN !053 480 REM LOAD LIST !054 490 DISPLAY AT(1,1): "Load da ta..." !242 500 DISPLAY AT(4,1): "Load or Merge?":"L / M ?" !237 510 CALL KEYAT(5,1,K,"LM"):: IF K=76 THEN S=0 :: GOTO 53 0 !248 520 DISPLAY AT(24,7) ERASE AL Merge file" !053 530 CALL KEY(3,L,T):: DISPLA Y AT(4,1): "Name of file to 1 oad:":D\$ :: ACCEPT AT(5,1)SI ZE(-28)VALIDATE(V\$):D\$ :: IFD\$="" THEN RETURN !117 540 OPEN #1:D\$, DISPLAY , VARI ABLE 132, INPUT !084 550 IF S>69 THEN DISPLAY AT( 22,1) BEEP: "This list is FULL !": :" " :: CALL PAUSE :: GO TO 570 !131 560 IF EOF(1) THEN 570 ELSE S =S+1 :: DISPLAY AT(24,1): "Lo ading record #";S :: LINPUT #1:L\$(S):: GOTO 550 !156 570 CLOSE #1 :: RETURN !161 580 REM PRINT LIST !163 590 IF S<1 THEN CALL EMPTY: : RETURN !067 600 DISPLAY AT(1,1): "Print 1 ist..." !162 610 DISPLAY AT(4,1): "Print t o Printer, Screen, orD/V 80 Disk file? P" !172 620 CALL KEYAT (5, 19, L, "PpSsD d")!231 630 IF POS("SsDdPp", CHR\$(L),

(Continued from Page 13) 1)<3 THEN 850 !061 640 IF POS("SsDdPp", CHR\$(L), 1)>4 THEN 690 !158 650 DISPLAY AT(8,1): "Name of disk file?":DR\$ !234 660 ACCEPT AT(9,1)SIZE(-23)V ALIDATE(V\$):P\$ !007 670 IF P\$="" THEN RETURN !18 680 OPEN #1:P\$, DISPLAY , VARI ABLE 80, OUTPUT :: GOTO 740 ! 077 690 DISPLAY AT(8,1): "Name of device to print on?":PR\$ !0 700 ACCEPT AT(9,1)SIZE(-23)V ALIDATE(V\$):P\$ !007 710 IF P\$="" THEN RETURN !18 720 OPEN #1:P\$, DISPLAY , VARI ABLE 132, OUTPUT !197 730 PRINT #1:CHR\$(15)! compr essed print !224 740 DISPLAY AT(11,1): "Column format or Labels?":"(Labels do not include phonenumbers .) C" !172 750 CALL KEYAT(13,11,L, "CcL1 ")!061 760 IF POS("CcL1", CHR\$(L),1) >2 THEN 780 !037 770 FOR L=1 TO S :: PRINT #1 :L\$(L):: NEXT L :: PRINT #1: :: GOTO 830 !199 780 FOR L=1 TO S :: FOR L2=1 TO 3 :: TMP\$=SEG\$(L\$(L),LU(L2), LU(L2+1)-LU(L2)) !207790 IF ASC(TMP\$)>32 THEN PRINT # 1:TMP\$ !222 800 NEXT L2 !020 810 PRINT #1:SEG\$(L\$(L),82,3 5): :!236 820 NEXT L !226 830 CLOSE #1 !151 840 RETURN !136 850 !print to screen !083 860 FOR L=1 TO S :: FOR L2=1 TO 4 :: PRINT SEG\$(L\$(L), LU (L2), LU(L2+1) - LU(L2)):: NEXT L2 !047 870 PRINT SEG\$(L\$(L),103,26) :RPT\$("=",28)!240 880 IF L=INT(L/3)\*3 THEN PRI

NT :: CALL PAUSE !075 890 NEXT L 1226 900 L=L-1 :: IF L<>INT(L/3)\* 3 THEN PRINT :: CALL PAUSE ! 910 RETURN !136 920 REM SAVE LIST 1069 930 IF S<1 THEN CALL EMPTY: : RETURN !067 940 DISPLAY AT(1,1): "Save fi le..." !007 950 DISPLAY AT(4,1): "Name to save file as":D\$ :: ACCEPT AT(5,1)SIZE(-15)VALIDATE(V\$) :D\$ !215 960 IF D\$="" THEN RETURN !16 970 DISPLAY AT(24,7):D\$ :: 0 PEN #1:D\$, DISPLAY , VARIABLE 132 !144 980 FOR L=1 TO S :: PRINT #1 :L\$(L)!135 990 DISPLAY AT(24,1): "Saving record #";L :: NEXT L :: CL OSE #1 :: RETURN !056 1000 REM SORT LIST !094 1010 IF S<2 THEN CALL EMPTY :: RETURN !068 1020 DISPLAY AT(1,1): "Sort b y characters starting at #1" 1030 GOSUB 1550 :: FOR L=1 T O 8 :: DISPLAY AT(L\*2+2,16)S IZE(2):L :: NEXT L !011 1040 CALL KEYAT(20,16,D,"123 456780"):: IF D=48 THEN RETU RN !041 1050 D=LU(D-48)!076 1060 DISPLAY AT(22,1): "NOW S ORTING... BE PATIENT." !062 1070 CALL QUICK3(S,L\$(),D)!0 98 1080 RETURN !136 1090 REM FIND ENTRY !141 1100 IF S<2 THEN CALL EMPTY :: RETURN !068 1110 DISPLAY AT(1,1): "Search for what entry?" !090 1120 DISPLAY AT(21,1): "Enter no search to find by number." !122 1130 GOSUB 1550 :: FOR L=1 T O 8 :: DISPLAY AT(L\*2+2,16)S IZE(2):L :: NEXT L !011 1140 CALL KEY(5,K,T):: ACCEP

T AT(2,1):S\$ :: IF S\$="" TH N GOTO 1230 !235 1150 DISPLAY AT(19,1): "At wh at position?": TAB(16);1 !199 1160 CALL KEYAT(20,17,D,"123 456780"):: IF D=48 THEN RETU RN !042 1170 D=LU(D-48)!076 1180 DISPLAY AT(22,1): "NOW S EARCHING... BE PATIENT." !17 1190 C=1 :: LS=LEN(S\$):: FOR L=1 TO S !169 1200 IF SEG\$(L\$(L),D,LS)=S\$ THEN IF L=C THEN C=C+1 :: GO TO 1210 ELSE T\$=L\$(L):: L\$(L )=L\$(C):: L\$(C)=T\$ :: C=C+11241 1210 NEXT L :: D=C-1 !101 1220 DISPLAY AT(19,1): "Searc h complete...": "matches Foun d:";D:"Items found have been moved to the low end of the list." :: CALL PAUSE !037 1230 CALL CLEAR :: C=0 !077 1240 C=C+1 :: DISPLAY AT(24. 7):D\$: :"DISPLAY RECORD #:"; C:" Last record in file=L" !146 1250 CALL KEY(3,K,T):: ACCEP T AT(2,18)SIZE(-3)VALIDATE(D IGIT, "L "): IN\$ !229 1260 IF IN\$="" THEN RETURN ! 252 1270 IF POS(IN\$, "L", 1)>0 THE N X,C=S :: DISPLAY AT(2,18)S IZE(3):C ELSE X,C=VAL(IN\$)!2 1280 IF C>S THEN CALL SOUND( 100,-1,0):: GOTO 1250 ELSE I F C=0 THEN RETURN !079 1290 DISPLAY AT(5,1):SEG\$(L\$ (X), 1, 25)!1061300 DISPLAY AT(7,1):SEG\$(L\$ (X), 27, 26)!166 1310 DISPLAY AT(9,1):SEG\$(L\$ (X),54,28)!170 1320 DISPLAY AT(11,1):SEG\$(L \$(X),82,19)!213 1330 DISPLAY AT(13,1):SEG\$(L \$(X),103,3)!202 1340 DISPLAY AT(15,1):SEG\$(L \$(X),107,10)!255 (Continued from Page 15)

# (Continued from Page 14) 1350 DISPLAY AT(17,1):SEG\$(L \$(X),118,3)!212 1360 DISPLAY AT(19,1):SEG\$(L \$(X),122,8)!214 1370 GOSUB 1550 !100 1380 DISPLAY AT(21,1): "Edit, Delete, Next or Menu?": "N" :: CALL KEYAT(22,1,K, "EDNMed nm")!058 1390 ON POS("EDNMednm", CHR\$( K),1)GOTO 1460,1410,1240,140 0,1460,1410,1240,1400 !075 1400 RETURN !136 1410 REM delete entry !127 1420 DISPLAY AT(21,1): "Delet e this entry? N" :: CALL KEY AT(21,20,K,"NnYy")!128 1430 IF POS("NnYy", CHR\$(K), 1 )<3 THEN 1380 !174 1440 L\$(C) = L\$(S) :: S = S - 1 ! 171450 CALL CLEAR :: GOSUB 155 0 :: GOTO 1240 !100 1460 REM edit entry !178 1470 GOSUB 300 !125 1480 GOTO 1380 !184 1490 REM FILE MENU !047 1500 DISPLAY AT(1,1): "Disk d irectory..." !061 1510 DISPLAY AT(4,1): "Direct ory of disk number 1?": :"Us e 0 to return to menu" !078 1520 ACCEPT AT(4,26)SIZE(-1) VALIDATE("0123"):X !000 1530 IF X=0 THEN RETURN ELSE ON ERROR STOP :: CALL CAT(X ):: ON ERROR 1650 :: CALL PA USE :: RETURN !034 1540 CALL ENDING :: RETURN ! 042 1550 REM DISPLAY LABELS !163 1560 DISPLAY AT(4,19): "Last name" !189 1570 DISPLAY AT(6,18): "First name" !051

1580 DISPLAY AT(8,21): "Addre

1590 DISPLAY AT(10,24): "City

1600 DISPLAY AT(12,23): "Stat

1610 DISPLAY AT(14,23): "Zip+

1620 DISPLAY AT(16,19): "Area

ss" !041

e" !144

4" !035

code" !208 1630 DISPLAY AT(18,23): "Phon e"!143 1640 RETURN !136 1650 ! ERRORS SUBROUTINE !17 1660 CALL SCREEN(7)!152 1670 DISPLAY AT(2,1) ERASE AL L: "An error has been caused by your activities." !059 1680 CALL ERR (AA, BB) !119 1690 IF AA=109 THEN CLOSE #1 1700 DISPLAY AT(6,1): "Error' # ";AA !210 1710 IF AA=130 THEN DISPLAY AT(8,1): "Input/Output Error" :: GOTO 1740 !171 1720 IF AA=109 THEN DISPLAY AT(8,1): "File Error" :: GOTO 1740 !089 1730 DISPLAY AT(8,1): "Unknow n Error" !080 1740 CALL PAUSE !232 1750 ON ERROR 1650 !129 1760 CALL CLEAR :: CALL BLUE 1228 1770 RETURN 210 !035 27000 SUB EMPTY !253 27010 DISPLAY AT(14,1): "You can't save or print an empt y list, nor can you sortor s earch a list with only one entry." !028 27020 CALL PAUSE !232 27030 SUBEND !168 28040 SUB KEYAT(R,C,X,V\$)!21 28045 ! KEYAT(Row, Column, A SCII Return variable, Valida tion string) JLS 2/91 !033 28050 ! Combines cursor flas h with single key entry, val idation !111 28055 C=C+2 :: CALL GCHAR(R, C,N(0)):: N(1)=N(0):: N(2),N $(3) = 30 \cdot 1163$ 28060 CALL HCHAR(R,C,N(Y-INT (Y/4)\*4)):: Y=Y+1 !209 28065 CALL KEY(0,X,S):: IF S <1 THEN 28060 !092 28070 IF POS(V\$, CHR\$(X), 1) = 0THEN IF X=13 THEN X=N(0)ELS E 28060 !059 28075 CALL HCHAR(R,C,X)!144

28080 SUBEND !168 29160 SUB ENDING !036 29165 !CONFIRMS PROGRAM QUIT JLS 9/89 !129 29170 CALL SOUND(800,130,0,1 60,0):: DISPLAY AT(24,3):"PR ESS SPACE BAR TO QUIT" !105 29175 CALL KEY(0,K,S):: IF S <1 THEN 29175 ELSE IF K<>32 THEN SUBEXIT !003 29180 STOP :: SUBEND !194 29505 SUB BLUE !149 29510 ! SWITCHES DISPLAY TO WHITE ON BLUE; JLS 7/88 !230 29515 CALL SCREEN(5):: FOR L =0 TO 14 :: CALL COLOR(L, 16, 1):: NEXT L :: SUBEND !202 30595 SUB MENU(A\$,X)!127 30600 ! A\$ IS LIST OF OPTION S, EACH 11 CHARACTERS LONG ! 30605 ! X : RETURN VARIABLE FOR NUMBER OF CHOICE !043 30610 CALL CLEAR :: FOR L=1 TO 8 !149 30615 DISPLAY AT(4+L,9):SEG\$ (A\$, (L-1)\*11+1, 11) :: NEXT L30620 DISPLAY AT(16,9):"X QU IT" :: L=L-1 !182 30625 DISPLAY AT(23,9): "CHOI CE?" !080 30630 V\$="AEDFLPSQX"&CHR\$(13 ):: CALL SOUND(200,-1,4)!055 30635 CALL KEY(3,X,S):: IF S <1 THEN 30635 !120 30640 X=POS(V\$,CHR\$(X),1)::IF X=0 THEN 30635 ELSE CALL CLEAR !211 30655 SUBEND !168 30820 SUB PAUSE !236 30825 FOR D=1 TO 100 :: NEXT D !241 30830 DISPLAY AT(24,2): "PRES S ANY KEY TO CONTINUE" !088 30835 CALL KEY(0,K,S):: IF S <1 THEN 30835 !049 30840 SUBEND !168 31565 SUB TITLE2 !035 31575 DISPLAY AT(7,9): "PHONE LIST" :: CALL CHAR(95, "00FF "):: CALL HCHAR(8,11,95,10)!

(See Page 20)

ONLY **\$4.95** Per Disk

# E. THE TOP IN QUALITY. SELECTION AND VALUE

• Public Domain and Shareware for the Texas Instruments TI-99/4A Computer.

NCRED

# **BONUS**

PREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DISKS!!!

## GAMES - BUSINESS - GRAPHICS - WORD PROCESSING -UTILITIES - DATABASE - MUSIC -COMMUNICATIONS - HOME

The TEX-COMP Freeware program is a disk distribution service which is operated to support the TI-99/4A user and programmer and to keep the TI-99/4A the best value in the computer world. The nominal charge (4.95) that is charged for each title is for distribution services only and includes the cost of duplication, premium grade disks, labels, advertising and packaging including plastic disk cases that we include at no extra cost with orders of four or more disks. When a program requires more than one disk side, we supply a flippy or even a second disk at no extra cost. The programs we distribute come from all over the world and are either public domain or the author has expressly agreed to freeware distribition or has placed the program into freeware distribution by providing it to a commercial bulletin board service.

THE SINGING TI-99/4A SPEECH & MUSIC DISK

SPEECH & MUSIC DISK
This is the disk everyone is
talking about. The computer voice
actually sings to animated
graphics. Includes routines by
master programmer Ken Gilliland.
Bert & Earnie, Maltilda & much much
more. 2 disk sides, speech & 32 K
req. Exbasic autoload.
#2. WHEEL OF FORTUNE, BLACKJACK &
JOKER POKER

JOKER POKER

Three fantastic freeware programs on one disk. Professional quality and the best "wheel" game around at any price. Vanna would love it!

This disk helps you transfer many TI modules to disk. Recommended for users with some programming ability. Ed/Assembler and "widget" recommended

#4. PRINTART

TWO disk sides filled with files that print out great quality pictures on most printers. Many famous TV and comic characters on this disk. "Beam me up Scotty."

50 ORIGINAL TI SALES DEMO DISK WITH TI-TREK GAME

WITH TI-TREK CAME
This disk is packed full of
assorted files of all types.
Graphics, speech etc. Contains
complete TI-TREK game for Speech
Editor or TE-II module.
#5A. TI MUSIC/GRAPHICS
A great collection of music and
matching graphics. Great examples
of music & sprite programming.
#6. EXBASIC MUSIC
A two disk side collection of music

A two disk side collection of music & graphics that we consider some of

SPACE SHUTTLE MUSIC/GRAPHICS one of the real outstanding examples of programming. This disk has it all. Great graphics, music, and continuity. A real salute to the space program. It is almost like watching a movie! LOTTO PICKER

This program randomly generates numbers for use in the various state lotto games and even runs simulated lotto game. Easy to modify for pick 6 etc. games. great learning and fun disk.

#9. MONA LISA PRINT OUT

This disk prints out a near photo quality picture of that lady with the clssic smile. We understand it was made by digitizing the original with a super powerful computer and converting the output to run on the TI-99/4A. Impresses everyone who sees it! Requires Epson printer

compatibility. #10. GOTHIC PRINT

#10. GOTHIC PRINT
This disk lets you type out a
phrase on the screen and then print
it out in gothic (Old English)
style. Looks like hand-lettered
calligraphy. Use for invitations
announcements and business cards.
#11. ANIMATED CHRISTMAS CARD
"WOODSTOCK"

This disk was actually originally Inis disk was actually originally sent to TEX-COMP as a greeting from master programmer Ray Kazmer It was just too good not to share! On of the best examples of computer animation and graphics you will see on any computer. on any computer! #12. TI-99 OLOPY

This great piece of programming actually simulates and plays the famous board game. For legal reasons we cannot name the game but "do not pass Go! but go directly to lail"

STRIP POKER (PG RATED) Play Poker against your TI-99/4A When you win a hand she loses--a piece of her clothes that is. D worry about being a lousy poker player. Another file is included where you don't even have to know an ace from a king.

FIGURE STUDY (PG RATED) A collection of Playboy type centerfolds that can be printed out

centerfolds that can be printed out at your command. Use with any printer.

#15. STAM/EPSON PRINTER DEMO
This 2 sided disk contains a large collection of demo programs to put your Stat/Epson compatible printer through its paces. Learn what control codes can do! Lots of text and graphics examples. Second side has a great tutorial on printer graphics with examples!

#16. SIDEWAYS PRINTOUT
This program allows you to print out the material from your printer sideways. Great for spreadsheets, banners and large graphics. Second side contains some new enhancements for Multiplan not available on the

TI upgrade.

#17. TI FORTH DEMO
This demo disk was released by TI to show the power of Forth. Fantastic music and graphics.
Assem and 32K required!
#18. TI DIAGNOSTIC

This program loads into the Mini-Memory module and checks out your entire system. Much better than disk based diagnostics that cannot be used if a problem in the disk system is at fault. Complete documentation on second side.

#19. TI WRITER/MULTIPLAN UPGRADE

This disk released by TI adds real lower case to your TI Writer, speed to Multiplan and other enhancements. Easy to use., just substitute new files for old! Instructions included. #20. ACCOUNTS RECEIVABLE

This self contained prize winning program loads and runs in Exbasic and has all the features found in a progessional accounting system.

Complete with documentation and a second disk side with report generating programs. #21. DATA BASE DEMO DISK

A progessional data base program that was originally written to store various magazine articles from computer magazines and then find them by name, subject, key word, or publication. Fast, easy to word, or publication. rask, eas, use and easy to adapt for other applications. Come complete with sample data to make learning data base processing easy. Completely base processing easy. Comp menu driven and unprotected

Send order and make checks payable to TEX+COMP

P.O. BOX 33084 - GRANADA HILLS, CA 91344

TEMBS: At prices F.D.B. Los Angeres. For lastes' service use cashiers check or morey order. Add The shipping and nandring (\$0.00 Ammum). East of Microsopp 41:56. Add 3% Ido Tedit Card orders. Prices and availability subject to change without notice. We resent intellight to limit quantities.





24 Hour Order Line

(818) 366-6631

. Public Domain and Shareware for the Texas Instruments TI-99/4A Computer.

# ONLY \$4.95 Per Disk

Public Domain and Shareware Programs to Meet Your Every Computing Need.



PREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DISKS!!!

ASTROLOGY

#22. ASTROLOGY
This one is as good as anything you will see in an arcade. Great color graphics and displays of the Zodiac. Enter your birthdate and learn about your sign, your fucky days and famous events in history on your birthday. Even prints out a report. Can be used as a great moneymaker at a charity event. Help 2006 your spouse's career.

#23. WILL WRITER Enter your answers to a group of Enter your answers to a group of computer asked questions and this program then writes you a last will and testament. Now you can leave your T1-99/4A to your favorite nephew. Works with any printer. Appears legal in all states but better check that out!

#24. ENGINERRING CALCULATIONS
A two sided computer handbood of dozens of the most often used engineering and technical formulas. A real time saver. Does conversions, calculations and even designs electrical circuits. A must for anyone whose profession or for anyone whose profession or hobby involves scientific calculations. Even has medical and communications applications.

MEDICAL ALERT #29. MEDICAL ALERT
This disk contains many menu
accessible files covering most
everyday medical emergencies. A
good "what to do until the doctor
or paramedic comes" guide. Well
written and organized. Could very

easily save a life! #26. R RATED CAME #20. R RATED GAME
It was bound to happen. A talented
(but demented) programmmer in
Germany wrote an Invaders type game
but with most unusual guns and
targets. Definitely not what you but with most unusual guns and targets. Definitely not what you would find at your neighborhood arcade. Not only a great party game but some great programming. You must be over 18 to order this one!! #27. KIDS LEARNING An educator in Georgia put this two sided disk collection of advantional programs together.

educational programs together. Contains great material. Math, geography. reading improvement, an even lû testing. All high quality programs for kids of all ages. #28. LOADERS AND CATALOGERS

We put together a collection of the we put together a collection of the best programs that catalog and load a group of programs on a disk. Just try them, pick the one you like and transfer it to another disk with the file name LOAD and you are in ousiness

#29. LABEL MAKER I 

#30. HOUSEHOLD BUDGET PRINTOUT With this disk you print out the data you have stored with the TI HBM Module. HBM is a great module that can be used for many home and that can be used for many nome and small business applications but TI forgot to include a printout function. This program comes with full instructions and we are sure that your HBM Module will now start being used. Fantastic programming

MORSE CODE TRAINER DISK **#**31 This disk has everything you need to learn and practice Morse Code for the various FCC license exams It also is great for scout groups and school "ham" clubs for group training and merit badge qualification. Professional

EXBASIC XMAS MUSIC #32. EXBASIC XMAS MUSIC Two disk sides full of high quality xmas music that can be played throughout the holiday season and then used as a learning tool since it contains wonderful arrangements Autoloading and menu and graphics.

driven. #33. CHECKERS & BACKGAMMON A collection of great checkers and backgammon games for the TI-99/4A. These are professional in quality and will keep you busy for hours. #34. SOLITAIRE & SCRABBLE Another collection of classic games for the TI-99/4A. Exbasic & 32K re PROGRAMMING AIDS & UTILITIES I A collection of some unusual programs of interest to programmers. One program shows a group of opening title displays. another is a cross reference program as good as any of the commercial ones, plus a great disk management utility.

STRICTLY BUSINESS A collection of various programs for evaluating loans, calculating interest, and other financial items such as return on investment and security performance. Two disk sides filled with financial and business related programs. business

business related programs. #37. LAPD COOKBOOK
This unofficial police cookbook was put together by one of our boys in blue who is also a gournet chef.
(Yes. it contains jailhouse chili) Over 50 great receipes from soup to nuts on two disk sides and each separate side can be called up on screen or printer in exbasic from a renu. As good as any of the new PC computer cookbooks we have seen.

computer cookbooks we have seen. #38. GREAT 99/44 GAMES VOL. 1
A collection of professional games in assembly and exbasic that all load from a menu in exbasic.
Includes a great ski game where you dodge the trees in a fast downhil; run. We have included only the best

#39. GREAT 99/4A CAMES VOL. II Still more of the great ones from all over the world. The quality, graphics and speed of many of these games will make you wonder why they vere never released ARTIFICIAL INTELLIGENCE This disk contains the famouse computer program "Eliza" where you type in a question or a problem you are having and "Eliza" helps you find the solution. Also contains find the solution. Also con one of the better bio-rhythm programs so you can analyze all your emotional problems at one sitting. #41. VIDEO GRAPHS MODULE BACKUP

DISK

DISK
This disk is a backup of the
discontinued Video Graphs Module
from TI. For legal reasons, it can
only be purchased for backup use by
owners of the original module. Do
not order UNLESS you have the
original module and intend to use
this disk only for backup purposes.
Exbasic autoload...

FUNNELWEB FARM UTILITY You heard about this one, now direct from Australia is the latest direct from Australia is the latest version of this fantastic utility that puts everything at your command. From one program you can access word processing, editor assembler, telecommunications and just about everything else. freeware program complete with documentation on a second disk side

#43. BEST OF BRITAIN, VOL I Now for the first time, a collection of the best 99/4A games Collection of the Dest 97/44 games Britain has to offer including the famous "Billy Ball" series of arcade games. Great graphics, action and excitement.

action and excitement:

#44. LABEL MAKER I GRAPHICS
A disk filled with graphics for the Label Maker I disk (#29). Dozens of great graphics for custom labels!

#45. BEST OF BRITAIN, VOL II
This disk contains an outstanding 3-D graphics adventure game for the TI-99/4A. Carfax Abbey lets you actually move through a four story mansion complete with bats and vampires. You actually are placed in each room and go up and down stairs and through secret banels. Legend of Zelda...look out:

#46. SUPER TRIVIA 99

#46. SUPER TRIVIA 99
A great trivia game for 1 to 4
players with great questions and capability to add your own and print out the files. This one is a eal challenge

INFOCOM RAPID LOADER If you have Infocom games this is for you. Loads all TI Infocom games for you. Loads all Ti intocom Kamin only 28 seconds and permits new screen colors and improved text display Comes with all documentation on disk

Send order and make checks payable to TEX+COMP

P.O. BOX 33084 — GRANADA HILLS, CA 91344







24 Hour Order Line **2** (818) 366-6631

BOTE Payment of Umberacompenial arabet. Cod Transfer of Hospital (Hold Society of Hold Society) and Hold Society of Hold Society of Hold Society (Lond Society) and Society (Lond Society) and the society of Society (Lond Society) and Society (Lond Society) and the society of Society (Lond Society) and the society (Lond Soci

. Public Domain and Shareware for the Texas Instruments TI-99/4A Computer.

ONLY **\$4.95** Per Disk

Public Domain and Shareware Programs to Meet Your Every Computing Need.



FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DISKS!!!

GHOSTMAN (from England) This Pacman/Munchman type game starts at a slow pace and slowly speeds up to a break-neck pace, totally new experience.

#49. DEMON DESTROYER (from France) This great assembly game settings where Invaders leaves off. Add features like descending aliens and closing walls. Hours of great arcade action.

OH MUMMY (from Germany) Move through the chambers of a Pyramid in search of hidden treasure. Fantastic graphics and great entertainment. #51. BERLIN WALL (from Canada)

This game requires a mine field to be crossed before escaping from E. Berlin. Good graphics and a real challenge

#52. ANIMATION 99 (from Germany)
THIS IS THE ONE!!! A demo disk
filled with computer filled with computer animation routines like you have never seen before on any computer. See famous cartoon figures move with more realism that on Sat. morning TV. This disk received a standing ovation when previewed at a local users group. We have even included instructions how to do it yourself on the second disk side. This one is a show stopper!!!

#53. HACKER/CRACKER
A collection of disk convine.

#53. HACKER/CRACKER
A collection of disk copying
programs that copy TI disks by
tracks. If one of these can't copy
a protected disk nothing will. We
included a collection of the very
best ones including both TI and
CorComp compatible. These programs
require 2 disk drives and 32K of

memory. #54. ASTRONOMY

#54. ASTRONOMY
This program from Australia plots
the heavens and teaches you about
the solar system. A great learning
and reference tool. Exbasic and 32K
required. Don't confuse this one
with our Astrology demo. They are
not the same...ask Nancy!
#55. SCREEN DUMP

This program allows you to dump disk and even module programs to a Star/Epson compatible printer. Comes with easy to follow plans to build a load interrupt switch which is needed to dump module programs. This dump program by Danny Michael is considered the best of the bunch! Complete with documentation.

#56. SPREAD SHEET
OK, it's not Multiplan but it works
great and handles many spread sheet
applications. A great way to learn
to use spread sheet software. Comes
with full instructions and
documentation.
#57. TELCO.

TELCO Considered one of the best data ommunications programs for the TI-9/4A. Complete with documentation.

**#**58. #JO. PK BANE
The alltime most popular and widely
used data base program for the TI99/AA. A freeware program that is
widely supported and updated.
#59. GRAPH MAKER

#59. GRAPH MAKER A collection of the best programs for producing graphs and charts from your data. Exbasic and printer. #60. FREDDY

#60. FREDDY
A fantastic game where you guide
the hero through underground
passages filled with danger.
Nintendo quality, great graphics
and fast action. One of the best we
have ever seen!!
#61. THE MINE
A fast action game from E.R.G. that
will keep you going for hours. Many

A fast action game from F.K.G. that will keep you going for hours. Many screens and skills required.

#62. DISK MANAGER II MODULE BACKUP The complete TI Disk Manager II on Disk. For legal reasons it is only available to owners of the original module for backup use.

#63. ASTROBLITZ/MAZOG

A pair of great games that continue where Parsec and Munchman leave off. Imagine Parsec with enemy space craft coming from in front and in back of your ship!!!

#64. MAJOR TOM/SPACE STATION PHETA

#64. MAJOR TOM/SPACE STATION PHETA
A pair of great space games. These
two are going to keep you in front
of the 99/4A for hours. Great!
#65. PERFECT PUSH
An all new space game where you
assemble and launch a rocket ship
in outer space while avoiding a
space monster. This one is
professional in very way..graphics.
speed and action!!!

#66. HEBREW TYPEWRITER This program converts your TI-99/4A keyboard into a typewriter that displays Hebrew letters on the screen. Can also be printed when used in conjunction with when used in conjunction with screen dump program (included). Great for religious training or making your copy of the dead sea scrolls or ten commandments!

#67. GENEALOGY

Now you can set up your family tree and store or print out the records. Great for keeping track of family relationships and records. **#6**8. CHESS

### The original computer chess game Sargon has been reprogrammed for the TI-99/4A. Now play chess with your computer. Documentation ded. Exbasic autoload.

COMPUTER PLAYER PIANO/KEYincluded.

BOARD CHORD ANALYSIS BOAND CHORD ANALYSIS
A unique music program which
displays a piano on the screen and
actually plays your selections.
#70. TI RUNNER II
The very latest (and best) "runner"
game based on TI Runner and Star
Runner. Great action, graphics and
entertainment.

#71. KIDS LEARNING II TWO more disk sides loaded with the best in educational programs. Kids improve their math, spelling and comprehension skills while having fun. #72. CERBERUS

F7/2. CERBERUS
Fantastic space game from Germany.
Pilot your ship through narrow and
crooked channels in space without
colliding. Great graphics and music.
#73. CRYPTO (gram)

One of the best word games we have seen for any computer. Set up like a TV game show with great screen displays. #74. LABEL MAKER II Make labels for holidays and special

events. You compose the text and select the resident graphics for the occasion.

#75. DISK CATALOGER Now you can organize your disk files with this great utility. Files, sorts, and prints your records. Easy to use. #76. PROGRAMMING AIDS AND UTILITIES II #76. PROGRAMMING AIDS AND UTILITIES II A collection of very useful material Includes a program to convert basic to exbasic so your old basic programs will load & run in exbasic, even with graphics. Also includes two on screen diagnostic programs to test your keyboard and processor. A great merge utility is also on this disk. #77. MICROdex 99

database program by Bill Gaskill which files and retrieves data such as magazine articles. A sample database is included. #78. ARTCON+ BY RAY KAZMER ATTENTION GRAPHX AND TI ARTIST USERS!!!

This program lets you convert Exbasic graphics to TI Artist and Graphx pictures. Also contains a new MAC-RLE (2) for converting from Artist to Graphx. #79. DM1000 V3.5

#79. DM1000 V3.5
One of the most popular disk managers
for the TI-99'4A. Originally a rip-off
of the CorComp manager. It has been
improved and refined by talented users
all over the world. This version is
deemed the most reliable to date and is
far advanced over the TI Disk Manager II.
Distributed by permission from CorComp.
#80. BIRDWELL DISK UTILITY
A must if you are intro programming and a

A must if you are junto programming and software development. Besides being a great disk manager, it has provision for copying sectors, comparing files and is menu driven. Complete with documentation.

Complete with documentation. #81. MOME ACCOUNTING SYSTEM
A complete family & small business
accounting system including a checkbook
manager, budget analysis, mailing list and
an inventory program. Complete with documentation. Easy to modify for specific needs.
#82. CROSSWORD PUZZLES

This program from Australia creates a different puzzle each time you run it. Self contained with definitions and vocabulary taken from a leading crossword dictionary. Great crossword fun. #83. HOME APPLICATION PROGRAMS

A two disk side collection of useful programs for the home. Includes banking, cooking, home bar guide, utility records, and much much more. Something for everyone.

Serial order and make checks payable to TEX+COMP

P.O. BOX 33084 — GRANADA HILLS, CA 91344

TRANSCIAL prices FC 8 Lord Angle et Printagnol service use vacher proces on John Add 76 chopping and handing \$3.00 Milmore. Sast of Mos visible and Add for choosing and handing sast of Milmore. Sast of Mos visible and variables, supercincipance where the registrollowing quantities.









24 Hour Order Line (818) 366-6631

##TE-Parment in full must accompany at orders. Great Card, Company, check of Money urder for finned users ordered. Personal Checks require up to 4 weeks to be act Cash tima urders, 400 515 m, lakes, lake

• Public Domain and Shareware for the Texas Instruments TI-99/4A Computer. **#**96.

AUTHORNED SOLES

STATISTICS & SORTING

#96. STATISTICS & SORTING
Two great assembly utilities by
John Clulow. STAT is a set of
statistic routines for use in
exbasic. SURT allows sorting by
two separate fields and a choice
of two types of sorts.
#97. MEMORY MANIPULATOR

This powerful utility lets you explore the entire memory in your 99'4A system and take apart what you find. Eser firendly:

#98. DAYS OF EDEN & DOORS OF EDEN

#98. DAYS OF EDEN & DUORS OF EDEN Two bible games )non-fiction) that work with the T! Adventure Module. #99. GREAT 99/4A GAMES VOL. IV This disk features the works of J. Peter Hoddie. All of these games

This disk readules the most service Peter Hoddie. All of these games are of commercial qualaity and well worth the donation requested!

#100. ASSULT THE CITY (T. of DOOM)

An exciting game for use with the Tunnels of Doom module. Several Exbasic bonus games are included.

#101. ENCHANCED DISPLAY PACKAGE

#101. ENCHANCED DISPLAY PACKAGE
This screen enhancement utility
lets you do 40 columns, windowing,
reverse scrolling, clock/alarm, and
a whole host of other great tricks in
exbasic. Fully documented.
#102. COLOSSAL CAVES ADVENTURE
This classic adventure now
available for the 99/44 is what
led to the Zork series. Hours of

led to the Zork series. Hours of text adventuring.

\$\frac{1}{2}103. \text{ SORGAN, THE 99/4A ORGAN}\$

This program which is currently selling for big bucks on module turns your 99/4A into an electronic organ. Sound effects, different instruments and voices, chord forms, color graphics with complete control of all.

\$\frac{4}{2}104. \text{ C99 COMPILER AND LIBRARY}\$

complete control of all.
#104. C99 COMPILER AND LIBRARY
This two-sided (flippy) disk gets
you into C programming with your
99,4A. Comes with a great collection of utilities such as text &

#105. KING'S CASTLE+
A great arcade style assembly game
formerly offered on module. Also
includes an EB "Trek" game and
a collection of sprite & graphics
from Tigercub's Jim Peterson.
#106. QUEST (Dungeons & Dragons)
One of the best D&D games around!
You must destrey the Dark Lord to
free your homeland! Complete with
documentation on disk

fore your homeland: compress
documentation on disk.
#107. STAR TREK MUSIC ALBUM
Ken Gilliand's music and graphics
version of the TV theme and the

FUNLPLUS BY JACK SUGHRUE Fantastic disk packed with Funnelweb (#42) templates, utilities and prog. to augment and configure Funnelweb. Unbeliveable collection of fantastic aids to make the best even better! #109. TI-WRITER MINI MANUAL ands to make the best even better #109. TI-WRITER MINI MANUAL This disk prints out a five page TI Writer manual with everything

graphics. (E/A) #105. KING'S CASTLE+

GALACTIC BATTLE/SPY ADVENTURE #84. GALACTIC BATTLE/SPY ADVENTURE
A pair of great commercial quality games
from EB Software of TI Runner fame.
Galactic Battle is a space "trek" type
strategy game for one or more players.
Spy Adventure is an adventure game
that will keep you guessing for hours.
#85. AUTOBOOT UTILITY
This writing which can be installed on a

#85. AUTOBOOT UTILITY
This utility which can be installed on a
disk loads and runs or displays most files.
Now you can have a disk with exbasic programs, Editor Assembler programs and TI
Writer files and run or display them all

Writer tites and ...
from exhasic.
#86. COLUMN TEXT III V3.2
A very useful utility for printing
TI Writer and 99 Writer II files in
Saves hours
Complete separate spaced columns. So in producing a newsletter. with documentation.

#87. ARCHIVER III

This utility allows you to "pack" or combine several files into one or commone several rifes into she of for space utilization. A number of boards are sending files packed to save transmission costs. This utility will let you pack and or unpack these files.

AUSSIE GAMES VOL 1 #88. AUSSIE GAMES VOL I A collection of games from our friends down under. Includes a great card game and board game. Hours of fun and enterand board game. Includes Matchmaker & TILO. tainment. PROCALC

789. PROCALC
This is an on screen calculator for decimal/thexidecimal conversions and much more. A must for the serious

programmer.
# 90. JET CHECKBOOK MANAGER # 90. JET CHECKBOOK MANAGER
This checkbook manager is considered
the ultimate with every feature you
can think of for keeping track of your
checking account and keeping records
of your spending for budget and tax
purposes. Complete with documentation.
#91. "THE MAZE OF GROC"(St. Valentine) #91. "THE MAZE OF GROC (St. Varentin Ray Kazmer has created a great maze game with fantastic graphics and the characters from his now legend-ary "Woodstock" disk. Fun for all::! #92. HOUSEHOLD INVENTORY

₱92. HOUSEHOLD INVENTORY
Written by 99/4 programming great
Charles Ehninger, this prize winner
originally sold for \$59.95. Keeps
track of household, business or personal items by category and provides
automatic updating for inflation etc.
A must for tax and insurance records!
₱93. THE 1991 KBGB GIRLIE CALENDAR
This larget offering from programming

#93.

#94.

#95.

#95.

#96.

#97.

#97.

#97.

#98.

#98.

#98.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#99.

#9

#93. THE 1991 KBGB GIRLIE CALENDAR
This latest offering from programming master Ken Gilliland prints out a jumbo 12 month calendar with a knockout centerfold pinup for each month. If you like our #14 Figure Study disk, you will flip over this one. For Adults Only! Exbasic & d/m printer.
#94. CREAT 99/4A GAMES VOL. 111
If you have seen vols. 1 & 2 of this series you know we only provide the very best. This latest volumn is also filled with a collection of great ones!
#95. WEATHER FORECASTER
The weather predictions are amazingly

The weather predictions are amazingly reliable and accurate! A great game "Lawnmover" and a mini database are also included to make this disk a fantastic value

Public Domain and Shareware Programs to Meet Your Every Computing Need.



ONLY **\$4.95** Per Disk

FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DISKS!!!

FOUR OR MORE DISKS!!!

#110. DISK + AID
A powerful disk sector editor
formerly sold for \$20. Menu
Driven and easy to use.
#111. POP MUSIC & CRAPHICS
This exciting disk from Germany
features music/graphics written
in 100% assembly and what comes
from the TI cound chim is sure. from the TI sound chip is sure to

astound you. #112. INVOICE PACK An excellent invoice preparation and printing program with instructions on how to modify it for your own business. #113. LABEL MAKER 3

A collection of label programs to create mailing and disk envelopes, disk labels and much more! PANORAMA

#II4. PANOKATA A drawing and illustration program that compliments Graphx and TI Artist. A mu for the serious 99/4A artist! #115. GRAPHICS DESIGN SYSTEM A complete system for creating graphic screens in full color for your programs by J. Peter Hoddie. Fully documented.

documented.
FOURTH TUTORIAL #116. A lesson in FORTH programming on how to create graphics.

#117. UNIVERSAL DISASSEMBLER #117. UNIVERSAL DISASSEMBLE.
This powerful utility written in
Forth allows disassembly of programs
off disk in any format. in memory, and
even off of P-Box cards. Very complete
with some very unique features.
#118. FAST TERM

#118. FAST TERM
One of the most popular and recommended
of the 99 4A terminal emulator programs.
Supports TE-11, ASC11, and X-Modem
transfers, print spooling and more.
Loads from Exbasic or E/A.

Loads from Lxdasic of E/A. #119. RAC LINKER
A utility for converting DIS/FIX 80
assembly object code files to PROGRAM
image. This allows files to load faster
and take up less space on disk. Full Do

#120. BITMAC The original BITMAC is now available at \$4.95 with all original documentation. As powerful graphics program for the 4A which lets you print where you want .even over pre-existing text. Create great graphics in 16 colors, print text sideways. mirror image. text steemays, mittor tange, upside down etc. etc. A must for anyone into 99'4A graphics Comes with second bonus disk with utilities such as sign & banner makers. Even can computer generate your own signature!

#121. SUPER YAHTZEE & WHEEL II #121. SUPEN TABLET & WHELL II
If you like Yahtzee this disk is for
you. A great version written in high
speed assembly. Also included is another
version of Wheel of Fortune which also
lets you create your own puzzles with a
puzzle edit program included.
#122. ADULT ADVENTURE

#122. ADULT ADVENTURE A trily adult adventure for use with the TI Adventure Module. Also included is a bonus adventure (not adult) "LOST COLD" which is one of the better ones we have seen recently.

Send order and make phecks payable to TEX+COMP

P.O. BOX 33084 — GRANADA HILLS. CA 91344

TRANS, A price FOR contangent for genomeration and received to the property and handred for genomeration and the property and handred published for Green Countries and Available property for Ceeding orders force and Available property or unarge who under contange who under contange with a property of the property of



you need to know to use TI Writer or the many clones such as 99Writer

Additional aids for using thi powerful word processor are included





24 Hour Order Line (818) 366-6631

## (Continued from Page 15)

31580 DISPLAY AT(12,2): "Name and Address Database" !094 31585 DISPLAY AT(18,5):"Jerr y L. Stern 1991" !056 31595 SUBEND !168 32070 SUB QUICK3(N, X\$(), D)!1 09 32075 ! (NUMBER OF VALUES, STR ING ARRAY TO BE SORTED, DIGIT TO SORT BY) !194 32080 ! MODIFIED FOR MIDSTRI NG SORT JLS 4/85 !029 32085 K, I=0 :: E=133-D :: DI M S(70)!232 32090 S(I+1)=1 :: S(I+2)=N !207 32095 K=K+1 !015 32100 IF K=0 THEN SUBEXIT !2 21 32105 K=K-1 :: I=K+K !240 32110 A=S(I+1):: B=S(I+2)!0132115 Z=X\$(A):: U=A :: L=B+1 !197 32120 L=L-1 !018

32125 IF L=U THEN 32150 !111 32130 IF SEG\$(Z\$,D,E)<=SEG\$( X\$(L),D,E)THEN 32120 ELSE X\$ (U) = X\$(L) ! 06032135 U=U+1 !035 32140 IF L=U THEN 32150 !111 32145 IF SEG\$(Z\$,D,E)>=SEG\$( X\$(U),D,E)THEN 32135 ELSE X\$ (L)=X\$(U):: GOTO 32120 !027 32150 X\$(U) = Z\$ ! 12232155 IF B-U>=2 THEN I=K+K : : S(I+1)=U+1 :: S(I+2)=B :: K=K+1 !080 32160 IF L-A>=2 THEN I=K+K: : S(I+1)=A :: S(I+2)=L-1 ::K=K+1 !061 32165 GOTO 32100 !048 32170 SUBEND !168 32175 SUB CAT(X)! SUBPROGRAM EQUIVALENT OF DIR(DISK NUMB ER TO READ DIRECTORY FROM) ! 013 32180 DIM T\$(5):: T\$(1)="DIS /FIX" :: T\$(2)="DIS/VAR" :: T\$(3) = "INT/FIX" :: T\$(4) = "INT/VAR" :: T\$(5)="PROGRAM" !0

32185 OPEN #5: "DSK" & STR\$(X) & ".", INPUT , RELATIVE, INTERNAL :: INPUT #5:A\$, J, J, K !182 32190 PRINT "DSK1 DISKNAME= "; AS: "AVAILABLE="; K; "USED="; J-K: "FILENAME SIZE TYPE P":" \_\_ \_" !232 32195 FOR L=1 TO 127 :: INPU T #5:A\$, A, J, K !190 32200 IF LEN(A\$)=0 THEN CLOS E #5 :: SUBEXIT !086 32205 PRINT A\$; TAB(12); J; TAB (17);T\$(ABS(A));!094 32210 IF ABS(A)=5 THEN 32220 ELSE B\$=" "&STR\$(K)!099 32215 PRINT SEG\$(B\$, LEN(B\$)-2,3);!194 32220 IF A>0 THEN PRINT ELSE PRINT TAB(28); "Y"; !013 32225 NEXT L :: CLOSE #5 :: SUBEND !041

34

# **BASIC Assembly**

# Accessing built-in assembly routines

By BARRY A. TRAVER ©1991 B. Traver

So far we've been writing our own assembly routines for use in TI Extended BASIC (or letting utilities like GRAPH-ICOMP, VDP/SAVER, or TIA/LINK write them for us!), but I have some good news for you: your TI has built-in assembly routines that you can access and that can save you a lot of time and effort.

There are, in fact, three categories of such routines: DSRLNK (i.e., Device Service Routines to which you can LiNK), GPLLNK (Graphics Programming Language routines in GROM to which you can LiNK), and XMLLNK (ROM routines to which you can LiNK). (If I knew what XML stood for, I'd tell you; my best guess at the moment is that it has something to do with expanded Memory, but that is only a guess.)

DSRLNK links your assembly language

program to built-in Device Service Routines, e.g., a routine that may access a sector on your disk drive. GPLLNK lets you use built-in miscellaneous routines written in Graphics Programming Language to do such things as load in certain character sets, give a BEEP or HONK tone, etc. Many of the built-in XMLLNK routines have to do with different types of mathematical operations and various conversions. Altogether, these "Extended Utilities" make up a very useful library, often letting you do what would otherwise be difficult or impossible in Extended BASIC.

Programs running in TI Extended BA-SIC do have one disadvantage over programs running in other environments: although TI Extended BASIC includes support for XMLLNK, it does not include support for GPLLNK or DSRLNK. Don't panic, however. That deficiency is recti-

fied by the DSRLNK and GPLLNK routines included with this article! We are grateful to Doug Warren in particular for permission to make these routines (which were first published in the July 1986 issue of The Smart Programmer) more generally available once again.

In addition to his authorizing re-publication of the source code in MICROpendium, Doug says that it's okay for you to use the routines in your own personal TI Extended BASIC programs. In addition, you may share such TI XB programs (with these GPLLNK and DSRLNK routines "embedded" in the XB programs, making use of Todd Kaplan's ALSAVE, as discussed in the September 1990 issue of MICROpendium) with others, as long as you aren't charging anything for the programs.

If, on the other hand, you want to make commercial use of the routines, you do

(See Page 21)





# BASIC/ASSEMBLY—

## (Continued from Page 20)

need to contact Doug directly concerning obtaining permsission to do so. (See DSR&GPL/S for his address.) In my opinion (and I think many others would agree), the source code for DSRLNK and GPLLNK from Doug is the best version I know of anywhere around. Similar code is available from other sources (e.g., you can get such code directly from Texas Instruments if you ask), but I don't know any other that works from virtually any TI-99/4A environment and is so efficiently written (taking up only 186 bytes of code!).

You won't get much help from the Editor/Assembler manual on the use of DSRLNK other than a few comments on page 262. (I suspect that TI kept most of the information in a "proprietary" manual to keep people from learning the secrets of doing such things as unprotecting copyprotected software, but I may be wrong on that.) The E/A manual does give more time and space to DSRLNK (pages 251-257) and to XMLLNK (pages 257-261). Caution, however: not all of the routines discussed in the E/A manual are necessarily available in TI Extended BASIC.

# USING DRSLNK, GPLLNK, XMLLNK

The purpose of this month's column is to introduce the use of DSRLNK, GPLLNK, and XMLLNK, whereas next month I hope to go into more detail on some of the built-in routines available to vou in Extended BASIC using TI's "Extended Utilities."

Of all the different things I have written, it seems that "RAW" seems to have been the one used most often by other programmers. The "RAW" routines allow you to "Read And Write" individual sectors on a disk by direct access from Extended BA-SIC. John Johnson, Richard Mitchell, and others have made use of "RAW" in their programs. I can't boast too much about the success of "my" program, however, because I couldn't have written "RAW" without a lot of help from other TI'ers, including Michael Riccio, Todd Kaplan, Mack McCormick, Paul Charlton, and Chris Faherty! Now you understand my conviction that our TI community will continue to be strong if we continue to share with one another, learn from one another, and teach one another.

# "RAW" IS REVISED

For the benefit of MICROpendium readers and others, I have thoroughly revised the source code for "RAW." The biggest change perhaps is that it now makes use of GET/SEND/S (introduced in the June 1990 issue of MICROpendium), but there have been other significant modifications as well. "RAW" now allows for drives 1-9 (instead of 1-4) and for sectors 0-2879 (instead of 0-1439, for the benefit of those who have quad-density drives). Last, not least, is this: in revising the code, I have attempted to make it simultaneously more compact and more readable.

I hope you will find "RAW" a useful utility, but I also hope that you will find it instructive as well. Note, for example, the use of error checking and responding with error messages, something we have not done before in this column. "RAW" makes use of DSRLNK, whereas BEEP-HONK/S and QUIT/S make use of GPLLNK. BEEP and HONK are more illustrative than useful: all they do is make your computer beep or honk. Likewise, OUIT is the assembly equivalent of FCTN-QUIT. That's no big deal, either.

The purpose of the source code for those simple routines is to show in barest form the way in which DSRLNK, GPLLNK, and XMLLNK work: after you set things up as necessary (putting appropriate values in registers or proper memory locations as, or if, required), you do a BLWP @xxxLNK and follow that up with a DATA > xx on the next line. That tells DSRLNK, GPLLNK, or XMLLNK which built-in routine you want to access.

To call BEEP, HONK, or QUIT from Extended BASIC, simply load the assembly code and then use the relevant command: CALL LINK("BEEP"), CALL LINK("HONK"), or CALL LINK("QUI T"). To "read and write" the contents of a sector from/onto a disk, likewise load the assembly code and then use as appropriate command: CALL LINK("READ",DRIV E,SECTOR,A\$,B\$); or CALL LINK("W RITE", DRIVE, SECTOR, A\$, B\$). (The contents of the sector have to be put in two strings rather than one, because the maximum size of a string is 255 bytes, whereas the contents of a sector is 256 bytes.)

As I said, I'll tell you more next time about some specific "Extended Utilities" that are available to you (and I'll try to suggest some practical applications). Let me close this month's column, however, with a specific warning about "RAW": although the routine is tremendously powerful and useful, it is also potentially destructive if not handled properly. When experimenting with "RAW," I strongly advise that you don't have in your drives any disks that you can't afford to lose. Like a sector editor (and you could write your own XB sector-editor program using "RAW"!), "RAW" is a tool that must be handled with care. My advice for you (until you feel comfortable with "RAW"): have lots of fun playing with it - "Reading And Writing" with abandon — as long as you are doing it with a disk that you can afford to abandon (or at least reinitialize when you're finished)! Until next TIme, keep on compuTIn'!

# **BEEPHONK/S**

```
* BEEPHONK/S
       COPY "DSK1.GPL&DSR/S"
       EQU
            >006A
BASTC
            BEEP, HONK
       DEF
WS
       BSS
            32
       TWPT WS
BEEP
       BLWP @GPLLNK
       DATA >34
       LIMI 2
       LIMI 0
        В
             @RETURN
        LWPI WS
HONK
        BLWP @GPLLNK
        DATA >36
        LIMI 2
        LIMI 0
             @RETURN
        В
RETURN LWPI GPLWS
             GRASIC
        B
        END
```

# GPL&DSR/S

\* Universal GPLLNK and DSRLNK, by Doug Warren and Craig Miller.

This code is reprinted in MICROpendium by permission (see the July 1986 issue of THE SMART PROGRAMMER for the original fully commented version).

\* Feel free to make personal use of these routines. Also, you may embed them in TI Extended BASIC

(See Page 22)

# BASIC ASSEMBLY-

		LWPI:	>83EU			
XTAB27 EQU >200E GETSTK EQU >166C		JNE I	DLINK3			
LDGADD EQU >60	DLINK1				מאם	•
STKPNT EQU >8373	_		\$ \$+7		B END	@BASIC
GR6 EQU >83EC	DSRWS	EQU	\$	RETURN		
GR4 EQU >83E8	DOKTNK	DATA	DSRWS, DLINK1	Dummer	В	@RETURN
012m2 250 >03E0	שא זקפר	אַתואַרו	Depuis Di Tavet		DATA	
GPLWS EQU >83E0	GSTAT	EQU	>837C			@GPLLNK
* "DSK1.GET/SEND/S).	GR4LB			QUIT	LWPI	
* PRESENT IN ANOTHER FILE (E.G.,	VRD	EQU		WS	BSS	32
* GPLWS EQUATE IF IT IS ALREADY	VWA	EQU	>8C02		DEF	
* IMPORTANT: REMOVE THE FOLLOWING	NAMLEN	~		BASIC		>006A
	TYPE	~	>50 >836D	Q0117		DSK1.GPL&DSR/S*
* and both Workspaces. *	PUTSTK	FOII	<b>\5</b> 0	* QUIT		
* 186 bytes incl. GPLLNK, DSRLNK,	* DSRLM	1K	•		C	OUIT/S
* routine in your code.	*		*	DSREND	RTWP	
* Do not REF DSRLNK when using this *						R12,R15
*	* REQU		SINCE DSRLNK MAKES USE *			DSREND
* DATA 8	* DSRLI	NK, TH	HE ENTIRE FILE IS STILL *	•		@GSTAT,R12
* BLWP @DSRLNK	* IF Y	OU PLA	NO ONLY TO MAKE USE OF *	:		SETEQ
*	* OMIT	THE F	REMAINDER OF THIS FILE. *	•		R3,*R13
* E/A DSRLNK, e.g.,	* GPLLI	NK (A)	ND NOT DSRLNK), YOU CAN *	r	SRL	
* Use the same way as you would the			AN ONLY TO MAKE USE OF *			@VRD,R3
*	*			•		R12,R15
* Universal DSRLNK:		IV I WAL				R3, @VWA
*	· • '	MOV RTWP	KIZ, GYTABZ/		MOVP	@DR3LB, @VWA
* Do not REF GPLLNK when using this * routine in your code.	· •		GLNKWS R12,@XTAB27	DSRAD1	BYTE	>00
* Do not REE CPLING whom wains it	*	BL TWDT	*R4	DSRADD		
* DATA >34	* XMLRTN		@GETSTK,R4	Danana		@GPLLNK
* BLWP @GPLLNK	k VMT DOTE	В	@LDGADD		ΑI	R3,-8
* DIVID CODY	*		@STKPNT			@NAMLEN,R3
* E/A GPLLNK, e.g.,	*		@GXMLAD, @>8302(R4)			*R14+,@TYPE
* Use the same way as you would the	*	$_{ m BL}$	*R4	DLINK3	INC	R14
*	*		>83E0			
* Universal GPLLNK:	*		R9,@XTAB27		LI	R12,>2000
*	*	MOV				DSRWS
* City, CA 93505.	* ~====================================	MOV	*R11, GGR4		BL	*R5
* 10349 Redwood Blvd., California		MOV	*R11,@GR4			*R13,@DSRAD1 @DSRADD
* so. The address: Doug Warren,	*	BSS	>08			@GETSTK,R5
<ul><li>* the source code should contact</li><li>* Doug Warren for permission to do</li></ul>	* GLNKWS	-	,	DLINK2		@GR4LB,@>402(R13)
* use of the routines or republish						0,0,0
* Anyone wanting to make commercial	*	DATA	· >50		DATA	. 0
*	* GXMLAD					DLINK2
* is made for such programs.		DATA	XMLRTN			R4,@>402(R13)
* others, provided that no charge	*				LI	R4,>11
<ul> <li>programs that you share with</li> </ul>	*	DATA	GLINK1		BL	*R4

\* 835 GREEN VALLEY DRIVE, PHILADELPHIA, PA 19128.

\* PUT TOGETHER \*WITH A LOT OF HELP FROM MY FRIENDS,\*

\* MICHAEL RICCIO, TODD KAPLAN, AND MACK MCCORMICK

\* (NOT TO MENTION PAUL CHARLTON AND CHRIS FAHERTY).

\* THIS VERSION IS COPYRIGHT 1991 BY BARRY A. TRAVER.

COPY \*DSK1.GET/SEND/S\* COPY \*DSK1.GPL&DSR/S\* DRIVE EQU PARAM1
SECTOR EQU PARAM2
A\$ EQU PARAM3
B\$ EQU PARAM4

name all

parameters

the

FLAG DATA 0 READF DATA 1 WRITEF DATA 2

set up

for read/write flag

# BASIC/ASSEMBLY-

	טרט	10/	AJJEN	(DE I
7		(Co	ntinued from	Page 22)
Ĺ	,	•		left byte = 128
	LB128	BYTE	128,0	left byte = 128
	DSKSEC	DATA	>0110	sector subroutine *name
	READ	LWPI	ws	load workspace registers
		BL	@GET	get parameters from XB
		MOV	@READF,@FLAG	set flag to "read"
		JMP	PART1	jump to part1
	WRITE	LWPI		load workspace registers
			@GET	get parameters from XB
		MOV	WRITEF, GFLA	G set flag to "write" .
	PART1	VOM	@SECTOR, R8	check on sector number
		CI	R8,0	is sector number less than 0?
		JLT	ERROR1	if so, jump to error1 message
			R8,2879	is sector number greater than 2879?
		JGT	ERROR1	if so, jump to error1 message
		С	@FLAG, @WRITE	F is flag "write"?
		JNE	PART2	if not, jump to part2
	WRITE1	СВ	@A\$,@LB128	is first string length 128?
			ERROR2	if not, jump to error2 message
		LI	RO,>3CEF	address of vdp ram buffer
		LI	R1, A\$+1	address of cpu ram buffer
		LI	R2,128	length of string to send to vdp
		BLWP	@VMBW	pass first string to vdp buffer
r	`	an.	@B\$,@LB128	is second string length 128?
		CB JNE	ERROR2	if not, jump to error2 message
		ΑI	RO,128	create new vdp buffer address
		LI	R1,B\$+1	address of cpu ram buffer
			R2,128	length of string to send to vdp
			@VMBW	pass second string to vdp buffer
	PART2	LI	R0,>03C0	address of vdp temp roll out area
			RO,@>8356	pointer to name location in vdp ram
		LI	R1, DSKSEC	address of cpu subroutine "name"
		LI	R2,2	length of string to send to vdp
		BLWF	@VMBW	pass string to vdp temp roll out area
		MOV	@DRIVE,R1	check on drive number
		CI	R1,1 .	is drive number less than 1?
		JLT		if so, jump to error1 message
		CI	R1,9	is drive number greater than 4?
	•	JGT	ERROR1	if so, jump to error1 message
		SWPE	3 R1	put drive number in left byte
		С	@FLAG, @READ	F is flag "read"?
		JNE	PART3	if not, jump to part3
	READ1	AI	R1,>0001	set for read rather than write
	PART3	LI	R2,>3CEF	address of vdp buffer
		CLR	@FAC	clear Floating/point ACcumulator
		MOV	@SECTOR, @FA	C+6 set sector number
		MOV	R1,@FAC+2	set drive number/read or write
_		MOV	R2.@FAC+4	set address of vdp buffer perform device service routine
	)		P @DSRLNK 'A >A	belloum device service fourthe
			- A 0350 D1	is there a read/write error?

is there a read/write error?

MOVB 6>8350,R1

```
if so, jump to error3 message
            ERROR3
      TNE
            QFLAG, QWRITEF is flag "write"?
                         if not, continue
       JNE
            READ2
            @RETURN
                         if so, jump to return
                         set length of first string
READ2
      MOVB @LB128,@A$
                          address of vdp buffer
       LI
            RO, >3CEF
                          address of cpu buffer
            R1, A$+1
       T.T
                          length of string in vdp to read
            R2,128
       LI
                          pass first string to cpu buffer
       BLWP @VMBR
                          set length of second string
       MOVB @LB128,@B$
                          create new vdp buffer address
       ΑI
            RO, 128
                          address of cpu buffer
            R1,B$+1
                          length of string in vdp to read
            R2.128
       LΙ
                          mass second string to cpu buffer
       BLWP @VMBR
                          send parameters back to XB
             @SEND
                          "bad value" error message
             RO. >1E00
ERROR1 LI
                          report error
       BLWP GERR
                          "bad argument" error message
ERROR2 LI
             RO,>1C00
        BLWP @ERR
                          report error
                           "data error" error message
 ERROR3 LI
             RO,>2100
        BLWP @ERR
                          report error
        END
```

# ## HORIZON COMPUTER RAMDISK BARE BOARD, Manual + ROS 8.14 \$50 Zero K Kit = above + parts NO MEMORY \$110 128k Memory NON \$35 each. 32k= \$9 each 128k Kit = \$145 or \$180 Built 256k Kit = \$180 \$250 Built NEW 384k Kit = \$215 \$250 Built RAMDISK 512k Kit = \$250 \$285 Built RAMDISK 1 MEG Kit = \$390 \$425 Built RAMDISK 1.5 M Kit = \$530 \$565 Built NOW

Add a RAMBO Mod \$45(KIT) 256/800 PHOENIX KIT=\$410 or \$450=Built P-GRAM Kit 72k = \$150 or \$180 Built P-GRAM+ Kit 192k= \$200 or \$230 Built Clock for P-GRAMS =\$20 U/G 72k to 192k \$50 ALL KITS Include ALL FARTS, DOCs + Software

MEMory EXpansion for the GENEVE 9640

MEMEX 504K+ \$245

MEMEX 504K+GENMOD \$345 GENMOD is added

MEMEX 1008K+GENMOD \$395 to YOUR GENEVE

MEMEX 1512K+GENMOD \$445 Call for INSTALL

MEMEX 2016K+GENMOD \$495

GENMOD allows all 2 meg use at ZERO Wait

NOW N E W > > >>> ACCELERATOR>> \$250 Also available NOW OPA's TIM 80 Column \$179

180/256k HRD Mod \$40 FUT 32kMEM on HRD \$25 Prices will change IF MEMORY COSTS go up OHIO Residents ADD 6% Sales Tax FREE Shipping to US CANADA.Add \$5 AIR O/S

Send Order BUD MILLS SERVICES with PHONE # to 166 Dartmouth Drive Toledo OH 43614-2911

CALL 419+385-5946 voice or 419+385-7484 BBS for More Information or Current Pricing HORIZON BUD MILLS SERVICES

HORIZON RAMBISK HORIZON D-6855 HORIZON D-6855 HORIZON D-6855 HORIZON

# THE ART OF ASSEMBLY—PART 3

# Starting at the top

# By BRUCE HARRISON ©1991 Harrison Software

In Part 2 of this series, we discussed and showed some small "primitive" subroutines and the methods for nesting them. In this article, we are going back to the "Top Down" part of writing Assembly programs. We will use for our example the Harrison Golf Score Analyzer, since its development went pretty much along the lines we're trying to encourage.

One of the first decisions you should make is how the user will interact with your program. In many games, for example, the principal means of interaction is the joystick. In a program like a Golf Score Analyzer, however, that would be a very poor interface for user input. Our preference is for simple menu interaction at the top level, so each main function of the program is readily apparent to the user, and selection of a function is just one keystroke away. In today's world of "Graphical User Interface" (GUI), where functions are represented by pictures, not words, this makes us very old-fashioned, but we do have a reason for being that way. GUIs normally require a mouse to select options, and one can't count on every customer having a mouse. Further, a mouse can't be used to input names, numbers, and other data, so with or without a mouse one still needs the keyboard. Our choice has been to require only the keyboard, and that makes "plain English" menus the natural choice for selecting functions.

Given that, we must make a decision as to what functions belong on the main menu. In the Golf Score Analyzer, we settled on eight functions for the Main Menu, and made each require only a single keystroke to select. The eight look like this:

- 1 ADD ROUNDS
- 2 LOAD FILE
- 3 DELETE DATA
- 4 ANALYZE DATA
- 5 SAVE FILE
- 6 ADD/EDIT COURSES
- 7 REVIEW COURSES
- 8 EXIT PROGRAM

It's important to always include an exit selection, so the user can easily get out of your program when he wants to. It's equally important to make it difficult or impossible to get out of the program by accident. In this program, selecting item 8 from the Main Menu is the *only* way to get out. We made Funtion-Quit inactive in this program. As an aside, when users are looking at subsidiary menus, Function-9 (BACK) will get back to the previous menu, but that will not get them out of the program.

In this particular program, we had a special reason for making one and only one exit point. When the user selects item 8, we perform a check to see whether the user has modified the file currently in memory. If he's not made any changes to the file, or if he's saved it since making changes, we simply return him to either XB or E/A, depending on how he entered the program. If changes have been made, we produce a prompt asking whether he'd like to save the changed file before exiting. Any answer other

than N or n is taken as Yes, and he's placed in the SAVE FILE function. We take these precautions as part of our concept of "User Friendliness".

Perhaps we could illustrate the concept of "user friendliness" by an example drawn from experience. In many instances on the TI, one will encounter an error in execution of some program. Let's say we're working in XB or E/A, and try to get a nonexistent file to open for INPUT. What the TI folks will give you is a numbered "ERROR CODE," which you'll have to look up in a book. When we write our own programs, we like to provide a more definitive error indication, like "THAT FILE DOES NOT EXIST ON DRIVE x." or "THERE IS NO DISK IN DRIVE x." This way the user has a definite idea of what's wrong. Doing this, of course, eats memory, since those error messages have to be stored somewhere in the computer and printed to the screen, but we think that's a worthwhile use of memory.

But we digress. Once one has decided upon a menu, the top part of the flow chart is readily apparent. There will need to be an opening section of code that sets up such things as screen mode, color scheme, and such, then displays our copyright notice. Next is a delay loop so the user can read the copyright notice, and then we clear the screen and produce the main menu. Here we had to make a decision. Since we knew there would be more than one menu, we could have each menu produced by a separate section menu, we could have each menu produced by a separate section menu, we could have each menu produced by a separate section menu. of code, or we could provide a "Menu Driver" section of code that would produce all the required menus simply by using different data with the same code. We chose the latter, and believe that was a wise decision, because we used less memory to do it this way. Our word processor, which we use to prepare these articles, also has a central menu driver, but the one in the Golf Score Analyzer is better, taking lessons learned from the WP program into account.

Each menu we use has a section of data associated with it, which includes the title for the top of that menu, the selections, and a "branching" lookup table, which indicates where the program will go to when it exits that menu. The legend "SELECT BY NUMBER" goes at the bottom of each menu, so the menu driver itself places that legend on each menu it displays. In our Golf Score Analyzer, by the way, we separated the code from the data into sections of memory. That is, all the executable instructions are together in a block of memory, then all the data, including text for messages and menus, is in its own block of memory. This makes a somewhat neater arrangement for the programmer, in that separate source files contain the data, and it becomes a bit easier to keep track of what one is doing while developing the program. It also makes it easier when one comes back six months later to change something in the program.

Actually, there's no reason you can't scatter data all over the place, between sections of the executable code, but our thinking on the subject has been colored by the fact that we also program in PC Assembly language, where different memory segments are

(See Page 25)

# THE ART OF ASSEMBLY—

# (Continued from Page 24)

(and must be) allocated for code and data. This becomes a habit that carries over to the TI.

There we are digressing again. Just for the heck of it, let's look at some of the source code. In the sidebar is the annotated source code associated with the menu driver for the Golf Score Analyzer. The first two executable lines are the required setup before branching to the driver. These lines set R9 to point to the data for the menu itself, and R13 to point to the lookup table for branching out of the Main Menu.

In the Driver itself (MENDRV), the first order of business is to clear the screen. The CLS subroutine is similar to the one shown in our last article, except that, since GSA was written to operate from Extended Basic, it adds an offset of > 60 to the spaces it writes into SCRLI. As an ironic sidelight, we later added a loader so that GSA could be run from E/A, and in that loader we had to, among other things, re-arrange the tables in VDP so it would need the character offset.

Before delving further into the code, let's look at the structure of the data for the menu, at label MENDAT. It starts with a byte giving the length of the title for the menu. Next is the text of the title, then two bytes. The first of these is the number of items in this menu (8), and the second is the length of the first item description 13). After this is the text for the first item, followed by the strings for the rest of the items (a length byte, then text content). By organizing the data this way, we can make a loop in the menu driver that minimizes the memory used for the driver's code.

The business of getting the menu on-screen now proceeds by taking the length of the title line and manipulating that to position R0 so the title appears centered on Row 2 of the screen. The subroutine DISLI could also be called DISSTR, since what it does is take a string pointed to by R9 and display it at the screen location pointed to by R0. Another irony here is that, had we done this in E/A only, we could have used R1 as the pointer to the string, then DISLI would reduce to:

DISLI	MOVB	*R1+,R2	Get length byte into R2
	SRL	R2,8	Right justify R2
	BLWP	@VMBW	Write characters to screen
	Α	R2,R1	Advance R1 beyond text
	RT		Return

But we didn't do that, because we wanted GSA to be available to those who don't have the E/A module, but only the XB module. Thus we're stuck with that offset, even when the user enters the program from E/A. Live and Learn!

Another small note before we examine the rest of the source code. There is no such thing as a perfect program. As your author looks at his own sidebar, he can see several places where it could be improved. For ex-

```
CODE FROM GOLF SCORE ANALYZER
 PORTIONS OF SOURCE CODE FROM GOLF SCORE ANALYZER
* FOURTE FOR 32 CHARACTER SCREEN
SCRWID EOU 32
 SETUP FOR ENTERING MENU DRIVER TO MAKE MAIN MENU
            R9. MENDAT
       LI
            R13. MATNER
       T.T
            @MENDRV
* MENU DRIVER SOURCE CODE STARTS
MENDRY
            ecls
                         CLEAR THE SCREEN
            RO . SCRWID
                         SET RO TO SCREEN WIDTH
       T.T
       MOVB *R₽, R1
                         GET LENGTH OF TITLE IN R1
                         RIGHT JUSTIFY LENGTH
       SRL R1.8
                         SUBTRACT LENGTH FROM SCREEN WIDTH
       S
            R1.R0
                          CUT THAT NUMBER IN HALF
       SRL
           R0,1
                          ADD ONE SCREEN WIDTH
            RO. SCRWID
       AΙ
 THE ABOVE SECTION SETS RO AT A VALUE WHICH WILL AUTO-CENTER THE TITLE
* IN ROW 2 OF THE SCREEN
       BL
            @DISLI
                          DISPLAY THAT LINE OF TEXT
* DISLI ADVANCES R9, SO IT NOW POINTS TO BYTE BEYOND END OF TITLE'S TEXT
                          GET NUMBER OF ITEMS FOR MENU
       MOVB *R9+, R8
        SRL R8,8
                          RIGHT JUSTIFY IN R8
                          STASH THE NUMBER OF ITEMS AS DATA
       MOV
            R8, @NOITEM
                          LOAD RO WITH MAXIMUM NUMBER OF ITEMS IN ANY MENU
       LI
            RO.8
                          SUBTRACT THE NUMBER OF ITEMS
             R8, R0
                          ADD FOUR
             RO.4
        AI
                          GET R3 TO EQUAL NUMBER OF CHARACTERS IN SCREEN WIDTH
             R3,SCRWID
                          MULTIPLY BY WIDTH OF SCREEN
        MPY
             R3, R0
        ΑI
             R1.8
                          ADD 8 FOR COLUMN POSITIONING
        MOV
             R1,R0
                          PLACE THIS NUMBER IN RO
 * THE CODE ABOVE SETS RO TO VERTICALLY CENTER THE NUMBER OF ITEMS IN THE MENU
 * FOR A MORE CONSISTENT SCREEN APPEARANCE.
                          DISPLAY A LINE OF THE MENU
             entsut
       BI.
                          MOVE DOWN-SCREEN BY TWO LINES
             RO, SCRWID*2
        ΑI
                          DECREMENT COUNTER FOR NUMBER OF ITEMS
        DEC
            R8
                          IF NOT ZERO, JUMP BACK TO DISPLAY NEXT ITEM
        JNE
             MEN1
        LT
             RO,22*SCRWID+8 SET RO FOR ROW 23, COLUMN 9
                          POINT TO STRING FOR "SELECT BY NUMBER"
        LI
             R9. SELEC
             entsu.t
                           DISPLAY THAT LEGEND
        _{\mathrm{BL}}
                          GET A KEYSTROKE
 KYTN
             @KEYLOO
        BL
                          WAS FUNCTION-9 STRUCK?
        CI
             R8.15
                           IF NOT, JUMP AHEAD
             ACC1
        JNE
                           ELSE PUT NUMBER OF ITEMS IN R5
        MOV
             @NOITEM, R5
        JMP
             ACC2
                           THEN JUMP
                           PLACE KEYSTROKE IN R5
 ACC1
        MOV
             R8, R5
                           SUBTRACT >30 SO R5=NUMBER
             QNUMASK, R5
        S
                           IF R5 ZERO, GO GET ANOTHER KEYSTROKE, IGNORE THIS ONE
        JEO
             KYTN
        JLT
             KYIN
                           IF R5 < ZERO, IGNORE
                           ELSE COMPARE TO NUMBER OF ITEMS
             RS ANOTHEM
        C
                           IF GREATER, IGNORE
        JGT
             KYIN
 * AT THIS POINT, WE KNOW A NUMBER KEY WITHIN THE CORRECT RANGE HAS BEEN STRUCK
                           ZERO-BASE THE VALUE IN R5
        DEC
             R5
                           DOUBLE THAT NUMBER, SINCE WE'RE INDEXING BY WORDS
             R5.1
 ACC2
        SLA
                           ADD TO R5 THE START OF THE BRANCHING TABLE
             R13, R5
        Α
                           GET THE ADDRESS OF THE SELECTED CODE SECTION INTO R5
        MOV
             *R5, R5
                           AND BRANCH TO THAT ADDRESS
        B
              *R5
 * END OF MENU DRIVER SOURCE CODE
 * SUBROUTINE TO CLEAR SCREEN WITH OFFSET FOR XB
 CLS
                           SET R4 TO WIDTH OF SCREEN
             R4, SCRWID
                           MAKE R2 ALSO = WIDTH OF SCREEN
        MOV
             R4.R2
                           POINT R6 AT SCREEN LINE STORAGE
             R6,SCRLI
        T.T
```

PLACE THAT ADDRESS IN R1 ALSO

\* THE BYTE AT LABEL SPACE IS >20 + >60 FOR XB'S OFFSET

PUT A SPACE WITH OFFSET INTO R5

MOVE ONE SPACE WITH OFFSET, INC R6

MOV

LOP1

R6, R1

MOVB @SPACE, R5

MOVB R5, \*R6+

(See Page 26)

# THE ART OF ASSEMBLY—

# (Continued from Page 25)

ample, the line just before label LOP1 in the CLS subroutine could be eliminated if the line at LOP1 said MOVB @SPACE,\*R6+. Our good friend Jim Peterson (TIGERCUB), calls this kind of thinking Elegant Programming, where the programmer not only wants it to work, but wants it to be fully optimized in all respects. Maybe our next program will be better, but we're not going to re-assemble GSA just for that one small possible change.

Okay, so after the title is on the screen, we have a section of code that picks up the byte just after the title text, transfers that to R8, right justifies it, then stashes it at NOITEM. As it happens, the main menu has eight items, which is the most of any menu used in the program. The next section of code does some math with R0 and R8 to position the bulk of the menu vertically centered between the top and bottom of the screen. At label MEN1, we enter a loop which prints all the selections on the menu. Each call to DISLI leaves R9 pointed at the length byte for the next item, so the loop can proceed very quickly and efficiently.

Once all the items have been displayed (after JNE MEN1) there's another of our little tricks. We want the legend to appear at row 23, column 9. To do that, we let the assembler do the math for us. The assembler multiplies 22 by the width of the screen (this would place us at row 23, column 1), then adds eight to that number. The result is an immediate value placed in R0 which puts R0 just where we wanted it. This trick can be used in many ways, but here we've used it for positioning on the screen. One takes the number of the desired row, subtracts one, then tells the assembler to multiply by SCRWID, and then to add one less than the desired column. In addition to saving us some math, this also saves some time in program execution, because the math is performed during the assembly, and all the computer has to do at running time is load that one value into R0.

Now, once the legend is on the screen, all we need do is wait for the user to press a key. KEYLOO is the subroutine that does this for us, (see Part 2 for that subroutine) and in addition places the ASCII value of the struck key in R8. Given a keystroke, the menu driver checks it against the value 15. Fifteen happens to be the ASCII value for Function-9. In any of the menus in this program, striking Function-9 makes a branching to the last label in the lookup table for that menu. In the case of this main menu, that simply takes us back to KYIN for another keystroke. In other menus, that last label in the lookup table takes us back to a previous menu.

Having found some key value other than 15, the program must now make sure that the key struck in within the correct range for this menu. In this case that's 1 through 8. We move the keystroke to R5, subtract > 30

# CODE FROM GOLF SCORE ANALYZER

```
DEC
                          DECREMENT COUNTER
       JNE
            LOP1
                          IF NOT ZERO. REPEAT
       CLR RO
                          SET RO TO SCREEN ORIGIN
       LI
            R4.24
                          24 ROWS TO CLEAR
LOP2
       RIWP GVMRW
                         WRITE ONE LINE OF SCRWID SPACES
            R2,R0
       Α
                          ADD SCRWID TO RO
       DEC
            R4
                          DECREMENT ROW COUNT
                         IF NOT ZERO, REPEAT
       JULE
            IOP2
                         ELSE RETURN
* SUBROUTINE TO DISPLAY ONE STRING ON THE SCREEN
DISLI LI R10, SCRLI
                         POINT AT OUR BUFFER SCRLI
       MOV R10, R1
                         MAKE R1 POINT AT THAT ADDRESS ALSO
       MOVB *R9+, R4
                         MOVE THE LENGTH BYTE INTO R4
       SRL
            R4,8
                         RIGHT JUSTIFY
       MOV
            R4. R2
                         PLACE THAT NUMBER IN R2 FOR VMBW
           DISLIX
                         IF THAT LENGTH WAS ZERO, GET OUT OF SUBROUTINE
       MOVB *R9+, *R10
                         MOVE ONE BYTE OF CONTENT, INCREMENTING R9
       AR
            GOFFSET, *R10+ ADD THE >60 OFFSET, AND INCREMENT R10
           R4
                         DECREMENT LENGTH COUNT
       JNE
            DTS1
                         IF NOT ZERO, REPEAT
       BLWP GVMBW
                         WRITE THE STRING WITH OFFSET TO SCREEN
DISLIX RT
                         RETURN
```

- FOLLOWING LINES ARE FROM THE DATA SECTION OF SOURCE CODE
- DATA FOR PRODUCING THE MAIN MENU

```
MENDAT BYTE 19
                         LENGTH OF TITLE
       TEXT 'GOLF SCORE ANALYZER' TITLE TEXT
       BYTE 8,13
                         NUMBER OF ITEMS, LENGTH OF FOLLOWING TEXT
       TEXT '1
                ADD ROUNDS! TEXT LINE
       BYTE 12
                         LENGTH OF TEXT FOLLOWING
       TEXT 12
                LOAD FILE' SECOND TEXT LINE
       BYTE 14
       TEXT '3
                DELETE DATA
       BYTE 17
       TEXT '4
                ANALYZE SCORES'
       BYTE 12
       TEXT '5
                SAVE FILE
       BYTE 19
       TEXT '6
                ADD/EDIT COURSES
       BYTE 17
       TEXT '7
                REVIEW COURSES
       BYTE 15
                         LENGTH OF LAST TEXT LINE
       TEXT '8 EXIT PROGRAM' LAST TEXT LINE
* DATA FOR PRODUCING THE LEGEND AT BOTTOM OF ANY MENU
      BYTE 16
                         LENGTH OF LEGEND
       TEXT 'SELECT BY NUMBER' TEXT OF LEGEND
* LOOKUP TABLE FOR BRANCHING OUT FROM MAIN MENU
* EACH DATA ITEM AT MAINBR GIVES AN ADDRESS OF A LABEL TO WHICH CODE
* BRANCHES WHEN A SELECTION IS MADE FROM THE MAIN MENU
```

\* THE LAST ENTRY IN THE TABLE IS WHERE THE CODE BRANCHES WHEN

\* FUNCTION-9 WAS STRUCK. IN THIS CASE, WE EFFECTIVELY IGNORE THAT

\* KEYSTROKE BY BRANCHING TO LABEL KYIN, WHICH SIMPLY WAITS FOR ANOTHER

\* KEY TO BE STRUCK MAINBR DATA NRIN, FILGET, SELCRD, SELCRS DATA FILSAV, NCIN, CRSLST, BYE, KYIN

\* MISCELLANEOUS DATA ITEMS

NUMASK DATA >30 NOITEM DATA 0

SCRLI BSS SCRWID OFFSET BYTE >60 SPACE BYTE >20+>60

so the number in R5 will be 1 through 8, not > 31 through > 38. Now we check for a result zero or less than zero. If either happens, the key struck was out of range, so we ignore it and jump back to label KYIN. Finally, we compare R5 to the data at NOITEM, which in this case contains 8. If it's greater than that, we again ignore the keystroke. While this menu is on-screen, hitting any

(See Page 27)

# Mario Bros., Turbo 2056 and Linkages

# By STAN KRAJEWSKI

Ratings for the software reviewed in this column are based on the good ol' star system that Harry Brashear used in his MI-CRO-review columns.

- ★ Leave it alone, back to the drawing board.
  - ★★ Needs improvements, but workable.
  - ★★★ A good program, worth trying.
  - $\star\star\star$  Send your money and buy it.

For my first installment I am reviewing games. It is the way I pass most of my time with my TI. However, I am program literate and have tried all programs that I have come across in the past seven years of being a TIer, including utility, music programs, etc., and never had much of a problem. This review will consist of programs from one distributor because, being a new columnist, I haven't had anyone send me any programs yet. These are the most reent programs I have purchased, and the more you buy the cheaper they get.

# $\star\star\star$ MARIO BROS.

I have seen it advertised in the classified section of MICROpendium, a Mario Bros. game for the TI? I just had to send for that one, liking the TI as much as I do, and with someone going to the trouble of re-creating a very popular game so we can continue to use our computer and still get satisfaction out of it.

It starts out with a TI Extended BASIC loader going into assembly routines. Yes, it takes 1-2 minutes to load, but it does look interesting once you get there. At the startup screen (level 1) in the top left hand corner it displays the Lives and Level. Across the top are displays for the Timer, Coins and Score. Immediately you must start running your Mario to the right. You can jump hit the bricks with your head to reveal coins and mushrooms. You can get big by landing on a mushroom and collect all the coins you can. Once you are big it is easier to hit the bricks with the top of your head and, if you hit another mushroom, you turn into a fiery Mario. You can then pull down on your joystick and shoot fireballs, depending which way you are facing. There are surprises, because you might jump for no reason or miss a brick and a hidden brick comes into view. You have to be careful of the bad guys, as not all of them die by jumping on them.

There are 14 levels to keep you busy, and you must make it to the flagpole to reach another level. I have wanted to keep playing again so it's not easy to lose interest in it.

Some of the bad parts are: The timer does run awfully quick. You barely have time to grab coins and mushrooms before reaching the flagpole without the timer running out. You can move both foward and backward but the screen is a little confusing as everything moves in both directions instead of just the Mario character. I have used it on both my CorComp 9900 Micro Expansion system and the P-box and it runs flawlesly most of the time. I say most of the time because I have experienced screen malfunctions on both systems, causing me to reboot.

All in all I do enjoy the program and it does have entertaining music while you play. I have not tried it on my Geneve 9640 yet, but would assume the timer would be faster than it is now.

The program is available from Baker Software 8301 Stevenson Ave. Sacramento, CA 95828 for \$9.50 + 1.50 S+H.

# \* \* \* \* **TURBO 2056**

This game brings back memories of Car Wars by T.I. but with more twisting and turning and the ability to compete. It has more screens than you can count and uses

(See Page 28)

# ART OF ASSEMBLY—

# (Continued from Page 27)

key other than the numbers 1 through 8 will have no effect whatsoever.

Immediately after the operation JGT KYIN, we know that the number in R5 is a number in the range 1 through 8, so we can proceed to branch out from the menu. First we must DEC R5, so that the range is actually 0 through 7. (If Function-9 had been struck, we'd jump to label ACC2 with 8 in R5.) Now, since we're going to index a table of words, not bytes, we must double the number in R5. The easiest way to double a simple integer like this is to Shift it left by one bit, and that's what we do at label ACC2. Now the number in R5 has a range of 0 through 14 (by twos), or 16 if Function-9 has been pressed.

R5 now has the index value for the member of the lookup table we want. We add R13, which contains the address of the start of the lookup table. The next operation, MOV \*R5,R5, takes the number at that address in the lookup table and places it in R5. Finally, we branch to the address contained in R5, and that takes us into the selected function. In effect, we have performed an ON-GOTO function based on the key struck.

In this article we looked at some overall principles for Top-Down program design, then we presented one alternative for user interaction through a Menu Selection, and showed the source code for a reasonably effective menu driver. There are many other ways to implement a menu system, and we can be sure that some of our readers will come up with better ones than ours. Our purpose in these articles is mainly to teach principles of using Assembly, so the reader can use his own creativity in this language.

In the next installment, we'll try to concentrate on ways to make code as efficient in memory use as possible, with some "wrong way" and "right way" examples.

# MICRO-REVIEWS—

# (Continued from Page 27)

joysticks to control each player's car. It's a two-player game (which comes in handy in my family) and lets you compete against each other for a victory in each screen.

Both players start together in the same corner of each screen trying to battle their way around obstacles and walls to reach the finish line. The name Turbo really applies here, for when you press the fire button you really move. You have to master when you can use it and really gives you an edge when you just have to catch up to the other guy. But watch out, you don't know when you use all your turbo until it's to late. But thank goodness you get it all back at the next screen. At the top right of the screen the computer records how many wins each player gets.

The program autoloads out of Extended BASIC and you can pick how many rounds you and your opponent want to go. You have three choices, game ends after either player gets 10 wins, 25 wins or, if you really want to spend some time at the races, 50 wins.

At this price I cannot find a thing wrong with this one. Also from Baker Software at \$4. One or more programs \$1.50 S&H.

# ★ ★ ★ LINKAGE

If you like shooting games with a joystick, this could be for you. I like games that use the joystick so with this it is a plus for me.

In Linkage, you are flying through a trench with a barrage of alien aircraft coming at you. You can fire missiles at the enemy until you die or win the game. But winning is not easy. Along with shooting and dodging the aliens you must push up on the joystick and try to make it to the end of the trench. As you continue up the trench the distance meter lets you know how close you are getting to the end. You want to keep looking

how far you got but hate to take your exoff the oncoming aliens. If you do make a through all those aliens, you must face another one that you must blast many times before proceding to the next level. Along with the distance, the screen displays the score your lives and your level.

This game offers good graphics and has sound and a bargain price. Once again it is \$4, plus \$1.50 S&H per order.

Call or write Baker Software for more than one game and see about their discount. 916-689-6946 or same address as before.

In my next review I will be able to run programs from the Geneve. I didn't have time this month to get it up again since my last minor problem. Happy computing.

I hope to be able to review your program in the future. Send programs to: Stan Krajewski, Route 6 Box 568-15, Live Oak, FL 32060.

# Comments

# Digitized sound using the TI/9640

Barry Boone has a pair of programs that produce incredible sound on the TI99/4A and Geneve. One program is used to convert digitized sound from PC format to a TI/Geneve format. The second program plays the sound on the TI and Geneve. The Geneve will handle files up to 2 megabytes long with a Memex card. Using high-resolution playback, a file this long will last about five minutes.

The sounds that come through the TI are incredibly realistic, whether the sound be music or voice. Barry said the sounds are better on the TI and Geneve than on PCs. When Barry gave me a demo over the phone, the only thing I could say was "where can I get it." Texaments will be handling the program, which is tentatively priced at \$14.95. It is expected to be available in mid-October.

How does it work? The program loads the sound chip in the TI and Geneve with one frequency and then modulates the volume (this is not what TI recommended when using its sound chip, but it works). The results are realistic and compelling. He used digitizing equipment from a PC to generate raw digitized files and then translated the files for use with the TI and Geneve. The program, called Sound F/X, will come with the playback software and a collection of sounds.

Also coming this fall, for the Geneve, will be some games ported over from other machines, including one educational game.

No word yet on titles, but my source says you'll recognize them when you see the names.

# CALLING MYARC

We've been getting a lot of calls from readers wondering how to get in contact with Myarc. I wish we could help, but Myarc disconnected its phone at its Alabama office, and that is the only voice contact that was available. I've been hearing from readers who say that they shipped their Geneves and HFDCs to Myarc as far back as February and still haven't gotten them back. By the way, these repairs were prepaid, as per Myarc's repair policy. (Myarc's had my HFDC since May, with no word about its condition.)

Please, Myarc, why don't you at least send a postcard to your loyal users and let them know that you've got their equipment. It costs only 19 cents, and MICROpendium won't have to continue to deal with the calls that are meant for you.

The most recent information I have, from a reliable source, is that Myarc had to replace it's repair technician in late spring and that the replacement took awhile to get up to speed. I was told this in early July, so I would assume there is another reason as to why repairs aren't being made in a timely fashion.

## BACK TO 40 PAGES NEXT MONTH

We will be back to 40 pages next month.

# User Notes

# Dumping modules to disk with F'web

This comes from Sam Carey, of Portland, Oregon. He writes:

If you have some sort of assembly language cartridge dump program on disk, and you want to dump a game module to disk with it — and don't know how — read on

First, load Funnelweb. Then load the FW editor, E/A or TIW, it doesn't matter which. Carefully remove the XB/EA/MM cartridge from the cartridge port and replace it with the game cartridge you'd like to dump. Exit the editor with the following keystrokes: Function 9, Q, Enter, E, and Enter.

Next, load the dump program. You're all set. You could use this method of switching cartridges for any reason. It's that easy to dump a game cartridge.

# Using the break key with XB and Geneve

Geneve users who use TI Extended BA-SIC know that the break key doesn't work, so programs can't be stopped once they've started running. Barry Boone says that

# Feedback

(Continued from Page 6)

Comp's TI-IBM Connection or Mike Dodd's PC-Transfer. If you like, you may submit an item for our Reader-to-Reader column in hopes that another reader may have what you want. Or, you can send for information about joining National Used Software/Hardware Club (see the ad on the classified page). NUS/HC has a listing for CorComp's TI-IBM Connection cartridge, which will allow you to transfer text files from a TI to a PC.

As for your second question, the problem may be in your RS232 card. If both printers started to exhibit problems at the same time, or both printers work fine with another computer, suspect the card. TI will repair it for a modest charge. Call 800-TI-CARES. For technical assisance, call TI at 806-741-2663.

users can change this by making a a modification to the first two files of TI Extended BASIC. You'll need a sector editor to do.

First, load the first of the XB files into the sector editor and search for the following hex string:

83D6 020C 0024 30E0

Replace it with the following string: 83D6 06A0 0020 1010

Do this for the second XB file as well. You now have a functional break key.

# Nesting .IF files and saving paper with TI-Writer

This comes from Harold "Pete" Sarasin, of Goleta, California. He writes:

Page 109 of the TI-Writer Reference Guide says that the .IF (Include File) command does not permit nesting of files — calling a second file from the first and a third from the second. However, it can be done by using Alternate Input (\*n\*). The "n" is a number from 1 to 99. Alternate Input can be used with or without Define Prompt (.DP).

Take a blank disk and create the following six files with filenames FN1 to FN6. These files will demonstrate how .IF (Include File) can be accomplished by enter-

ing all or part of a .IF DSKn.FILENAME as prompted.

## Filename FN1

0001 TEST 1

0002 .DP 2:ENTER "n" of DSK1. FN"n" 0003 .IF DSK1.FN\*2\*

## Filename FN2

0001 TEST 2

0002 .DP 3:ENTER "FNn" of DSK1. "FNn"

0003 .IF DSK1.\*3\*

## Filename FN3

0001 TEST 3

0002 .DP 4:ENTER "DSK1. FNn"

0003 .IF \*4\*

## Filename FN4

0001 TEST 4

0002 .DP 5:ENTER "n" of DSK"n".FN5

0003 .IF DSK\*5\*.FN5

## Filename FN5

0001 TEST 5

0002 .DP 6:ENTER ".IF DSKn.FNn"

0003 .IF \*6\*

## Filename FN6

0001 TEST 6

0002 .DP 7:PRESS "FCTN 9" TO EXIT 0003 \*7\*

Enter the Formatter with disk in drive 1. Enter DSK1.FN1 in the initial Formatter prompts.

TEST 1 printed

(See Page 30)

# READER TO READER

☐ Bob Zink, 4217 Molokai Dr., Naples, FL 33962, writes:

In the last eight years I have accumulated quite a few disks. Lately, I have begun to experience more and more disk failures. While I was visiting in Detroit last month, I brought along a rather important data disk and its backup, both of which garbaged the catalog screen.

Herb Schlesinger of the Great Lakes 99ers somehow salvaged the disk. I have not been able to duplicate his feat, either by following his directions, replacing the disk header or using Recover. I cannot access any of the files to do anything with.

Also, how often are files supposed to be transferred to new disks? Even though I have three DSDD exterior drives, replacing all the disks would be a formidable task.

☐ Sam Carey, 5820 S.E. Westfork St., Portland, OR 97206, writes:

Does anyone know of, or can anyone write, a routine in assembly language that will scan Joystick No. 1 and move sprites 1 through 9 the opposite direction of the joystick and hold the sprites still if the joystick is not used, and will move the sprites to the other side of the designated area if they go too far in one direction?

☐ Geographically alert readers no doubt sent answers to the query of Michael G. Mickelson last month to Des Plaines IL rather than Des Plaines IA as we printed.

Reader to Reader is a column to put TI and Geneve users in contact with other users. Be sure to address your questions to Reader to Reader, c/o MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

# User Notes

## (Continued from Page 29)

at prompt enter "2"

TEST 2 printed

at prompt enter "FN3"

TEST 3 printed

at prompt enter "DSK1.FN4"

**TEST 4 printed** 

at prompt enter "1"

TEST 5 printed

at prompt enter ".IF DSK1.FN6"

TEST 6 printed

prompt will be "PRESS FCTN 9 to

QUIT"

Pressing FCTN 9 returns to TI-Writer menu. This last sample can also be used (with or without a prompt) to save paper, by making the "n" Alternate Input the last line of the file.

Incidentally the Alternate Input with Define Prompt can also be used with the Header or Footer commands when printing documents that are not in conscecutive page number order.

# French users offer newsletter on disk

A group of 20 TI users in France has prepared its fifth newsletter on disk.

According to Pierre Delfort of the group, the newsletter contains announce-

ments, idea exchanges and programs in Extended BASIC or Editor/Assembler.

"We have a fabulous assembler programmer," Delfort comments.

He says the group works with English, Belgian and German users groups.

To receive the disk news, send one double-sided or two single-sided disks with postage (buy international reply coupons at the post office) to Delfort at 7 allee de la pinede, 30200 Bagnols/ceze, France.

# Hunter Valley UG disbands

The Hunter Valley 99ers User Group, New South Wales, disbanded June 25, 1991. Reasons given for disbanding include lack of members willing to participate on committees, absence of contributions to the group's newsletter and the lack of programs available locally for the TI.

# Auto-loading from tape

This item, by D.N. Harris, appeared in the newsletter of TIsHUG, Sydney, Australia.

The command RUN "CS1" can be used instead of END so that a tape of Extended

BASIC programs will load each oth Each program must be END changed to RUN "CSI". The effect is like RUN "LOAD" in a disk collection. Suppose the program line is:

1000 END

Make it:

1000 RUN "CS1"

It starts a cassette load as soon as the program ends.

Remember to put the quotation marks around CS1, otherwise it is not a valid device, although for SAVE CS1 you leave off the quote marks. The same for OLD CS1. For RUN "CS1" you must use the quotes both as a systems command and as a statement in a program.

This will also work for TI-BASIC programs running out of the Extended BASIC environment provided that the allowable range of character sets is employed and that the program does not ask for "SPEECH", OUTPUT.

MICROpendium pays \$10 for items submitted by readers for publication is *User Notes*. If you have a tip or idea, routine or other information that may be of interest to other readers, send it to MICROpendium User Notes, P.O. Box 1343, Round Rock, TX 78680.

# 1991 TI FAIRS

## MARCH

Family Computer Exposition and Ham Radio Festival, (formerly TICOFF), March 6, Roselle Park High School, 185 West Webster Ave., Roselle Park NJ 07204. Sponsored by students of the high school and the Old Bridge Ham Radio Club. For information write the high school or call (201) 241-4550 or call the 24-hour informational BBS at (201) 241-8902.

## **APRIL**

Northeast TI99/4A Home Computer Fair, April 6, Central Middle School, Waltham, Massachusetts. Contact Justin Dowling, The Boston Computer Society, 1 Kendall Square, Boston, MA 02139.

Canadian TI-Fest, April 27, Merivale High School, Nepean, Ontario, Canada. Contact Bill Gard, 3489 Paul Anka Dr., Ottawa, Ontario, Canada KIV 9K6 or (613) 523-9396 or Fax (819) 997-2194 Attn: DMES 2.

## MAY

TI Orphan Reunion, May 11, Innisfail Lions Hall, Innisfail, Alberta, Canada. Contact Fred Kessler, Box 20, Sundre, Alberta, Canada TOM 1XO or (403) 638-3916.

TI99/4A Users Group, UK, Annual Meet, May 11, The Music Hall, The Square, Shrewsbury, England. Contact Stephen Shaw, 10 Alstone Rd., Stockport, Cheshire, England, SK4 5AH.

Multi User Group Conference, May 18, Reed Hall, Ohio State University Lima Campus. Contact the Lima User Group, P.O. Box 647, Venedocia, OH 45894, or phone Dave Szippl evenings, (419) 228-7109.

## SEPTEMBER

6th International TI User Treffen, Sept. 13-15, Berlin. Contact Henry Hillsberg, Uhlandstr. 70, (W) 1000 Berlin 31, Germany. Convention, Sept. 21, South End Pool Center, 402 E. 56th St. Tacoma, Washington. Contact Barb Wiederhold, (206) 546-1865 (BBS) or (206) 546-1205.

# **NOVEMBER**

Chicago International World Faire, Nov. 1-2, Elk Grove Holiday Inn, Elk Grove Village, Illinois. Contact Chicago TI Users Group, P.O. Box 578341, Chicago, IL 60657.

# 1992 TI FAIRS

## **FEBRUARY**

Fest-West, Feb. 15-16, Days Inn-Phoenix/Camelback, 502 West Camelback, Phoenix, Arizona. Contact VAST Users Group, c/o Tom Pfeffer, 116 S. Stellar Parkway, Chandler, AZ 85226; H. Knight (602) 938-5446; R. Rees, (602) 869-8145; or the VAST BBS, (602) 869-8145.

This TI event listing is a permanent feature of MICROpendium. User groups and others planning events for TI/Geneve users may send information for inclusion in this standing column. Send information to MICROpendium Fairs, P.O. Box 1343, Round Rock, TX 78680.

# Classified

# **SOFTWARE**

## TI-PD PUBLIC DOMAIN AND FAIRWARE

550 DISKS just \$1.50 EACH! And orders for 8 or more disks are postpaid.

Thousands of programs selected from the best from the U.S., Canada, Australia, England, Germany, Holland and Belgium. FAIRWARE IS OFFERED BY AUTHOR'S WRITTEN PERMISSION ONLY. Disks as full as possible, arranged by exact category, BASIC programs converted to XBASIC, assembly programs with XBASIC loader, disks with autoloader by full program name.

Send \$1.00 (deductible from first order) for 13-page catalog listing all programs and authors. Catalog also available on disk.

TIGERCUB SOFTWARE, 156 Collingwood Ave., Whitehall, OH 43213. v8/10

USVBA Volleyball \$10.00; Cutthroat Cribbage with 5 other games, \$10.00; NFL Football Forecaster, \$10.00; Wall Street Advisor, \$30.00. Program Innovatrs, 4122 Glenway, Wauwatosa, WI v78.10.12,v82,4,6

# **FOR SALE**

## **ENORMOUS TI99/4A INVENTORY**

Catalogs \$2.00. Braatzs Computer Services, 719 E. Byrd St. Appleton, WI 54911. 1-414-731-3478.

# FOR SALE

Geneve 9640, PE Box, TI controller, two 5 1/4 drives, RS232, TI color monitor. Also TI99/4A keyboard, 32K card, P-Code card. Software on disks and car-

# Buy or sell used software and hardware

National Used Software/Hardware

Club brings computer buyers and sellers together. Whether you want to buy or sell, we can help you. Annual dues are \$15, and include newsletter. For free, no-obligation information packinge, call 1-800-777-6632, or send #10 SASE to NUS/HC, Dept. M, P.O. Box 1343, Round Rock, TX 78680.

# **Policy**

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisements to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

# **FOR SALE**

tridges. \$475 plus shipping. Call 512-343-2130 after 6 PM CDT.  $\sqrt{7}$ n8

# HARDWARE FOR SALE

NEW: Bare 5.25" ss/sd disk drive. USED: 2 external 5.25" ss/sd disk drives, printer A/B/C switch, Star Gemini 10X printer, TI99/4A console, misc. cables, 3 5.25" diskette storage boxes, and ten cartridges (incl. XB, TEII, Disk Manager 2) USED AND AS IS (locks up after several minutes): PEB with 2.25" ss/sd disk drive, drive controller card, 32K card, RS232

Manual will be provided with most items. I will pay shipping. MAKE OFFER on any or all items. Write to: Kenneth Dirks, H.C. 68 Box 18, Chappell, NE 69129.8/7

card, and Triple Tech card.

# **HARDWARE**

## FOR SALE

Two 99/4A consoles, PEB and DS disk, 32K, RS232, controller, printer, XBA-SIC, Logo II, TI-Writer, synthesizer, Multiplan, Plato, Volksmodem, joystick, manuals, software & more. \$575. List available. Call 205-956-1476.

99/4A. & Full PE-Box,\$200.00; 384K HRD, \$140.00; P-Gram, \$140.00; Rave Speech Card, \$35.00; TI Recorder, \$20.00; 99/4 Impact Printer, 40.00; P-Code w/Manuals, \$45.00; P-Code, \$30.00; US Robotics 1200 modem, \$25.00. Shipping Extra, UPS Ground

# **HARDWARE**

(COD). SASE for Software List. Ernie Pergrem, 2288 W. Nichols Rd., Arlington Hts., IL 60004. (708)255-5075 after 5PM CST.

# MISCELLANEOUS

## NINTENDO FOR SALE

Nintendo game player, pistols, joysticks, including rapid fire joystick. Game cartridges include R.C. Pro Am, Ice Hockey, Major League Baseball, Bases Loaded Baseball, Mario Bros/Duck Hunt, Fast Break, NFL Football, Stealth, Racket Attack, Metal Gear, Sky Shark and Ninja Gaiden. \$150 takes all. Call 512-255-1512.

PASCAL-COMPLETE SYSTEM\$150
TI RS232 CARD used\$95
FULL TI PE/BOX-RS232-32K-DRIVE \$299
EMPTY TI PE/BOX (used)\$100
18" P-BOX EXTENSION CABLE\$25
EDITOR ASSEMBLER PKG. (new)\$12
SPEECH SYNTHESIZER used\$35
PARALLEL PRINTER CABLE 6'\$20
PE-BOX TECH TRAINING MANUAL\$20
TI-ORIGINAL COLOR MONITOR \$150
SERVICE MANUAL (CONSOLE/P-BOX)\$25
4A FACTORY REPAIR MANUAL\$20
DISK CONTROLLER & 32K CARDS ea \$95
P-BOX "CARD" REPAIR MANUALS (ea)\$10
TI COLOR MONITOR SERVICE MANUAL\$15
SCHEMATICS: CARDS/CONSOL/PBOX ea \$5
CC40 (TI Compact Computer)\$55
CC40 peripheral user manuals\$10
USED TI99/4A, Hardware, Software, Books and
Parts. Call or write for complete free list. 5
S&H, \$3 min.
Jim Lesher, 722 Huntley, Dallas, Texas 75214; 214-821-9274.
//WIT, MITTOMIT/MITT

# The ONLY monthly devoted to the TI99/4A

\*\*\*\*\*

# Subscription Fees

\*\*\*\*\*\*\*\*\*

\$25 for 12 issues via domestic second class mail \$30.25 (U.S. funds) Mexican delivery

\$32.50 (U.S. funds) Canadian delivery

\$30.00 (U.S. funds) for 12 issues other foreign delivery via surface mail

\$42.00 (U.S. funds) for 12 issues other foreign delivery via air mail

Outside U.S., pay via postal or international money order or credit card; personal checks from non-U.S. banks will be returned

# **Address Changes**

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

# **Back Issues**

Back issues of MICROpendium are available to subcribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.50 per issue desired in a check or money order or by credit card. (Minimum credit card order is \$9.) No shipping charge in U.S. and Mexico; Texas residents add 7.75% sales tax. Shipping charge of 30 cents per issue to Canada. For other foreign delivery, add 50 cents per issue surface mail, \$2 per issue air mail. No discounts on orders of sets. All prices U.S. funds.

OUT OF STOCK: Vol 1, nos. 1-2, Vol 2, no. 1

# Miscellany

TI-Forth Disks (2 disks, program and demo disks, no manual)\$6.00
MICROpendium Index (2-SSSD disks, XBASIC required)\$6.00
Disk of programs from one issue of MICROpendium (must be a subscriber
to order)\$4.00
12 monthly disks (April 1991-March 1992) of programs appearing in each
edition of MICROpendium (must be a subscriber to order)\$40.00
Magazine holders (12/set-add \$1 shipping/order)\$3.00

Send name, address, product(s) ordered, check, money order or Visa/MasterCard number and expiration date (\$9 minimum on credit card orders \$9) to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680. (Foreign orders write for postage fees. Texans add 7.75% sales tax.)

# Tell us about it

Please let us know what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

1.

4.

Other suggestions:\_\_\_\_\_

Send me the next 12 issues of MICROpendium. I am enclosing \$\text{ in a check or money order in U.S.} funds. Or bill my \(\begin{array}{c} \begin{array}{c} \be

Minimum credit card order is \$9

Mail to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680

Name\_\_\_\_

Address\_\_\_\_

City\_\_\_\_

The numbers on the left of your mailing label indicates the cover date of the last issue on your subscription.

SECOND CLASS

(required on credit card orders)

